

INDEX
TO
CANBERRA BIRD NOTES

VOLS 21-24
1996 - 1999

ISSUE INDEX

Vol 21 (1) March 1996

- Braby, Michael (1996). A record of the Scarlet Honeyeater in the Australian National Botanic Gardens, ACT. *Canberra Bird Notes* 21(1): 1-2.
- McDonald, David (1996). The etymology of "Jizz". *Canberra Bird Notes* 21(1): 2-11.
- Wilson, Steve (1996). Suburban wedges. *Canberra Bird Notes* 21(1): 12.
- Bounds, Jenny (1996). Brown Goshawk takes Common Myna. *Canberra Bird Notes* 21(1): 12-13.
- Wilson, Denis (1996). Masked Lapwings nesting on a roundabout. *Canberra Bird Notes* 21(1): 13-14.
- Bounds, Jenny (1996). Lone Fuscous and Yellow-faced Honeyeaters keeping company. *Canberra Bird Notes* 21(1): 14.
- Wilson, Steve (1996). Bell Miners near Warrina Inlet, Lake Burley Griffin, ACT. *Canberra Bird Notes* 21(1): 14-15.
- Bounds, Jenny (1996). President's Report – 1995. *Canberra Bird Notes* 21(1): 16-23.

Vol 21 (2) June 1996

- Wilson, A.M. (1996). An April bird survey of the Ingolba Nature Reserve, west of Temora (South-West Slopes, NSW). *Canberra Bird Notes* 21(2): 25-32.
- Swift, Harriett (1996). Bowerbird dynamics. *Canberra Bird Notes* 21(2): 33-35.
- Fraser, Ian and McJannett, Margaret (1996). Of Beggars and thieves. *Canberra Bird Notes* 21(2): 36.
- Davey, Chris (1996). Unusual food item of the Yellow-tailed Black-Cockatoo. *Canberra Bird Notes* 21(2): 36-37.
- Stanger, Justin (1996). Unusual method of food searching by an Australian Raven. *Canberra Bird Notes* 21(2): 37.
- Purchase, David (1996). Sulphur-crested Cockatoo possibly feeding on nectar from gum flowers. *Canberra Bird Notes* 21(2): 38.
- Leonard, John (1996). Opportunistic feeding by Willie Wagtail. *Canberra Bird Notes* 21(2): 38-39.
- Purchase, David (1996). An early record of White-throated Treecreepers roosting in a building in the ACT. *Canberra Bird Notes* 21(2): 39.

Vol 21 (3) September 1996

- Bounds, Jenny, Brookfield, Muriel and Delahoy, Murray (1996). Observations of a breeding colony of four pairs of Regent Honeyeaters at North Watson, Canberra, in 1995-96. *Canberra Bird Notes* 21(3): 41-55.
- Dabb, Geoffrey (1996). Some observations of Little Corellas in South Canberra 1994-96. *Canberra Bird Notes* 21(3): 56-61.
- Nicholls, A.O., Nicholls, J., Clayton, M. and Davey, C. (1996). Common Myna movement. *Canberra Bird Notes* 21(3): 62.
- Leonard, John (1996). A 'bird-wave' in the suburbs. *Canberra Bird Notes* 21(3): 63.
- McDonald, David (1996). Red-rumped Parrots benefiting from Sulphur-crested Cockatoos' feeding. *Canberra Bird Notes* 21(3): 64.
- McDonald, David (1996). Early nest-building activity in a White-browed Scrubwren. *Canberra Bird Notes* 21(3): 65.
- McDonald, David (1996). A Pied Currawong harassing a Ring-tailed Possum. *Canberra Bird Notes* 21(3): 65-66.
- Wright, Hazel (1996). Book Review – *A Field Guide to the Birds of Western Australia* (G.M. Storr and R.E. Johnstone, ill. Martin Thompson). *Canberra Bird Notes* 21(3): 66-68.

Vol 21 (4) December 1996

- Canberra Ornithologists Group (1996). Annual Bird Report: 1 July 1991 to 30 June 1992. *Canberra Bird Notes* 21(4): 69-124.

Vol 22 (1) March 1997

- Davey, Chris (1997). Observations on the Superb Parrot within the Canberra district. *Canberra Bird Notes* 22(1): 1-14.
- Magrath, Robert D. (1997). Breeding season of White-browed Scrubwrens in Canberra. *Canberra Bird Notes* 22(1): 15-17.
- Wilson, S.J. (1997). Field Identification of the White-browed and Yellow-throated Scrubwrens. *Canberra Bird Notes* 22(1): 17-18.
- Wilson, Denis (1997). Bush Stone-curlew near Batemans Bay. *Canberra Bird Notes* 22(1): 19.
- Sexton, Maurice (1997). Satin Bowerbirds in our garden in Duffy. *Canberra Bird Notes* 22(1): 19-20.
- Lindenmayer, Bruce (1997). Satin Bowerbirds and milk bottle lids. *Canberra Bird Notes* 22(1): 20.
- Leonard, John (1997). Behaviour of Sulphur-crested Cockatoos in response to a raptor. *Canberra Bird Notes* 22(1): 21.
- Ross, Douglas (1997). A curious Australian Magpie. *Canberra Bird Notes* 22(1): 21.
- Lepschi, B.J. (1997). A correction to 'A note on Charles Daley and John Cumpston: two early Canberra birdwatchers' (CBN 14: 27-28). *Canberra Bird Notes* 22(1): 21-22.
- 'G. tibicen' (1997). Column – Out and About. *Canberra Bird Notes* 22(1): 22-23.
- Wilson, Steve (1997). Obituary – Donald Wakeham Lamm. *Canberra Bird Notes* 22(1): 24-25.
- Purchase, David and Clark, Grahame (1997). From the Editors. *Canberra Bird Notes* 22(1): 26.
- Canberra Ornithologists Group (1997). Rarities Panel News and Endorsed List No. 44. *Canberra Bird Notes* 22(1): 26-28.

Vol 22 (2) September 1997

- Gleeson, John A. (1997). Crimson Rosellas and Common Starlings compete for a nest box. *Canberra Bird Notes* 22(2): 29-30.
- Davidson, George (1997). Observations of successive nesting by a pair of Crested Pigeons in Fisher. *Canberra Bird Notes* 22(2): 30-32.
- Er, Kenneth B.H. (1997). Four years of birding in Canberra. *Canberra Bird Notes* 22(2): 32-35.
- Goddard, Phyl (1997). Courtship display in the Double-barred Finch. *Canberra Bird Notes* 22(2): 36.
- Wilson, Denis (1997). A suburban kill by a Peregrine Falcon. *Canberra Bird Notes* 22(2): 36-37.
- Wilson, Steve (1997). Magpie vs Hobby. *Canberra Bird Notes* 22(2): 37.
- Purchase, David and Purchase, Shirley (1997). Soaking and hiding of food by Australian Ravens. *Canberra Bird Notes* 22(2): 37-38.
- Wilson, Steve (1997). The role of Canberra Ornithologists Group. *Canberra Bird Notes* 22(2): 39-42.
- Fennell, Paul (1997). President's Report – 1996. *Canberra Bird Notes* 22(2): 43-47.
- 'G. tibicen' (1997). Column – 'Out and About'. *Canberra Bird Notes* 22(2): 47-48.

Vol 22 (supplement) December 1997

- Canberra Ornithologists Group (1997). Annual Bird Report: 1 July 1992 to 30 June 1993. *Canberra Bird Notes* 22(suppl): 1-54.

Vol 23(1) March 1998

- Wilson, Steve (1998). Our early knowledge of honeyeater migration in the ACT. *Canberra Bird Notes* 23(1): 1-2.
- Jorm, Peter (1998). The perils of foster-parenting. *Canberra Bird Notes* 23(1): 3-4.
- Jorm, Peter (1998). Nesting boxes for rosellas. *Canberra Bird Notes* 23(1): 5.
- Wilson, Denis (1998). A sighting of White-throated Needletails from Reid. *Canberra Bird Notes* 23(1): 6.
- Wilson, Denis (1998). White-throated Needletails at Holder. *Canberra Bird Notes* 23(1): 6.
- Holland, Jack (1998). Unusual Gang-gang behaviour. *Canberra Bird Notes* 23(1): 7.
- Fennell, Paul (1998). President's Report - 1997. *Canberra Bird Notes* 23(1): 7-11.
- 'G. tibicen' (1998). Column – 'Out and About'. *Canberra Bird Notes* 23(1): 11-12.
- Wilson, Steve (1998). Book review - *Birds of Queensland's Wet Tropics and Great Barrier Reef: Cooktown to Townsville, North-eastern Australia* (Lloyd Nielsen). *Canberra Bird Notes* 23(1): 12-13.
- Wright, Hazel (1998). Book review - *Birdwatcher's Guide to the Sydney Region* (Peter Roberts). *Canberra Bird Notes* 23(1): 13-14.
- Canberra Ornithologists Group (1998). Rarities Panel News and Endorsed List No. 45. *Canberra Bird Notes* 23(1): 15-16.

Vol 23(2) September 1998

- Holland, Jack (1998). Observations of successive nesting attempts by Crested Pigeons in a Chapman Garden. *Canberra Bird Notes* 23(2): 17-19.
- Brooker, Michael and Brooker, Belinda (1998). A tale of two cities – garden birds in Canberra and Perth. *Canberra Bird Notes* 23(2): 20-30.
- White, David (1998). Birdwatching in the National Capital fifty years ago. *Canberra Bird Notes* 23(2): 31-35.
- Wilson, Steve (1998). On the occurrence of the Australian Crow in the Australian Capital Territory. *Canberra Bird Notes* 23(2): 35-36.
- Fennell, Paul (1998). Highlights of Paul Fennell's speech at the launch of two COG surveys. *Canberra Bird Notes* 23(2): 37-38.
- 'G. Tibicen' (1998). Column – 'Out and About'. *Canberra Bird Notes* 23(2): 39-40.
- Purchase, David (1998). Obituary - John Henry Calaby. *Canberra Bird Notes* 23(2): 40-41.
- Canbarra Ornithologists Group (1998). Rarities Panel News and Endorsed List No. 46. *Canberra Bird Notes* 23(2): 42-44.

Vol 23 (supplement) October 1998

- Canberra Ornithologists Group (1998). Annual Bird Reports: 1 July 1993 to June 30 1994 and 1 July 1994 to 30 June 1995. *Canberra Bird Notes* 23(suppl): 1-96.

Vol 24(1) March 1999

- Purchase, David and Wilson, Steve (1999). Some observations on the altitudinal migration of Golden Whistlers in the ACT. *Canberra Bird Notes* 24(1): 1-6.
- Holland, Jack (1999). Observations on the increase in records of the Satin Bowerbird in the Chapman area. *Canberra Bird Notes* 24(1): 7-17.
- Bounds, Jenny, Clayton, Mark and Taws, Nicki (1999). Observations of Regent Honeyeaters in failed breeding attempts at Mulligan's Flat Nature Reserve and Gooroo in the 1998/99 summer. *Canberra Bird Notes* 24(1): 18-25.
- Nix, Henry (1999). Red-whiskered Bulbul at Lake George, NSW. *Canberra Bird Notes* 24(1): 26.

- Wilson, Denis (1999). Little Corella observations. *Canberra Bird Notes* 24(1): 27.
- Wilson, Steve (1999). The Australian Brush-turkey - an ACT record?. *Canberra Bird Notes* 24(1): 28-29.
- Dabb, Geoffrey (1999). A breeding colony of White-browed Woodswallows in Canberra, 1997-98. *Canberra Bird Notes* 24(1): 29-30.
- Fennell, Paul (1999). President's report for 1998. *Canberra Bird Notes* 24(1): 31-34.
- Brookfield, Muriel (1999). Book Review - *Notes of a Provincial Wildfowler* (Sergei Timofeevich Aksakov). *Canberra Bird Notes* 24(1): 35-36.
- Purchase, David (1999). Book Review - *Birdwatching in Australia and New Zealand* (Ken Simpson and Zoë Wilson). *Canberra Bird Notes* 24(1): 37-38.
- 'G. tibicen' (1999). Column - 'Out and About'. *Canberra Bird Notes* 24(1): 39-40.
- 'A. Stentoreus' (1999). Column - Not so much a book review... Handbooks, bird weights, and the Ostrich connection. *Canberra Bird Notes* 24(1): 40-43.
- Perkins, Harvey and Allan, Barbara (1999). Editorial. *Canberra Bird Notes* 24(1): 44.
- Canberra Ornithologists Group (1999). Rarities Panel News and Endorsed List No. 47. *Canberra Bird Notes* 24(1): 45-48.

Vol 24(2) June 1999

- Canberra Ornithologists Group (1999). Annual Bird Reports: 1 July 1995 to 30 June 1996 and 1 July 1996 to 30 June 1997. *Canberra Bird Notes* 24(2): 49-143.

Vol 24(3) September 1999

- Taws, Nicki (1999). Murrumbidgee River Corridor Honeyeater Survey 1997. *Canberra Bird Notes* 24(3): 145-166.
- Gleeson, John (1999). Breeding observations of Crimson and Eastern Rosellas in suburban nestboxes. *Canberra Bird Notes* 24(3): 167-172.
- Howard, Tony & Crawford, Isobel (1999). The Australian Brush-turkey in the ACT: further discussion. *Canberra Bird Notes* 24(3): 173-176.
- Nix, Henry & Nix, Katharine (1999). Nest appropriation? *Canberra Bird Notes* 24(3): 177.
- Goddard, Phyl (1999). Satin Bowerbirds eating grass. *Canberra Bird Notes* 24(3): 178.
- Fyfe, Malcolm (1999). Ashes to ashes. *Canberra Bird Notes* 24(3): 178.
- Landon, David (1999). Letter to the editor: Regent Honeyeater breeding attempts. *Canberra Bird Notes* 24(3): 179.
- Menkhorst, Peter (1999). Letter to the editor: Response to 'Regent Honeyeater breeding attempts'. *Canberra Bird Notes* 24(3): 179-180.
- Bounds, Jenny, Clayton, Mark & Taws, Nicki (1999). Letter to the editor: Response to 'Regent Honeyeater breeding attempts'. *Canberra Bird Notes* 24(3): 180-181.
- 'T. alba' (1999). Column - Birding in cyberspace, Australian style. *Canberra Bird Notes* 24(3): 182-185.
- 'A. stentoreus' (1999). Column - About birds, datelines and the law. *Canberra Bird Notes* 24(3): 185-188.
- Canberra Ornithologists Group (1999). Rarities Panel News and Endorsed List No. 48. *Canberra Bird Notes* 24(3): 189-192.

Vol 24(4) December 1999

- Canberra Ornithologists Group (1999). Annual Bird Report: 1 July 1997 to 30 June 1998. *Canberra Bird Notes* 24(4): 193-248.

SUBJECT INDEX

Behaviour - Various

- Bowerbird dynamics. 21(2): 33-35.
- An early record of White-throated Treecreepers roosting in a building in the ACT. 21(2): 39.
- A Pied Currawong harassing a Ring-tailed Possum. 21(3): 65-66.
- A curious Australian Magpie. 22(1): 21.
- Unusual Gang-gang behaviour. 23(1): 7.
- Ashes to ashes. 24(3): 178. [Black Honeyeaters ash-bathing]

Behaviour - Interspecific

- Suburban wedgies. 21(1): 12.
- Lone Fuscous and Yellow-faced Honeyeaters keeping company. 21(1): 14.
- Behaviour of Sulphur-crested Cockatoos in response to a raptor. 22(1): 21.
- Magpie vs Hobby. 22(2): 37.

Behaviour - Intraspecific

- Courtship display in the Double-barred Finch. 22(2): 36.

Breeding and Nesting

Masked Lapwings nesting on a roundabout. 21(1): 13-14.

Observations of a breeding colony of four pairs of Regent Honeyeaters at North Watson, Canberra, in 1995-96. 21(3): 41-55.

Early nest-building activity in a White-browed Scrubwren. 21(3): 65.

Breeding season of White-browed Scrubwrens in Canberra. 22(1): 15-17.

Crimson Rosellas and Common Starlings compete for a nest box. 22(2): 29-30.

Nesting boxes for rosellas. 23(1): 5.

Observations of successive nesting by a pair of Crested Pigeons in Fisher. 22(2): 30-32.

Observations of successive nesting attempts by Crested Pigeons in a Chapman Garden. 23(2): 17-19

Observations of Regent Honeyeaters in failed breeding attempts at Mulligan's Flat Nature Reserve and Gooroo in the 1998/99 summer. 24(1): 18-25

A breeding colony of White-browed Woodswallows in Canberra, 1997-98. 24(1): 29-30

Breeding observations of Crimson and Eastern Rosellas in suburban nestboxes. 24(3): 167-172.

Nest appropriation? 24(3): 177. [of Satin Flycatcher nest by Eastern Yellow Robin?]

Feeding and Diet

Brown Goshawk takes Common Myna. 21(1): 12-13.

Of Beggars and thieves. 21(2): 36. [Brown Falcon contesting Whistling Kite for scraps]

Unusul food item of the Yellow-tailed Black-Cockatoo. 21(2): 36-37.

Unusual method of food searching by an Australian Raven. 21(2): 37.

Sulphur-crested Cockatoo possibly feeding on nectar from gum flowers. 21(2): 38.

Opportunistic feeding by Willie Wagtail. 21(2): 38-39.

A 'bird-wave' in the suburbs. 21(3): 63.

Red-rumped Parrots benefiting from Sulphur-crested Cockatoos' feeding. 21(3): 64.

Soaking and hiding of food by Australian Ravens. 22(2): 37-38.

A suburban kill by a Peregrine Falcon. 22(2): 36-37.

The perils of foster-parenting. 23(1): 3-4. [caring for an abandoned magpie nestling]

Satin Bowerbirds eating grass. 24(3): 178.

Migration

Some observations on the altitudinal migration of Golden Whistlers in the ACT. 24(1): 1-6

Murrumbidgee River Corridor Honeyeater Survey 1997. 24(3): 145-166.

Morphology

Field Identification of the White-browed and Yellow-throated Scrubwrens. 22(1): 17-18.

Status, Species records, Surveys, Bird Lists

A record of the Scarlet Honeyeater in the Australian National Botanic Gardens, ACT. 21(1): 1-2.

Bell Miners near Warrina Inlet, Lake Burley Griffin, ACT. 21(1): 14-15.

An April bird survey of the Ingalba Nature Reserve, west of Temora (South-West Slopes, NSW). 21(2): 25-32.

Some observations of Little Corellas in South Canberra 1994-96. 21(3): 56-61.

Common Myna movement. 21(3): 62.

Observations on the Superb Parrot within the Canberra district. 22(1): 1-14.

Bush Stone-curlew near Batemans Bay. 22(1): 19.

Satin Bowerbirds in our garden in Duffy. 22(1): 19-20.

A sighting of White-throated Needletails from Reid. 23(1): 6.

White-throated Needletails at Holder. 23(1): 6.

A tale of two cities – garden birds in Canberra and Perth. 23(2): 20-30

On the occurrence of the Australian Crow in the Australian Capital Territory. 23(2): 35-36

Observations on the increase in records of the Satin Bowerbird in the Chapman area. 24(1): 7-17

Red-whiskered Bulbul at Lake George, NSW. 24(1): 26

Little Corella observations. 24(1): 27

Murrumbidgee River Corridor Honeyeater Survey 1997. 24(3): 145-166.

Miscellaneous

The etymology of "Jizz". 21(1): 2-11.

Satin Bowerbirds and milk bottle lids. 22(1): 20.

Four years of birding in Canberra. 22(2): 32-35.

Bibliographies and early records

A correction to 'A note on Charles Daley and John Cumpston: two early Canberra birdwatchers' (CBN 14: 27-28).

22(1): 21-22.

Our early knowledge of honeyeater migration in the ACT. 23(1): 1-2.

Birdwatching in the National Capital fifty years ago. 23(2): 31-35
The Australian Brush-turkey - an ACT record? 24(1): 28-29
The Australian Brush-turkey in the ACT: further discussion. 24(3): 173-176.

Annual Bird Reports

Annual Bird Report: 1 July 1991 to 30 June 1992. 21(4): 69-124.
Annual Bird Report: 1 July 1992 to 30 June 1993. 22(suppl): 1-54.
Annual Bird Reports: 1 July 1993 to June 30 1994 and 1 July 1994 to 30 June 1995. 23(suppl): 1-96
Annual Bird Reports: 1 July 1995 to June 30 1996 and 1 July 1996 to 30 June 1997. 24(2): 49-143.
Annual Bird Report: 1 July 1997 to 30 June 1998. 24(4): 193-248.

Rarities Panel News

Rarities Panel News and Endorsed List No. 44. 22(1): 26-28.
Rarities Panel News and Endorsed List No. 45. 23(1): 15-16.
Rarities Panel News and Endorsed List No. 46. 23(2): 42-44.
Rarities Panel News and Endorsed List No. 47. 24(1): 45-48.
Rarities Panel News and Endorsed List No. 48. 24(3): 189-192.

Presidents Reports

President's Report - 1995. 21(1): 16-23.
President's Report - 1996. 22(2): 43-47.
President's Report - 1997. 23(1): 7-11.
President's Report - 1998. 24(1): 31-34.

Miscellaneous Reports and Commentary

The role of Canberra Ornithologists Group. 22(2): 39-42.
Highlights of Paul Fennell's speech at the launch of two COG surveys. 23(2): 37-38.

Letters to the editors

Letter to the editor - Regent Honeyeater breeding attempts. 24(3): 179.
Letter to the editor - Response to 'Regent Honeyeater breeding attempts'. 24(3): 179-180.
Letter to the editor - Response to 'Regent Honeyeater breeding attempts'. 24(3): 180-181.

Obituaries

Obituary – Donald Wakeham Lamm. 22(1): 24-25.
Obituary – John Henry Calaby. 23(2): 40-41.

Editorials

From the Editors. 22(1): 26.
Editorial. 24(1): 44.

Book Reviews

Book Review – *A Field Guide to the Birds of Western Australia* (G.M. Storr and R.E. Johnstone, ill. Martin Thompson). 21(3): 66-68.
Book review – *Birds of Queensland's Wet Tropics and Great Barrier Reef: Cooktown to Townsville, North-eastern Australia* (Lloyd Nielsen). 23(1): 12-13.
Book review - *Birdwatcher's Guide to the Sydney Region* (Peter Roberts). 23(1): 13-14.
Book Review - *Notes of a Provincial Wildfowler* (Sergei Timofeevich Aksakov). 24(1): 35-36.
Book Review - *Birdwatching in Australia and New Zealand* (Ken Simpson and Zoë Wilson). 24(1): 37-38.

Columns

'A. Stentoreus' Not so much a book review... Handbooks, bird weights, and the Ostrich connection. 24(1): 40-43.
'A. stentoreus' About birds, datelines and the law. 24(3): 185-188.
'G. tibicen' Out and About. (Golf on Orkney, Myna/Magpie-lark competition?, changing status of Canberra birds, eco-tours and firewood, changes to CBN) 22(1):22-23.
'G. tibicen' Out and About. (CBN citations, firewood issues, Common Tern's long distance record, Animal Ethics Committees) *Canberra Bird Notes* 22(2): 47-48.
'G. tibicen' Out and About (CBN citations, starlings, value of amateurs' records) 23(1): 11-12.
'G. tibicen' Out and About. (weight of radio transmitters, summer currawongs, mining vs agriculture, kookaburra.) 23(2): 39-40.
'G. tibicen' Out and About (landuse and land degradation, sustainable use of firewood, ultraviolet plumages, DDT and unanticipated dangers.) 24(1): 39-40.
'T. alba' Birding in cyberspace, Australian style. 24(3): 182-185.

AUTHOR INDEX

italics = Annual Bird Report, **bold** = Rarities reports

- Allan, Barbara 24(1):44.
Bounds, Jenny 21(1):12-13, 14, 16-23; 21(3):41-55. 24(1):18-25; 24(3):180-181.
Braby, Michael 21(1):1-2.
Brooker, Belinda 23(2):20-30.
Brooker, Michael 23(2):20-30.
Muriel Brookfield 21(3):41-55. 24(1):35-36.
Clark, Grahame 22(1):26.
Clayton, Mark 21(3):62. 24(1):18-25; 24(3):180-181.
Crawford, Isobel 24(3):173-176.
Dabb, Geoffrey 21(3):56-61. 24(1):29-30.
Davey, Chris 21(2):36-37; 21(3):62. 22(1):1-14.
Davidson, George 22(2):30-32.
Delahoy, Murray 21(3):41-55.
Er, Kenneth B.H. 22(2):32-35.
Fennell, Paul 22(2):43-47. 23(1):7-11; 23(2):37-38. 24(1):31-34.
Fraser, Ian 21(2):36.
Fyfe, Malcolm 24(3):178.
Gleeson, John A. 22(2):29-30. 24(3):167-172.
Goddard, Phyl 22(2):36. 24(3):178.
Holland, Jack 23(1):7; 23(2):17-19. 24(1):7-17.
Howard, Tony 24(3):173-176.
Jorm, Peter 23(1):3-4, 5.
Landon, David 24(3):179.
Leonard, John 21(2):38-39; 21(3):63. 22(1):21.
Lepschi, B.J. 22(1):21-22.
Lindenmayer, Bruce 22(1):20.
McDonald, David 21(1):2-11; 21(3):64, 65, 65-66.
McJannett, Margaret 21(2):36.
Magrath, Robert D. 22(1):15-17.
Menkhorst, Peter 24(3):179-180.
Nicholls, A.O. 21(3):62.
Nicholls, J 21(3):62.
Nix, Henry 24(1):26; 24(3):177.
Nix, Katharine 24(3):177.
Perkins, Harvey 24(1):44.
Purchase, David 21(2):38, 39. 22(1):26; 22(2):37-38. 23(2):40-41. 24(1):1-6, 37-38.
Purchase, Shirley 22(2):37-38.
Ross, Douglas 22(1):21.
Sexton, Maurice 22(1):19-20.
Stanger, Justin 21(2):37.
Swift, Harriett 21(2):33-35.
Taws, Nicki 24(1):18-25; 24(3):145-166, 180-181.
White, David 23(2):31-35.
Wilson, A.M. 21(2):25-32.
Wilson, Denis 21(1):13-14. 22(1):19; 22(2):36-37. 23(1):6. 24(1):27.
Wilson, Steve 21(1):12-, 14-15. 22(1):17-18., 24-25; 22(2):37., 39-42. 23(1):1-2, 12-13; 23(2):35-36.
Wright, Hazel 24(1):1-6, 28-29.
Wright, Hazel 21(3):66-68. 23(1):13-14.
- 'A. stentoreus' 24(1):40-43; 24(3):185-188.
'G. tibicen' 22(1):22-23; 22(2):47-48. 23(1):11-12; 23(2):39-40. 24(1):39-40.
'T. alba' 24(3):182-185.
- COG 21(4):69-124. 22(1):**26-28**; 22(suppl):1-54. 23(1):**15-16**; 23(2):**42-44**; 23(suppl):1-96.
24(1):**45-48**; 24(2):49-143; 24(3):**189-192**; 24(4):193-248.

SPECIES INDEX

Species are listed under family headings following the nomenclature and taxonomy of Christidis and Boles 1994. Species that are not included on the Christidis and Boles list are also listed taxonomically following commonly used taxonomic sequences. Such entries are generally species mentioned in Columnist's writings, book reviews and the like, but also include some escaped aviary birds.

italics = Annual Bird Reports, **bold** = Rarities reports

Species listed in the Unusual Bird List printed in CBN are not included in the index, but species referred to in columns, book reviews, president's reports, and other reports generally are. However, European species mentioned in the book review *Notes of a Provincial Wildfowler* from Vol 24(1) have not been included.

STRUTHIONIDAE

Ostrich *Struthio camelus* 24(1):40,42

CASUARIIDAE

Emu *Dromaius novaehollandiae*
21(4):82. 22(suppl):1,13. 23(suppl):12,51. 24(2):60,99; 24(4):202

PHASIANIDAE

Stubble Quail *Coturnix pectoralis*
21(4):82. 22(suppl):13. 23(suppl):12,50,51. 24(2):60,97,99,138; 24(4):202,243.

Brown Quail *Coturnix ypsilophora*
21(4):82. 22(suppl):13. 23(suppl):12,51. 24(2):60,97,99; 24(4):202.

King Quail *Coturnix chinensis*
22(1):**28**. 24(2):60

Indian Peafowl *Pavo cristatus*
24(2):96

MEGAPODIIDAE

Australian Brush-turkey *Alectura lathami*
24(1):28,29; 24(3):173-175

Malleefowl *Leipoa ocellata*
21(2):27.

Niuao'ou (Tongan) Megapode *Megapodius pritchardii*
24(3):185

ANATIDAE

Plumed Whistling-Duck *Dendrocygna eytoni*
23(1):**15**; 23(2):**42**. 24(1):**46**; 24(2):99; 24(4):202.

Blue-billed Duck *Oxyura australis*
21(4):82. 22(suppl):13. 23(suppl):12,51. 24(2):60,99; 24(4):202.

Musk Duck *Biziura lobata*
21(4):83. 22(suppl):13. 23(suppl):12,51. 24(2):60,99; 24(4):202.

Freckled Duck *Stictonetta naevosa*
21(4):69,83. 22(suppl):1,14. 23(suppl):13,52. 24(1):**45,46**; 24(2):61,99; 24(4):202.

Mute Swan *Cygnus olor* 24(1):42

Black Swan *Cygnus atratus*
21(4):83. 22(suppl):5,14. 23(suppl):13,50,52. 24(1):43; 24(2):61,97,100; 24(4):203.

Cape Barren Goose *Cereopsis novaehollandiae*
22(1):**27**. 23(suppl):1,2,13,52.

domestic goose *Anser anser*
21(4):82. 22(suppl):13. 24(3):157,166

Australian Shelduck *Tadorna tadornoides*
21(4):83-84. 22(suppl):14. 23(suppl):13,52. 24(2):61,100; 24(4):203.

Australian Wood Duck *Chenonetta jubata*
21(1):13; 21(4):73,84. 22(suppl):4,14. 23(2):20,34; 23(suppl):14,48,52,89. 24(2):61,96,100,136; 24(3):166,178; 24(4):203,242.

Cotton Pygmy-goose *Nettapus coromandelianus*
24(1):43

Mallard *Anas platyrhynchos*
21(4):84. 22(suppl):15. 23(suppl):91. 24(2):62,97,100,138; 24(4):203,243.

Pacific Black Duck *Anas superciliosa*

21(4):73,84. 22(suppl):4,15. 23(2):34; 23(suppl):14,49,53,89. 24(2):62,95,101,136; 24(3):166; 24(4):204,242.

Australasian Shoveler *Anas rhynchos*

21(4):84-85. 22(suppl):15. 23(suppl):14,53,91. 24(2):62,101; 24(4):204.

Grey Teal *Anas gracilis*

21(4):85. 22(suppl):16. 23(suppl):15,50,53. 24(2):62,97,101; 24(4):204,243.

Chestnut Teal *Anas castanea*

21(4):85. 22(suppl):16. 23(suppl):15,50,54,90. 24(2):63,96,101; 24(4):204.

Pink-eared Duck *Malacorhynchus membranaceus*

21(4):85. 22(suppl):16. 23(suppl):15,54. 24(2):63,102; 24(4):205.

Hardhead *Aythya australis*

21(4):85-86. 22(suppl):17. 23(suppl):16,54. 24(2):63,102; 24(4):205.

PODICIPEDIDAE

Australasian Grebe *Tachybaptus novaehollandiae*

21(4):86. 22(suppl):5,17. 23(suppl):16,50,54. 24(2):63,102; 24(4):205.

Hoary-headed Grebe *Poliocephalus poliocephalus*

21(4):86. 22(suppl):17. 23(suppl):16,55. 24(2):64,102; 24(4):205.

Great Crested Grebe *Podiceps cristatus*

21(4):86. 22(suppl):17. 23(suppl):17,55. 24(2):64,103

PROCELLARIIDAE

Antarctic Petrel *Thalassoica Antarctica*

24(3):186

SULIDAE

Australasian Gannet *Morus serrator*

21(1):2.

ANHINGIDAE

Darter *Anhinga melanogaster*

21(4):74,87. 22(suppl):18. 23(suppl):17,50,55. 24(2):64,103; 24(4):206.

PHALACROCORACIDAE

Little Pied Cormorant *Phalacrocorax melanoleucos*

21(4):74,87. 22(suppl):5,18. 23(suppl):17,50,55,91. 24(2):64,97,103,138; 24(3):166; 24(4):206,243.

Pied Cormorant *Phalacrocorax varius*

21(4):87. 22(1):27. 23(suppl):1,17,55.

Little Black Cormorant *Phalacrocorax sulcirostris*

21(4):87. 22(suppl):5,18. 23(suppl):18,50,55. 24(2):64,97,103,137; 24(3):166; 24(4):206,243.

Great Cormorant *Phalacrocorax carbo*

21(4):74,88. 22(suppl):5,18. 23(2):20; 23(suppl):17,50,56,91. 24(1):42; 24(2):65,98,103,137; 24(3):166; 24(4):206,243.

PELECANIDAE

Australian Pelican *Pelecanus conspicillatus*

21(4):73,88. 22(1):23; 22(suppl):5,19. 23(2):20; 23(suppl):18,49,56,90. 24(2):65,96,104,137; 24(4):206,242.

ARDEIDAE

White-faced Heron *Egretta novaehollandiae*

21(4):73,88. 22(suppl):4,19. 23(2):20,34; 23(suppl):18,49,56,90. 24(2):65,96,104,137; 24(3):166; 24(4):207,242.

Little Egret *Egretta garzetta*

21(4):88. 23(suppl):2,19,57; 24(4):207.

White-necked Heron *Ardea pacifica*

21(4):74,89. 22(suppl):5,19. 23(suppl):19,50,57,91. 24(2):49,50,66,98,104,138; 24(4):207,242.

Great Egret *Ardea alba*

21(4):74,89. 22(suppl):19. 23(2):34; 23(suppl):19,50,57. 24(2):66,104; 24(3):166; 24(4):207.

Intermediate Egret *Ardea intermedia*

21(1):2; 21(4):89. 22(1):27; 22(suppl):20. 23(1):15; 23(suppl):57. 24(3):189,

Cattle Egret *Ardea ibis*

21(1):2; 21(4):73,89. 22(suppl):5,20. 23(2):39; 23(suppl):19,57,91. 24(2):66,98,105; 24(4):207.

Nankeen Night Heron *Nycticorax caledonicus*

21(4):89. 22(suppl):20. 23(suppl):19,57. 23(suppl):2,. 24(2):66,105; 24(4):208.

Little Bittern *Ixobrychus minutus*

23(suppl):2,19,57.

Chinese Little Bittern

21(3):67.

Australasian Bittern *Botaurus poiciloptilus*

21(4):90. 22(1):27. 24(1):46

THRESKIORNITHIDAE**Glossy Ibis** *Plegadis falcinellus*

21(4):90. 23(1):15; 23(suppl):2,20,58. 24(2):66

Sacred Ibis *Threskiornis aethiopicus*

24(1):42,43

Australian White Ibis *Threskiornis molucca*

21(4):69,72,90. 22(1):23; 22(suppl):4,20. 23(suppl):2,20,49,58,89. 24(1):42,43; 24(2):50,66,96,105,137; 24(4):193,208,241.

Straw-necked Ibis *Threskiornis spinicollis*

21(4):72,90. 22(suppl):4,20. 23(2):20; 23(suppl):20,48,58,89. 24(2):67,95,105,136; 24(3):157,166; 24(4):208,241.

Royal Spoonbill *Platalea regia*

21(4):91. 22(suppl):21. 23(suppl):21,50,59,91. 24(2):67,106,138; 24(4):193,209,243.

Yellow-billed Spoonbill *Platalea flavipes*

21(4):74,91. 22(suppl):21. 23(suppl):21,50,59. 24(2):67,97,106; 24(4):209,243.

PHOENICOPTERIDAE**Great Flamingo**

24(1):42

ACCIPITRIDAE**Black-shouldered Kite** *Elanus axillaris*

21(4):73,91. 22(suppl):4,21. 23(2):34; 23(suppl):21,49,59,90. 24(2):68,96,106,137; 24(4):209,243.

Square-tailed Kite *Lophoictinia isura*

21(2):27. 23(2):24;

Black Kite *Milvus migrans*

21(4):91. 23(1):15; 23(suppl):21. 24(2):106

Whistling Kite *Haliastur sphenurus*

21(2):36; 21(4):74,91. 22(suppl):21. 23(suppl):21,50,59,91. 24(2):68,97,106,138; 24(3):166; 24(4):210,243.

White-bellied Sea-Eagle *Haliaeetus leucogaster*

21(4):92. 22(suppl):22. 23(suppl):22,59. 24(2):68,98,106,138; 24(3):166; 24(4):210,243.

Bearded Vulture (Lammergeier) *Gypaetus barbatus*

24(1):41

Black (Cinereous)Vulture *Aegypius monachus*

24(1):42

Spotted Harrier *Circus assimilis*

21(4):92. 22(suppl):22. 23(1):15; 23(2):42; 23(suppl):22,60. 24(1):46; 24(2):107; 24(4):210.

Swamp Harrier *Circus approximans*

21(4):74,92. 22(suppl):22. 23(suppl):22,60,91. 24(2):68,107; 24(4):210.

Brown Goshawk *Accipiter fasciatus*

21(1):12-13; 21(4):73,92. 22(1):21; 22(suppl):5,22. 23(2):24,34; 23(suppl):22,49,60,90. 24(2):68,97,107,137; 24(3):163,166; 24(4):210,243.

Grey Goshawk *Accipiter novaehollandiae*

21(4):74,92. 22(1):27; 22(suppl):22. 23(1):15; 23(suppl):22,60. 24(2):68; 24(3):189

Collared Sparrowhawk *Accipiter cirrocephalus*

21(4):73,92. 22(suppl):5,22. 23(2):24,34; 23(suppl):22,49,60,90. 24(2):68,97,107,137; 24(4):210,242.

Wedge-tailed Eagle *Aquila audax*

21(1):12; 21(2):29; 21(4):73,92. 22(2):34; 22(suppl):5,22. 23(suppl):22,49,60,90. 24(2):69,96,107,137; 24(3):166; 24(4):210,242.

Little Eagle *Hieraetus morphnoides*

21(4):73,92. 22(suppl):5,22. 23(2):24; 23(suppl):22,49,60,90. 24(2):69,97,107,138; 24(4):211,243.

FALCONIDAE**Brown Falcon** *Falco berigora*

21(2):36; 21(4):73,93. 22(suppl):5,22. 23(2):24,34; 23(suppl):23,50,61,90. 24(2):69,97,108,137; 24(3):166; 24(4):211,243.

Australian Hobby *Falco longipennis*

21(4):73,93. 22(2):37; 22(suppl):4,23. 23(2):24,34; 23(suppl):23,49,61,90. 24(2):69,96,108,137; 24(3):163,166; 24(4):211,242.

Black Falcon *Falco subniger*

21(4):93. 23(1):**15-16**; 23(2):**42**; 23(suppl):61. 24(2):69

Peregrine Falcon *Falco peregrinus*

21(1):13,17; 21(4):74,93. 22(2):36-37; 22(suppl):5,23. 23(2):24; 23(suppl):23,50,61,91. 24(2):69,97,108,137; 24(3):163,166; 24(4):211,243.

Nankeen Kestrel *Falco cenchroides*

21(3):60; 21(4):73,93. 22(suppl):5,23. 23(2):24,34; 23(suppl):23,49,61,90. 24(2):70,97,108,137; 24(3):166; 24(4):211,243.

RALLIDAE

Buff-banded Rail *Gallirallus philippensis*

21(4):93. 22(1):**27**. 24(1):**45**; 24(2):70; 24(4):211.

Baillon's Crake *Porzana pusilla*

23(suppl):62. ; 24(4):211.

Australian Spotted Crake *Porzana fluminea*

21(4):93. 22(suppl):23. 23(suppl):23,62. 24(4):212.

Spotless Crake *Porzana tabuensis*

24(1):**46**; 24(4):193,212.

Purple Swamphen *Porphyrio porphyrio*

21(4):93. 22(suppl):4,23. 23(suppl):23,62. 24(1):43; 24(2):70,109; 24(4):212.

Dusky Moorhen *Gallinula tenebrosa*

21(4):94. 22(suppl):23. 23(suppl):24,62. 24(2):70,109; 24(4):212.

Eurasian Coot *Fulica atra*

21(4):74,94. 22(suppl):4,24. 23(suppl):24,62. 24(2):70,109; 24(4):212.

OTIDIDAE

Great Bustard *Otis tarda*

24(1):42

Australian Bustard *Ardeotis australis*

24(3):174,186

TURNICIDAE

Painted Button-quail *Turnix varia*

22(suppl):24. 23(2):23; 23(suppl):24,62. 24(2):70,109; 24(4):212.

SCOLOPACIDAE

Latham's Snipe *Gallinago hardwickii*

21(1):21; 21(4):94. 22(suppl):24. 23(suppl):24,62. 24(2):71,109; 24(3):184; 24(4):212.

Bar-tailed Godwit *Limosa lapponica*

21(4):94. 23(2):**42**; 24(2):71,109

Little Curlew *Numenius minutus*

23(2):**42**; 23(suppl):63. 24(4):212.

Marsh Sandpiper *Tringa stagnatilis*

21(4):94. 22(1):**27**; 22(suppl):24. 23(1):**16**; 23(2):**42-43**; 23(suppl):24,63. 24(2):71,109; 24(3):**189**; 24(4):213.

Common Greenshank *Tringa nebularia*

21(4):94. 22(suppl):24. 23(suppl):24,63. 24(2):71,110; 24(4):213.

Wood Sandpiper *Tringa glareola*

22(suppl):24. 23(suppl):24,63. 24(1):**45**

Common Sandpiper *Actitis hypoleucos*

22(1):**27**. 23(suppl):24.

Ruddy Turnstone *Arenaria interpres*

21(4):69,95. 23(1):**16**; 23(2):**43**; 23(suppl):24.

Great Knot *Calidris tenuirostris*

21(4):70,95. 22(1):**27**. 23(2):**43**. 24(2):50,71

Red Knot *Calidris canutus*

22(1):**27**; 22(suppl):1,24. 23(2):**43**; 24(2):71,110

Red-necked Stint *Calidris ruficollis*

21(4):95. 22(suppl):25. 23(suppl):25,63. 24(2):71,110; 24(4):213.

Pectoral Sandpiper *Calidris melanotos*

21(4):95. 22(suppl):25. 23(1):**16**; 23(2):**42,43**; 23(suppl):25,63. 24(2):71,110; 24(4):213.

Sharp-tailed Sandpiper *Calidris acuminata*

21(4):95. 22(suppl):25. 23(suppl):25,63. 24(2):71,110; 24(4):213.

Curlew Sandpiper *Calidris ferruginea*

21(4):95. 22(suppl):25. 23(suppl):25,63. 24(2):72,110; 24(4):213.

Buff-breasted Sandpiper *Tryngites subruficollis*
22(suppl):1,25. 23(2):**42,43**; 23(suppl):25. 24(2):49,72,110; 24(4):213.
Ruff *Philomachus pugnax*
23(2):**43**; 24(2):49,72

JACANIDAE

Pheasant-tailed Jacana *Hydrophasianus chirurgus*
21(3):67.

BURHINIDAE

Bush Stone-curlew *Burhinus grallarius*
21(2):27. 22(1):19.

HAEMATOPODIDAE

South Island Pied Oystercatcher *Haematopus finschi* 24(3):184

RECURVIROSTRIDAE

Black-winged Stilt *Himantopus himantopus*
21(4):95. 22(suppl):25. 23(suppl):25,64. 24(2):72,110; 24(4):214.
Banded Stilt *Cladorhynchus leucocephalus*
23(2):**43-44**; 23(suppl):2,64. 24(4):214.
Red-necked Avocet *Recurvirostra novaehollandiae*
21(4):96. 22(suppl):25. 23(suppl):25,64. 24(2):72,111; 24(4):214.

CHARADRIIDAE

Pacific Golden Plover *Pluvialis fulva*
21(4):70,96. 22(suppl):26. 23(1):**15,16**; 23(suppl):26,64. 24(2):73,111; 24(4):214.
Grey Plover *Pluvialis squatarola*
21(4):96. 23(1):**16**;
Red-capped Plover *Charadrius ruficapillus*
21(4):96. 22(suppl):26. 23(suppl):26,64. 24(2):73,111; 24(4):214.
Double-banded Plover *Charadrius bicinctus*
21(4):96. 22(suppl):26. 23(suppl):26,64. 24(2):73,111; 24(4):214.
Black-fronted Dotterel *Elseyornis melanops*
21(4):96. 22(suppl):26. 23(suppl):26,65,91. 24(2):73,111; 24(3):166; 24(4):214.
Red-kneed Dotterel *Erythrogonyx cinctus*
21(4):97. 22(suppl):26. 23(suppl):27,65. 24(2):73,111; 24(4):215.
Spur-winged Plover *Vanellus spinosus*
24(1):42
Banded Lapwing *Vanellus tricolor*
21(4):97. 22(suppl):27. 23(2):32; 23(suppl):27,65. 24(1):**45**; 24(2):73,111; 24(4):215.
Masked Lapwing *Vanellus miles*
21(1):13-14; 21(4):73,97. 22(suppl):4,27. 23(2):20,34; 23(suppl):27,49,65,90. 24(1):42; 24(2):74,96,112,137; 24(3):166; 24(4):215,242.

GLAREOLIDAE

Australian Pratincole *Stiltia isabella*
21(4):70,97.

LARIDAE

Great Skua *Catharacta skua*
22(1):22.
Pacific Gull *Larus pacificus*
22(1):22.
Common (Mew) Gull *Larus canus*
22(1):22.
Silver Gull *Larus novaehollandiae*
21(4):72,78,97. 22(suppl):3,10,27. 23(2):20; 23(suppl):27,48,66,89. 24(2):74,96,112,137; 24(4):199,215,242.
Gull-billed Tern *Sterna nilotica*
21(4):98. 23(2):**44**;
Common Tern *Sterna hirundo*
22(2):48.

Arctic Tern *Sterna paradisaea*

22(1):22.

Whiskered Tern *Chlidonius hybridus*

21(4):98. 22(suppl):27. 23(suppl):28,66. 24(2):74,112; 24(4):215.

COLUMBIDAE

Rock Dove *Columba livia*

21(4):72,98. 22(1):21; 22(2):33; 22(suppl):3,27. 23(2):24,34; 23(suppl):28,48,66,89. 24(2):74,95,113,136; 24(4):216,241.

White-headed Pigeon *Columba leucomela*

23(2):42,44; 24(4):193,216.

Laughing Turtle-Dove *Streptopelia senegalensis*

23(2):24;

Spotted Turtle-Dove *Streptopelia chinensis*

22(1):28. 23(2):24; 23(suppl):28,50,66. 24(1):46; 24(2):74,113,138; 24(4):216.

Common Bronzewing *Phaps chalcoptera*

21(2):29; 21(4):73,98. 22(suppl):5,28. 23(2):23,24,34; 23(suppl):28,49,66,91. 24(2):74,97,113,137; 24(4):216,242.

Brush Bronzewing *Phaps elegans*

24(2):113; 24(4):216.

Crested Pigeon *Ocyphaps lophotes*

21(4):72,98. 22(1):23; 22(2):30-32,38; 22(suppl):1,4,28. 23(2):17-19,23; 23(suppl):28,48,67,89. 24(1):16; 24(2):75,95,113,136; 24(3):166; 24(4):216,241.

Diamond Dove *Geopelia cuneata*

22(1):27. 23(suppl):67. 24(2):75,98

Peaceful Dove *Geopelia striata*

21(2):29; 21(4):98. 22(1):27. 23(1):16; 23(2):44; 23(suppl):28. 24(1):45,46; 24(2):75,113; 24(3):157,166; 24(4):217.

Bar-shouldered Dove *Geopelia humeralis*

21(4):70,99.

Wonga Pigeon *Leucosarcia melanoleuca*

21(4):99. 22(suppl):28. 23(suppl):28,67. 24(2):75,113; 24(4):217.

CACATUIDAE

Red-tailed Black-Cockatoo *Calyptorhynchus banksii*

21(2):37.

Glossy Black-Cockatoo *Calyptorhynchus lathami*

21(2):37; 21(4):99. 22(suppl):28. 23(2):33; 23(suppl):29,67. 24(2):75,97,113; 24(4):217.

Yellow-tailed Black-Cockatoo *Calyptorhynchus funereus*

21(2):36; 21(4):73,99. 22(suppl):4,29. 23(2):34; 23(suppl):29,49,67,90. 24(2):75,98,114,137; 24(3):166; 24(4):217,242.

Short-billed Black-Cockatoo *Calyptorhynchus latirostris*

23(2):21,24;

Gang-gang Cockatoo *Callocephalon fimbriatum*

21(3):57; 21(4):72,99. 22(2):33,34; 22(suppl):4,29. 23(1):7; 23(2):24,33,34; 23(suppl):29,48,67,89. 24(2):75,95,114,136; 24(3):166; 24(4):217,241.

Galah *Cacatua roseicapilla*

21(2):28; 21(3):59,61; 21(4):72,99. 22(1):6; 22(2):37; 22(suppl):3,10,29. 23(2):21,22,24,34; 23(suppl):29,48,67,89. 24(2):75,95,114,136; 24(3):166,168; 24(4):217,241.

Long-billed Corella *Cacatua tenuirostris*

21(3):59,60,61; 21(4):99. 22(1):27; 22(suppl):29. 23(2):42,44; 23(suppl):2,68. 24(1):27,46; 24(2):76,98; 24(3):189

Little Corella *Cacatua sanguinea*

21(3):56-61; 21(4):73,100. 22(1):27; 22(suppl):5,29. 23(1):15,16; 23(2):21,42,44; 23(suppl):29,49,68,90. 24(1):27,45,46; 24(2):76,96,114,137; 24(3):157,166; 24(4):218,242.

Sulphur-crested Cockatoo *Cacatua galerita*

21(1):12; 21(2):38; 21(3):57,59,64; 21(4):72,100. 22(1):21,23; 22(2):32,33; 22(suppl):3,29. 23(2):23,24,34; 23(suppl):29,48,68,89. 24(1):27; 24(2):76,95,114,136; 24(3):166; 24(4):218,241.

Cockatiel *Nymphicus hollandicus*

21(4):74,100. 22(suppl):6,29. 23(2):20; 23(suppl):50,68,91. 24(1):46; 24(2):97,114; 24(4):218,244.

PSITTACIDAE

Rainbow Lorikeet *Trichoglossus haematodus*

21(4):73,100. 22(suppl):5,29. 23(2):34; 23(suppl):29,50,68,90. 24(2):76,97,114,137; 24(4):218,243.

Scaly-breasted Lorikeet *Trichoglossus chlorolepidotus*

21(4):100. 22(suppl):5,30.

Little Lorikeet *Glossopsitta pusilla*

21(4):100. 22(suppl):6,30. 23(suppl):30,50,68,91. 24(2):76,114,138; 24(4):218.

Purple-crowned Lorikeet *Glossopsitta porphyrocephala*

21(2):27. 23(2):24;

Australian King-Parrot *Alisterus scapularis*

21(3):57; 21(4):72,100. 22(1):23; 22(2):33; 22(suppl):3,30. 23(2):23,24,32,34; 23(suppl):30,48,69,89.

24(2):76,95,115,136; 24(3):166; 24(4):218,241.

Superb Parrot *Polytelis swainsonii*

21(1):22; 21(2):27; 21(4):100. 22(1):1-14; 22(2):46; 22(suppl):6,30. 23(1):10,**15,16**; 23(2):37,**44**;

23(suppl):5,30,50,69. 24(1):34,**45**; 24(2):98,115; 24(4):219,244.

Princess Parrot *Polytelis alexandrae*

22(suppl):30.

Crimson Rosella *Platycercus elegans*

21(4):72,100-101. 22(2):29-30,32,33,38; 22(suppl):3,30. 23(1):5; 23(2):22,24,34; 23(suppl):30,48,69,89.

24(2):76,95,115,136; 24(3):166-170; 24(4):219,241.

*Adelaide Rosella *Platycercus elegans adelaiae* 24(3):171

Eastern Rosella *Platycercus eximius*

21(2):29; 21(4):72,101. 22(2):33; 22(suppl):3,30. 23(2):22,24,34; 23(suppl):30,48,69,89. 24(2):77,95,115,136; 24(3):166-170; 24(4):219,241.

Pale-headed Rosella *Platycercus adscitus*

23(suppl):30.

Western Rosella *Platycercus icterotis*

23(2):24;

Australian Ringneck *Barnardius zonarius*

21(2):29; 21(4):101. 22(suppl):30. 23(2):22,24;

Red-capped Parrot *Purpureicephalus spurius*

23(2):22,24;

Swift Parrot *Lathamus discolor*

21(2):27. 22(2):38. 23(1):10. 24(2):115

Red-rumped Parrot *Psephotus haematonotus*

21(2):29; 21(3):64; 21(4):72,101. 22(1):6; 22(2):34; 22(suppl):4,31. 23(2):24,34; 23(suppl):30,48,69,89.

24(2):77,95,116,136; 24(3):166; 24(4):219,241.

Budgerigar *Melopsittacus undulatus*

21(4):74,101. 22(2):38. 23(2):20; 23(suppl):31,50,70,91. 24(1):40; 24(2):77,98,116,138

Turquoise Parrot *Neophema pulchella*

21(2):27. 22(1):**27**. 23(suppl):31,70. 24(3):184

Rose-ringed Parakeet *Psittacula krameri*

24(1):**47**

lovebird *Agapornis sp*

22(1):**28**; 22(2):38; 22(suppl):31. 24(2):77

Peach-faced Lovebird *Agapornis roseicollis* 21(4):74,101. 23(2):20;

Fischer's Lovebird *Agapornis fischeri*

21(4):74,101.

CUCULIDAE

Pallid Cuckoo *Cuculus pallidus*

21(3):47,48,51,52; 21(4):73,101. 22(suppl):5,31. 23(2):24,32,34; 23(suppl):31,49,70,90. 24(2):77,96,116,137; 24(4):219,243.

Brush Cuckoo *Cacomantis variolosus*

21(4):74,102. 22(suppl):5,31. 23(suppl):31,50,70. 24(2):77,98,116,138; 24(4):219,243.

Fan-tailed Cuckoo *Cacomantis flabelliformis*

21(4):73,102. 22(suppl):5,31. 23(2):24,34; 23(suppl):31,50,70,91. 24(2):77,97,117,138; 24(4):220,243.

Horsfield's Bronze-Cuckoo *Chrysococcyx basalis*

21(4):73,102. 22(suppl):5,32. 23(2):24; 23(suppl):31,50,70,90. 24(2):78,97,117,138; 24(4):220,243.

Shining Bronze-Cuckoo *Chrysococcyx lucidus*

21(4):73,102. 22(suppl):5,32. 23(2):24,34; 23(suppl):31,49,70,91. 24(2):78,97,117,138; 24(4):220,243.

Common Koel *Eudynamys scolopacea*

22(1):**27**. 23(1):**15,16**; 23(2):**44**; 23(suppl):31,50. 24(1):**46,47**; 24(2):78,98,118,138; 24(3):**189**; 24(4):220,244.

Channel-billed Cuckoo *Scythrops novaehollandiae*

22(1):**27**. 23(suppl):2,71. 24(1):**47**; 24(2):78; 24(3):**189,190**; 24(4):193,220.

STRIGIDAE

Powerful Owl *Ninox strunua*

24(2):78

Barking Owl *Ninox connivens*

23(2):42,44; 24(4):193,220.

Southern Boobook *Ninox novaeseelandiae*

21(4):73,102. 22(suppl):5,32. 23(2):24,34; 23(suppl):32,49,71,90. 24(2):78,96,118,137; 24(3):182,183; 24(4):220,242.

TYTONIDAE

Barn Owl *Tyto alba*

22(suppl):6,32. 23(2):24; 23(suppl):32,50,71,91. 24(2):78

PODARGIDAE

Tawny Frogmouth *Podargus strigoides*

21(4):73,102. 22(suppl):5,32. 23(2):24,34; 23(suppl):32,50,71. 24(2):78,118,138; 24(3):183; 24(4):220,243.

CAPRIMULGIDAE

White-throated Nightjar *Eurostopodus mystacalis*

23(suppl):2,71.

AEGOTHELIIDAE

Australian Owlet-nightjar *Aegotheles cristatus*

21(4):103. 22(suppl):5,32. 23(2):24; 23(suppl):32,71. 24(2):78,118,138; 24(3):157,166; 24(4):221.

APODIDAE

White-throated Needletail *Hirundapus caudacutus*

21(4):72,103. 22(suppl):4,32. 23(1):6; 23(2):24; 23(suppl):32,48,71,89. 24(2):79,96,118,137; 24(4):199,221,241.

Fork-tailed Swift *Apus pacificus*

23(2):24. 24(2):98.

HALCYONIDAE

Laughing Kookaburra *Dacelo novaeguineae*

21(2):29; 21(4):72,103. 22(suppl):4,33. 23(2):22,24,34,39-40; 23(suppl):2,32,48,72,89. 24(2):79,95,119,136;

24(3):166; 24(4):221,242.

Sacred Kingfisher *Todiramphus sanctus*

21(4):73,103. 22(suppl):5,33. 23(2):24,34; 23(suppl):33,50,72,91. 24(2):79,97,119,138; 24(4):221,243.

MEROPIDAE

Rainbow Bee-eater *Merops ornatus*

21(4):73,103. 22(suppl):33. 23(2):24,32,34; 23(suppl):33,50,72,91. 24(2):79,97,119,137; 24(4):221,243.

CORACIIDAE

Dollarbird *Eurystomus orientalis*

21(3):51; 21(4):73,104. 22(2):34; 22(suppl):5,33. 23(2):24,32,33,34; 23(suppl):33,49,72,90. 24(2):79,96,119,137; 24(4):199,222,242.

FURNARIIDAE

‘ovenbird’ *Automolus leucophthalmus lammi*

22(1):24.

MENURIDAE

Albert's Lyrebird *Menura alberti*

24(3):183

Superb Lyrebird *Menura novaehollandiae*

21(4):104. 22(suppl):33. 23(suppl):33,72. 24(2):79,119; 24(4):222.

CLIMACTERIDAE

White-throated Treecreeper *Cormobates leucophaeus*

21(2):28,39; 21(4):73,104. 22(suppl):4,34. 23(2):24,34; 23(suppl):33,49,73,90. 24(2):80,96,119,137; 24(3):166; 24(4):222,242.

Red-browed Treecreeper *Climacteris erythrops*

21(4):104. 22(suppl):34. 23(suppl):33,73. 24(2):80,119; 24(4):222.

Brown Treecreeper *Climacteris picumnus*

21(2):29; 21(4):104. 22(2):46; 22(suppl):34. 23(1):10; 23(2):33,34,37; 23(suppl):33,73. 24(1):22; 24(2):80,120; 24(3):166; 24(4):222.

MALURIDAE

Superb Fairy-wren *Malurus cyaneus*

21(2):38-39; 21(3):63; 21(4):72,104. 22(2):33; 22(suppl):4,34. 23(2):23,24,34; 23(suppl):33,48,73,89. 24(2):80,95,120,136; 24(3):166; 24(4):222,241.

Splendid Fairy-wren *Malurus splendens*

23(2):23,24.

Variegated Fairy-wren *Malurus lamberti*

21(4):70,104.

PARDALOTIDAE

Spotted Pardalote *Pardalotus punctatus*

21(2):28; 21(3):63; 21(4):72,105. 22(suppl):4,34. 23(1):14; 23(2):22,24,29,34; 23(suppl):34,48,73,89. 24(2):80,95,120,136; 24(3):166; 24(4):222,241.

Striated Pardalote *Pardalotus striatus*

21(2):28; 21(4):72,105. 22(2):34; 22(suppl):3,34. 23(2):22,24,29,34; 23(suppl):34,48,73,89. 24(2):80,95,120,136; 24(3):166; 24(4):223,241.

Pilotbird *Pycnoptilus floccosus*

21(4):105. 22(suppl):35. 23(suppl):34,74. 24(2):80,120; 24(4):223.

Yellow-throated Scrubwren *Sericornis citreogularis*

22(1):17-18.

White-browed Scrubwren *Sericornis frontalis*

21(3):65; 21(4):73,105. 22(1):15-17,17-18; 22(2):32; 22(suppl):4,35. 23(2):23,34; 23(suppl):34,48,74,90. 24(2):81,96,120,136; 24(3):166; 24(4):224,242.

Chestnut-rumped Heathwren *Hylacola pyrrhopygia*

21(4):105. 22(1):27; 22(suppl):1,35. 23(1):16; 23(suppl):74. 24(1):45,47; 24(2):81,120,138

Speckled Warbler *Chthonicola sagittata*

21(4):74,105. 22(suppl):5,35. 23(2):24,32,37; 23(suppl):34,49,74,91. 24(2):81,97,121,137; 24(4):224,242.

Weebill *Smicromys brevirostris*

21(2):28; 21(3):63; 21(4):72,105. 22(suppl):4,35. 23(2):21,22,24,29,34; 23(suppl):34,48,74,89. 24(2):81,95,121,136; 24(3):166; 24(4):224,241.

Brown Gerygone *Gerygone mouki*

22(1):27. 23(1):15; 23(suppl):35,74. 24(2):121; 24(3):189,190

Chatham Gerygone *Gerygone albofrontata*

24(3):185

Western Gerygone *Gerygone fusca*

21(2):29; 21(4):105. 22(suppl):5,36. 23(2):24; 23(suppl):35,50,74,91. 24(2):81,97,121,137; 24(4):224,243.

White-throated Gerygone *Gerygone olivacea*

21(4):73,106. 22(suppl):5,36. 23(2):24,34; 23(suppl):35,49,74,90. 24(2):81,97,121,138; 24(4):224,243.

Brown Thornbill *Acanthiza pusilla*

21(2):29; 21(4):72,106. 22(suppl):4,36. 23(2):24,34; 23(suppl):35,48,75,89. 24(2):81,95,122,136; 24(3):166; 24(4):225,241.

Inland Thornbill *Acanthiza apicalis*

21(2):29. 23(2):24;

Western Thornbill *Acanthiza inornata*

23(2):23,24;

Buff-rumped Thornbill *Acanthiza reguloides*

21(2):29; 21(4):73,106. 22(2):32; 22(suppl):5,36. 23(2):23,24,34; 23(suppl):35,49,75,90. 24(2):82,96,122,137; 24(3):166; 24(4):225,242.

Yellow-rumped Thornbill *Acanthiza chrysorrhoa*

21(3):63; 21(4):72,106. 22(2):32; 22(suppl):3,36. 23(2):25,34; 23(suppl):35,48,75,89. 24(2):82,95,122,136; 24(3):166; 24(4):225,241.

Yellow Thornbill *Acanthiza nana*

21(2):29; 21(4):73,106. 22(suppl):5,37. 23(2):25; 23(suppl):35,49,75,90. 24(2):82,96,122,138; 24(4):226,243.

Striated Thornbill *Acanthiza lineata*

21(2):29; 21(4):72,106. 22(suppl):4,37. 23(2):25,34; 23(suppl):36,48,75,89. 24(2):82,96,122,136; 24(3):166; 24(4):226,241.

Southern Whiteface *Aphelocephala leucopsis*

21(4):74,107. 22(suppl):37. 23(2):32; 23(suppl):36,50,76,91. 24(2):82,98,123,138; 24(4):226.

MELIPHAGIDAE

- Red Wattlebird** *Anthochaera carunculata*
21(2):28; 21(3):50,51; 21(4):72,107. 22(2):38; 22(suppl):3,37. 23(2):22,25,30,34; 23(suppl):36,48,76,89.
24(2):82,95,123,136; 24(3):146,150-153,158,166; 24(4):226,241.
- Little Wattlebird** *Anthochaera chrysoptera*
23(2):22,25;
- Spiny-cheeked Honeyeater** *Acanthagenys rufogularis*
21(2):29. 23(suppl):2,36,50,76.
- Striped Honeyeater** *Plectrorhyncha lanceolata*
22(1):**26,27**; 24(2):50,83
- Noisy Friarbird** *Philemon corniculatus*
21(3):46,47,49,50,51; 21(4):72,107. 22(suppl):4,37. 23(2):22,25,33,34; 23(suppl):36,48,76,89. 24(1):19,21-24;
24(2):83,95,123,136; 24(3):166; 24(4):227,241.
- Little Friarbird** *Philemon citreogularis*
21(3):50; 21(4):107. 22(1):**26,28**; 22(suppl):38. 23(1):**16**; 23(suppl):2,36,76. 24(1):19,**47**; 24(2):83,98,123,138;
24(3):**190**; 24(4):227.
- Regent Honeyeater** *Xanthomyza phrygia*
21(1): 17, 18, 19; 21(2): 27; 21(3): 41-55. 22(1): **26, 28**; 22(2): 46; 22(suppl): 6, 38. 23(1): 10, **16**; 23(2): 33, 37;
23(suppl): 2, 36, 50. 24(1): 18-25, **45, 47**; 24(2): 50, 83; 24(3): 179-181, 184; 24(4): 227.
- Bell Miner** *Manorina melanophrys*
21(1):14-15. 22(1):**26,28**. 23(suppl):2,37,76. 24(1):**45,47**; 24(2):50,83; 24(3):184; 24(4):193,227.
- Noisy Miner** *Manorina melanocaphala*
21(2):29; 21(4):72,107. 22(suppl):4,38. 23(2):22,23,25,30,34; 23(suppl):37,49,76,90. 24(1):23; 24(2):83,96,123,136;
24(3):166; 24(4):199,227,242.
- Lewin's Honeyeater** *Meliphaga lewinii*
22(suppl):38. 23(suppl):77.
- White-lined Honeyeater** *Meliphaga albilineata*
21(3):64.
- Yellow-faced Honeyeater** *Lichenostomus chrysops*
21(1):14; 21(3):50,63; 21(4):72,108. 22(suppl):3,38. 23(1):1-2,8; 23(2):22,25,30,34; 23(suppl):37,48,77,89.
24(2):83,95,124,136; 24(3):146,147,150-153,158,161,166; 24(4):228,241.
- Singing Honeyeater** *Lichenostomus virescens*
23(2):22,25;
- White-eared Honeyeater** *Lichenostomus leucotis*
21(2):29; 21(3):63; 21(4):73,108. 22(suppl):4,38. 23(1):1; 23(2):22,25,30,34; 23(suppl):37,49,77,90.
24(2):84,96,124,136; 24(3):150,161,166; 24(4):228,242.
- Yellow-tufted Honeyeater** *Lichenostomus melanops*
21(2):29; 21(4):74,108. 22(suppl):38. 23(suppl):37,77,91. 24(2):84,98,124,137; 24(4):228,243.
- Yellow-plumed Honeyeater** *Lichenostomus ornatus*
21(2):29. 23(2):22,25;
- Fuscous Honeyeater** *Lichenostomus fuscus*
21(1):14; 21(4):73,108. 22(suppl):4,39. 23(2):22,25,30; 23(suppl):37,49,77,89. 24(2):84,96,124,137; 24(3):150,166;
24(4):228,242.
- White-plumed Honeyeater** *Lichenostomus penicillatus*
21(2):28; 21(3):47,50,51; 21(4):72,108. 22(suppl):4,39. 23(2):25,30,34; 23(suppl):37,48,77,90. 24(2):84,96,124,137;
24(3):150,161,166; 24(4):228,242.
- Brown-headed Honeyeater** *Melithreptus brevirostris*
21(2):28; 21(3):50,51; 21(4):73,109. 22(suppl):5,39. 23(2):22,25; 23(suppl):37,49,78,90. 24(2):84,96,124,137;
24(3):150,166; 24(4):228,242.
- White-naped Honeyeater** *Melithreptus lunatus*
21(4):72,109. 22(suppl):4,39. 23(1):1-2; 23(2):22,25,30,34; 23(suppl):38,49,78,89. 24(2):84,95,125,136;
24(3):146,147,150,151,152,153,158,161,163,166; 24(4):229,241.
- Brown Honeyeater** *Lichmera indistincta*
23(2):22,25;
- Painted Honeyeater** *Grantiella picta*
21(2):27. 22(2):46.
- Crescent Honeyeater** *Phylidonyris pyrrhoptera*
21(4):73,109. 22(suppl):5,39. 23(suppl):38,49,78,90. 24(2):84,97,125,137; 24(3):166; 24(4):229,243.
- New Holland Honeyeater** *Phylidonyris novaehollandiae*
21(4):73,109. 22(suppl):5,40. 23(2):22,25; 23(suppl):38,49,78,90. 24(2):85,96,125,137; 24(3):166; 24(4):229,242.
- White-cheeked Honeyeater** *Phylidonyris nigra*
23(2):22,25;
- Tawny-crowned Honeyeater** *Phylidonyris melanops*
23(2):22; 23(suppl):2,78.

- Eastern Spinebill** *Acanthorhynchus tenuirostris*
 21(3):63; 21(4):72,109. 22(suppl):4,40. 23(2):21,22,25,28,30,32,34; 23(suppl):38,48,78,89. 24(2):85,95,125,136;
 24(3):150,166; 24(4):199,229,241.
- Western Spinebill** *Acanthorhynchus superciliosus*
 23(2):21,22,25,28;
- Black Honeyeater** *Certhionyx niger*
 24(3):178
- Red-headed Honeyeater** *Myzomela erythrocephala*
 21(1):1.
- Scarlet Honeyeater** *Myzomela sanguinolenta*
 21(1):1-2; 21(4):70,74,109. 22(1):**28**; 23(suppl):2,38,78. 24(1):**48**; 24(2):85
- White-fronted Chat** *Epthianura albifrons*
 21(4):109. 22(suppl):40. 23(suppl):38,78. 24(2):85,125; 24(4):229.

PETROICIDAE

- Jacky Winter** *Microeca fascinans*
 21(4):110. 22(2):46; 22(suppl):6,40. 23(2):33,34,37; 23(suppl):38,78,91. 24(2):85,125; 24(4):229,244.
- Scarlet Robin** *Petroica multicolor*
 21(4):73,110. 22(suppl):4,40. 23(2):25,34; 23(suppl):38,49,79,90. 24(2):85,96,126,137; 24(3):166; 24(4):229,242.
- Red-capped Robin** *Petroica goodenovii*
 21(2):29; 21(4):110. 22(1):**28**; 22(2):34; 22(suppl):40. 23(1):**15,16**; 23(2):**44**; 23(2):25; 23(suppl):39,79. 24(1):**45,48**;
 24(2):85,126,138; 24(4):230.
- Flame Robin** *Petroica phoenicea*
 21(4):74,110. 22(suppl):5,40. 23(suppl):39,49,79,91. 24(2):85,97,126,137; 24(3):166; 24(4):230,243.
- Rose Robin** *Petroica rosea*
 21(1):2; 21(4):73,110. 22(suppl):5,41. 23(2):34; 23(suppl):39,49,79,90. 24(2):85,97,126,137; 24(4):230,243.
- Pink Robin** *Petroica rodinogaster*
 22(1):**28**. 23(1):**15,16**; 24(1):**46,48**; 24(2):86,98; 24(4):230.
- Black Robin** *Petroica traverse*
 24(3):185
- Hooded Robin** *Melanodryas cucullata*
 21(1):21; 21(4):110-111. 22(2):40,46; 22(suppl):41. 23(1):10; 23(2):37; 23(suppl):39,49,79,90. 24(1):22;
 24(2):86,97,126,138; 24(4):230,243.
- Eastern Yellow Robin** *Eopsaltria australis*
 21(2):29; 21(4):74,111. 22(suppl):41. 23(2):23,34; 23(suppl):39,50,79,91. 24(2):86,97,126,138; 24(3):166,177;
 24(4):230,243.

ORTHONYCHIDAE

- Logrunner** *Orthonyx temminckii*
 23(1):14.

CINCLOSOMATIDAE

- Eastern Whipbird** *Psophodes olivaceus*
 21(4):111. 22(suppl):41. 23(suppl):39,79. 24(2):86,126; 24(3):175; 24(4):230.
- Spotted Quail-thrush** *Cinclosoma punctatum*
 21(4):111. 22(suppl):41. 23(suppl):39,79. 24(2):86,126; 24(3):157,166; 24(4):230.

NEOSITTIDAE

- Varied Sittella** *Daphoenositta chrysoptera*
 21(4):73,111. 22(suppl):4,41. 23(2):25; 23(suppl):39,49,80,90. 24(2):86,96,127,137; 24(3):166; 24(4):230,242.

PACHYCEPHALIDAE

- Crested Shrike-tit** *Falcunculus frontatus*
 21(4):111. 22(2):34; 22(suppl):41. 23(2):34; 23(suppl):40,49,80,90. 24(2):86,97,127; 24(3):157,166; 24(4):231.
- Olive Whistler** *Pachycephala olivacea*
 21(4):111. 22(suppl):41. 23(2):25; 23(suppl):40,80. 24(2):86,127; 24(3):184
- Gilbert's Whistler** *Pachycephala inornata*
 21(2):27.
- Golden Whistler** *Pachycephala pectoralis*
 21(2):29; 21(4):72,112. 22(suppl):4,42. 23(2):21,25,28,34; 23(suppl):40,48,80,89. 24(1):1-6; 24(2):87,96,127,136;
 24(3):166; 24(4):231,242.
- Tongan Whistler** *Pachycephala jacquinoti*
 24(3):185

Rufous Whistler *Pachycephala rufiventris*

21(2):29; 21(4):72,112. 22(2):34; 22(suppl):1,4,42. 23(2):25,34; 23(suppl):40,49,80,90. 24(2):87,96,127,137; 24(3):166; 24(4):231,242.

Grey Shrike-thrush *Colluricincla harmonica*

21(2):29; 21(4):73,112. 22(suppl):4,42. 23(2):25,34; 23(suppl):40,49,80,90. 24(2):87,96,127,137; 24(3):166,184; 24(4):231,242.

DICRURIDAE**Black-faced Monarch** *Monarcha melanopsis*

21(4):74,112. 22(suppl):6,42. 23(suppl):40,80. 24(1):**48**

Leaden Flycatcher *Myiagra rubecula*

21(4):73,112. 22(suppl):4,43. 23(2):25,34; 23(suppl):40,49,81,90. 24(1):19; 24(2):87,97,128,137; 24(4):231,242.

Satin Flycatcher *Myiagra cyanoleuca*

21(4):74,112. 22(suppl):5,43. 23(suppl):41,50,81,91. 24(2):87,97,128,138; 24(3):177; 24(4):232,243.

Restless Flycatcher *Myiagra inquieta*

21(2):29; 21(4):74,112. 22(suppl):5,43. 23(2):25,34; 23(suppl):41,50,81,90. 24(2):87,97,128,138; 24(3):166; 24(4):232,243.

Magpie-lark *Grallina cyanoleuca*

21(2):29,38; 21(4):72,78,113. 22(1):22-23; 22(2):34,38; 22(suppl):3,43. 23(2):25,34; 23(suppl):41,48,81,89. 24(2):88,95,128,136; 24(3):166; 24(4):232,241.

Rufous Fantail *Rhipidura rufifrons*

21(4):74,113. 22(suppl):5,43. 23(2):32,34; 23(suppl):41,50,81,91. 24(2):88,97,128,138; 24(4):232,243.

Grey Fantail *Rhipidura fuliginosa*

21(2):28; 21(4):72,113. 22(2):34; 22(suppl):4,43. 23(2):21,25,28,34; 23(suppl):41,48,81,89. 24(2):88,95,129,136; 24(3):166; 24(4):232,241.

Willie Wagtail *Rhipidura leucophrys*

21(2):29,38-39; 21(4):72,113. 22(2):33; 22(suppl):4,44. 23(2):25,34; 23(suppl):41,48,81,89. 24(2):88,95,129,136; 24(3):166,183; 24(4):233,241.

CAMPEPHAGIDAE**Black-faced Cuckoo-shrike** *Coracina novaehollandiae*

21(2):29; 21(3):47; 21(4):72,113. 22(suppl):4,44. 23(2):21,22,25,28,35; 23(suppl):42,48,82,89. 24(2):88,95,129,136; 24(3):166; 24(4):233,241.

White-bellied Cuckoo-shrike *Coracina papuensis*

21(4):114. 22(1):**26,28**; 22(suppl):44. 23(1):**16**; 23(suppl):42,50,82,91. 24(1):**48**; 24(2):89; 24(3):**190**; 24(4):233.

Cicadabird *Coracina tenuirostris*

22(suppl):44. 23(suppl):42,50,82. 24(2):89,129; 24(4):233.

White-winged Triller *Lalage sueurii*

21(4):73,114. 22(suppl):5,44. 23(2):25; 23(suppl):42,50,82,91. 24(2):89,97,130,138; 24(4):233,243.

ORIOLIDAE**Olive-backed Oriole** *Oriolus sagittatus*

21(2):73,78,114. 22(suppl):4,10,44. 23(2):25,35; 23(suppl):42,49,82,90. 24(1):19; 24(2):89,96,130,137; 24(4):234,242.

ARTAMIDAE**Masked Woodswallow** *Artamus personatus*

21(4):114. 23(suppl):42,50,83. 24(1):30.

White-browed Woodswallow *Artamus superciliosus*

21(4):73,114. 23(2):25; 23(suppl):42,83,90. 24(1):29,30; 24(2):89,130; 24(4):234,243.

Dusky Woodswallow *Artamus cyanopterus*

21(3):47; 21(4):73,114. 22(suppl):5,45. 23(2):35; 23(suppl):42,49,83,90. 24(1):30; 24(2):89,96,130,137; 24(3):166; 24(4):234,242.

Grey Butcherbird *Cracticus torquatus*

21(2):29; 21(4):74,115. 22(suppl):5,45. 23(2):25; 23(suppl):43,50,83,91. 24(2):89,98,130,138; 24(3):166; 24(4):234,243.

Pied Butcherbird *Cracticusnigrogularis*

21(2):29. 23(1):**15,16**; 23(2):**44**; 23(suppl):2,83. 24(2):90; 24(3):**189,190**.

Australian Magpie *Gymnorhina tibicen*

21(1):13; 21(2):29; 21(3):47,51; 21(4):72,78,115. 22(1):21,22; 22(2):37; 22(suppl):3,10,45. 23(1):3-4; 23(2):22,25,35; 23(suppl):43,48,83,89. 24(1):13,14,23; 24(2):90,95,130,136; 24(3):166,178,183; 24(4):235,241.

Pied Currawong *Strepera graculina*

21(1):13; 21(3):57,65-66; 21(4):72,115. 22(suppl):3,45. 23(1):3; 23(2):18,25,32,35,39; 23(suppl):43,48,83,89.

24(1):14,15; 24(2):90,95,131,136; 24(3):166,169; 24(4):235,241.

Grey Currawong *Strepera versicolor*

21(4):73,115. 22(1):19; 22(suppl):4,46. 23(2):25,35; 23(suppl):43,49,84,90. 24(2):90,96,131,137; 24(4):235,242.

CORVIDAE

Eurasian Magpie *Pica pica*

23(1):12

Australian Raven *Corvus coronoides*

21(2):28,37; 21(4):72,115. 22(2):37,38; 22(suppl):3,46. 23(2):21,22,25,35-36; 23(suppl):43,48,84,89.

24(2):90,95,131,136; 24(3):166; 24(4):235,241.

Little Raven *Corvus mellori*

21(2):29; 21(4):73,116. 22(suppl):4,46. 23(2):35-36; 23(suppl):43,49,84,90. 24(2):90,96,131,137; 24(3):166; 24(4):235,241.

Torresian Crow *Corvus orru*

23(2):35-36;

CORCORACIDAE

White-winged Chough *Corcorax melanorhamphos*

21(2):29; 21(4):72,116. 22(suppl):4,46. 23(2):25,35; 23(suppl):44,48,84,89. 24(2):90,95,131,136; 24(3):166; 24(4):236,242.

PTILONORHYNCHIDAE

Satin Bowerbird *Ptilonorhynchos violaceus*

21(2):33-35; 21(4):73,116. 22(1):19-20,20,23; 22(suppl):4,46. 23(suppl):44,48,84,90. 24(1):7-17; 24(2):91,96,132,136; 24(3):166,178; 24(4):236,242.

PARIDAE

Blue Tit *Parus caeruleus*

24(1):40

ALAUDIDAE

Singing Bushlark *Mirafra javanica*

22(suppl):46. 23(2):44; 23(suppl):44,84. 24(1):48; 24(2):91.

Skylark *Alauda arvensis*

21(4):116. 22(suppl):5,47. 23(suppl):44,49,85,90. 24(1):41; 24(2):91,96,132,136; 24(3):166; 24(4):236,242.

MOTACILLIDAE

Richard's Pipit *Anthus novaeseelandiae*

21(4):74,116. 22(suppl):5,47. 23(2):35; 23(suppl):44,49,85,90. 24(2):91,96,132,137; 24(3):166; 24(4):236,242.

PASSERIDAE

House Sparrow *Passer domesticus*

21(4):72,117. 22(2):38; 22(suppl):3,47. 23(2):25,33,35; 23(suppl):44,48,85,89. 24(2):91,95,132,136; 24(3):166,185; 24(4):236,241.

Zebra Finch *Taeniopygia guttata*

21(4):74,117. 23(2):32; 23(suppl):85,91. 24(2):133,138; 24(4):237,244.

Double-barred Finch *Taeniopygia bichenovii*

21(4):73,117. 22(2):36; 22(suppl):4,47. 23(2):25,32,33,35; 23(suppl):45,48,85,89. 24(2):91,96,132,137; 24(3):166; 24(4):237,242.

Red-browed Finch *Neochmia temporalis*

21(3):63; 21(4):72,117. 22(2):33; 22(suppl):4,47. 23(2):25,35,39; 23(suppl):45,48,86,89. 24(2):92,95,133,136; 24(3):166; 24(4):237,241.

Diamond Firetail *Stagonopleura guttata*

21(4):117. 22(2):34; 22(suppl):48. 23(2):32; 23(suppl):45,49,86,90. 24(2):92,97,133,137; 24(3):166; 24(4):237,243.

FRINGILLIDAE

European Greenfinch *Carduelis chloris*

21(4):117. 22(suppl):5,48. 23(suppl):45,86. 24(2):92,133; 24(4):237.

European Goldfinch *Carduelis carduelis*

21(4):72,118. 22(suppl):4,48. 23(2):25,35; 23(suppl):45,48,86,89. 24(2):92,95,133,136; 24(3):166; 24(4):237,241.

DICAEIDAE

Mistletoebird *Dicaeum hirundinaceum*

21(3):50; 21(4):73,118. 22(suppl):4,48. 23(2):22,25,29,32,35; 23(suppl):45,49,86,90. 24(2):92,96,133,137; 24(3):166; 24(4):237,242.

HIRUNDINIDAE

Welcome Swallow *Hirundo neoxena*

21(4):72,118. 22(suppl):4,48. 23(1):14; 23(2):25,35; 23(suppl):46,48,87,89. 24(2):92,95,134,137; 24(3):166; 24(4):238,242.

Tree Martin *Hirundo nigricans*

21(4):73,118. 22(suppl):4,49. 23(2):25,35; 23(suppl):46,49,87,90. 24(2):93,96,134,138; 24(3):166; 24(4):238,242.

Fairy Martin *Hirundo ariel*

21(4):118. 22(suppl):49. 23(suppl):46,87. 24(2):93,97,134; 24(3):166; 24(4):238.

PYCNONOTIDAE

Red-whiskered Bulbul *Pycnonotus jocosus*

22(suppl):1,6,49. 24(1):26,48.

SYLVIIDAE

Clamorous Reed-Warbler *Acrocephalus stentoreus*

21(4):74,119. 22(suppl):5,49. 23(suppl):46,87. 24(2):93,98,134,138; 24(4):238.

Little Grassbird *Megalurus gramineus*

21(4):119. 22(suppl):49. 23(suppl):46,87. 24(2):93,134; 24(4):238.

Rufous Songlark *Cincloramphus mathewsi*

21(4):74,119. 22(suppl):49. 23(2):25,35; 23(suppl):46,87,91. 24(2):93,97,134; 24(4):238.

Brown Songlark *Cincloramphus cruralis*

21(4):119. 22(suppl):49. 23(suppl):46,88,91. 24(2):93,134; 24(4):238.

Golden-headed Cisticola *Cisticola exilis*

21(4):119. 22(suppl):5,49. 23(suppl):46,50,88,91. 24(2):93,97,134,138; 24(3):166; 24(4):239,244.

ZOSTEROPIDAE

Silvereye *Zosterops lateralis*

21(3):63; 21(4):72,119. 22(2):34,38; 22(suppl):3,50. 23(2):22,25,35; 23(suppl):47,48,88,89. 24(1):40;

24(2):93,95,135,136; 24(3):166; 24(4):239,241.

MUSCICAPIDAE

Bassian Thrush *Zoothera lunulata*

21(4):120. 22(suppl):6,50. 23(suppl):47,88. 24(2):94,135,138; 24(3):175; 24(4):239,243.

Common Blackbird *Turdus merula*

21(4):72,120. 22(2):38; 22(suppl):3,50. 23(2):25,32,35; 23(suppl):47,48,88,89. 24(1):8; 24(2):94,95,135,136; 24(3):166; 24(4):239,241.

STURNIDAE

Common Starling *Sturnus vulgaris*

21(4):72,120. 22(1):6; 22(2):29-30,38; 22(suppl):3,50. 23(1):11; 23(2):25,35; 23(suppl):47,48,88,89. 24(1):40; 24(2):94,95,135,136; 24(3):166-170,185; 24(4):239,241.

Common Myna *Acridotheres tristis*

21(1):12-13,17,21; 21(3):51,52,62; 21(4):70,72,120. 22(1):22-23; 22(2):32,40; 22(suppl):3,50. 23(1):5; 23(2):25,32,38; 23(suppl):47,48,88,89. 24(1):34; 24(2):94,95,135,136; 24(3):157,166-169; 24(4):240,241.