

INDEX
TO
CANBERRA BIRD NOTES

**VOLS 25-28
2000 – 2003**

ISSUE INDEX

Vol 25(1) March 2000 (Published April 2000)

- Calaby, John (2000). List of birds of the ACT (compiled in the early 1950s, with brief annotations). *Canberra Bird Notes* 25(1): 1-22.
- Wilson, Steve (2000). The Calaby List – comments. *Canberra Bird Notes* 25(1): 23-26.
- Bounds, Jenny (2000). Painted Honeyeater breeding record near Cowra, NSW. *Canberra Bird Notes* 25(1): 27-28.
- Dabb, Geoffrey (2000). Breeding Emus. *Canberra Bird Notes* 25(1): 28
- Perkins, Harvey (2000). A hawking extravaganza. *Canberra Bird Notes* 25(1): 28-29.
- Fennell, Paul (2000). President's report for 1999. *Canberra Bird Notes* 25(1): 30-33.
- Olsen, Penny (2000). [Obituary] Rosemary Metcalf 1949-2000. *Canberra Bird Notes* 25(1): 34-35.
- Dabb, Geoffrey (2000). [Book Review] *Birds of the ACT: two centuries of change* (Steve Wilson 1999). *Canberra Bird Notes* 25(1): 36-38.
- G. tibicen* (2000). [Column] Out and About. (Changes to COG over the years, origins of Halcyon, newly described species, mining vs land-clearing, turkey re-introductions to Canada) *Canberra Bird Notes* 25(1): 39-41.
- A. stentoreus* (2000). [Column] Species numbers, field guides and thoughts on Washington. *Canberra Bird Notes* 25(1): 41-44.
- T. alba* (2000). [Column]. Birding in cyberspace, Australian style. *Canberra Bird Notes* 25(1): 44-46.
- COG Rarities Panel (2000). Rarities Panel News and Endorsed List No. 49 (March 2000). *Canberra Bird Notes* 25(1): 47-48.

Vol 25(2) June 2000 (Published August 2000)

- Rowley, Ian (2000). Cooperative breeding by Dusky Woodswallows. *Canberra Bird Notes* 25(2): 49-58.
- Veerman, Philip (2000). Corrigenda to past Annual Bird Reports. *Canberra Bird Notes* 25(2): 58.
- Holland, Jack and Veerman, Philip (2000). Observations on the spread of the Satin Bowerbird into Canberra suburbs. *Canberra Bird Notes* 25(2): 59-71.
- Holland, Jack (2000). Further observations of nesting by Crested Pigeons on the border of Chapman and Rivett. *Canberra Bird Notes* 25(2): 72-76.
- Johnson, Delia (2000). 'Odd' behaviour of Common Myna. *Canberra Bird Notes* 25(2): 77.
- Bounds, Jenny (2000). Bird 'armada' responds to Brown Goshawk attack. *Canberra Bird Notes* 25(2): 77-78.
- Rusk, Bob (2000). Swan Behaviour at Kelly's Swamp. *Canberra Bird Notes* 25(2): 78-79.
- COG Rarities Panel (2000). Rarities Panel News and Endorsed List No. 50 (June 2000). *Canberra Bird Notes* 25(2): 79.
- '*G. tibicen*' (2000). [Column] Out and About. (*Birds of Canberra Gardens*, atlassing, privatised conservation, predation by cats, lead shot, disturbance of wild animals) *Canberra Bird Notes* 25(2): 80-82.
- '*A. stentoreus*' (2000). [Column] Thoughts on birds and habitats. *Canberra Bird Notes* 25(2): 82-86.
- '*T. alba*' (2000). [Column] Birding in cyberspace, Canberra style. *Canberra Bird Notes* 25(2): 86-88.

Vol 25(3) September 2000 (Published November 2000)

- Taws, Nicki (2000). The Greening Australia Birdwatch project. *Canberra Bird Notes* 25(3): 89-94.
- Perkins, Harvey (2000). Common Myna nesting and eggs. *Canberra Bird Notes* 25(3): 95-97.
- Holland, Jack (2000). Further observations of Satin Bowerbirds in Chapman. *Canberra Bird Notes* 25(3): 98-112.
- Brookfield, Muriel (2000). Spring migration of Honeyeaters. *Canberra Bird Notes* 25(3): 113-114.
- Wilson, Steve (2000). Over-wintering Honeyeaters. *Canberra Bird Notes* 25(3): 115.
- Wilson, Kevin (2000). Satin Bowerbird sighting in Farrer. *Canberra Bird Notes* 25(3): 116.
- Wilson, Steve (2000). Dive-bombing by woodswallows. *Canberra Bird Notes* 25(3): 116.
- Wilson, Steve (2000). A concentrated cacophony of cuckoos. *Canberra Bird Notes* 25(3): 116-117.
- Hermes, Neil (2000). [Book Review] *Birds of Canberra Gardens* (Fennell, Ed). *Canberra Bird Notes* 25(3): 118-119.
- '*T. alba*' (2000). [Column] Birding in cyberspace, Canberra style. *Canberra Bird Notes* 25(3): 120-122.
- '*A. stentoreus*' (2000). [Column] Oriental anecdotes and capital cacatuids. *Canberra Bird Notes* 25(3): 122-125.

Vol 25(4) December 2000 (Published April 2001)

- Canberra Ornithologists Group (2000). Annual Bird Report: 1 July 1998 to 30 June 1999. *Canberra Bird Notes* 25(4): 127-182.

Vol 26(1) March 2001 (Published 30 April 2001)

- Leavesley, Adam and Tidemann, Christopher (2001). The birds of Jindalee State Forest, NSW. *Canberra Bird Notes* 26(1): 1-8.
- Bounds, Jenny (2001). Occurrence of the Brush Bronzewing in the ACT. *Canberra Bird Notes* 26(1): 9-13.

- McWilliam, Alf and Olsen, Penny (2001). A breeding record for the White-bellied Sea-Eagle in the ACT. *Canberra Bird Notes* 26(1): 14.
- Griffiths, Rob and Holland, Jack (2001). A successful breeding attempt of the Satin Bowerbird in a Canberra suburb. *Canberra Bird Notes* 26(1): 15-16.
- Holland, Jack (2001). An active bower of a Satin Bowerbird in a Chapman garden over the summer 2000-01. *Canberra Bird Notes* 26(1): 17-19.
- Wilson, Steve (2001). Breeding of the Australian White Ibis and the Eurasian Coot at Tidbinbilla Nature Reserve. *Canberra Bird Notes* 26(1): 20.
- Perkins, Harvey (2001). A large group of Australian Ravens. *Canberra Bird Notes* 26(1): 20-21.
- Ormay, Miklos (2001). Nest Robbers. *Canberra Bird Notes* 26(1): 21-22.
- Whatman, Jean (2001). Satin Bowerbird invasion. *Canberra Bird Notes* 26(1): 22-23.
- Allan, Barbara (2001). Woodswallow migration. *Canberra Bird Notes* 26(1): 23-24.
- Baker, Barry (2001). President's report for 2000. *Canberra Bird Notes* 26(1): 25-29.
- COG Rarities Panel (2001). Rarities Panel News and Endorsed List 51, March 2001. *Canberra Bird Notes* 26(1): 30-32.

Vol 26(2) June 2001 (Published 30 July 2001)

- Er, Kenneth B. H. and Tidemann, Christopher R. (2001). A bird survey of eucalypt woodland remnants from around Canberra in 1994. *Canberra Bird Notes* 26(2): 33-42.
- Taws, Nicki (2001). Recent sightings of the White-browed Babbler in the ACT region. *Canberra Bird Notes* 26(2): 43-45.
- Reid, Julian (2001). Finding solutions to the biodiversity crisis in our temperate agricultural landscapes. *Canberra Bird Notes* 26(2): 46-48.
- Saunders, Debbie (2001). The Swift Parrot recovery project. *Canberra Bird Notes* 26(2): 49-51.
- Dabb, Geoffrey (2001). Raptor prey? *Canberra Bird Notes* 26(2): 52.
- Brookfield, Muriel (2001). Autumn migration of honeyeaters across Shoalhaven Valley. *Canberra Bird Notes* 26(2): 52-53.
- Purchase, David (2001). Silveryeye caught in the web of a garden spider. *Canberra Bird Notes* 26(2): 53-54.
- Purchase, David (2001). [Obituary] Gerald Mansell Horey, 1913-2000. *Canberra Bird Notes* 26(2): 55-56.
- 'A. stentoreus' (2001). [Column] What bird is that?: towards friendlier third-level bird names. *Canberra Bird Notes* 26(2): 57-61.
- 'T. alba' (2001). [Column] Birding in cyberspace, Canberra-style. *Canberra Bird Notes* 26(2): 61-63.
- COG Rarities Panel (2001). Rarities Panel News and Endorsed List 52, June 2001. *Canberra Bird Notes* 26(2): 64.

Vol 26(3) September 2001 (Published 5 November 2001)

- McDonald, David (2001). The Australian Bird Count surveys at Castle Hill, ACT, 1989-1995. *Canberra Bird Notes* 26(3): 65-76.
- Compston, Elizabeth, Compston, William, Perkins, Harvey and Brookfield, Muriel (2001). Inward migration of honeyeaters across the upper Shoalhaven Valley – Spring 2001. *Canberra Bird Notes* 26(3): 77-83.
- McGuiness, Julie (2001). Failed Grey Butcherbird nesting attempt in Canberra suburb. *Canberra Bird Notes* 26(3): 84-87.
- Wilson, Steve (2001). A kookaburra in suburbia. *Canberra Bird Notes* 26(3): 88.
- Wilson, Steve (2001). Noisy Friarbird spring headquarters. *Canberra Bird Notes* 26(3): 88.
- Allan, Barbara (2001). A hybrid rosella. *Canberra Bird Notes* 26(3): 88-89.
- Wilson, Steve (2001). Two Pink Robins. *Canberra Bird Notes* 26(3): 89-90.
- Fitzgerald, Joseph Bryan (2001). [Obituary] Richard Gregory-Smith, 1928-2001. *Canberra Bird Notes* 26(3): 91-92.
- Wilson, Steve (2001). [Letter to the Editors] Canberra open spaces. *Canberra Bird Notes* 26(3): 93.
- Warden, Ian (2001). [Book Review] *Handbook of Australian, New Zealand and Antarctic Birds. Volume five* (various editors) and *Feather and Brush: Three Centuries of Australian Bird Art* (Penny Olsen). *Canberra Bird Notes* 26(3): 94-96.
- Slater, Ederic (2001). [Book review] *Feather and Brush: three centuries of Australian bird art* (Penny Olsen). *Canberra Bird Notes* 26(3): 97-98.
- Fitzgerald, Helen (2001). [Book review] *Feather and Brush: three centuries of Australian bird art* (Penny Olsen). *Canberra Bird Notes* 26(3): 98-99.
- 'T. alba' (2001). [Column] Birding in cyberspace, Canberra-style. *Canberra Bird Notes* 26(3): 100-102.
- COG Rarities Panel (2001). Rarities Panel News and Endorsed List 53, September 2001. *Canberra Bird Notes* 26(3): 103-104.

Vol 26(4) December 2001 (Published 3 June 2002)

- Canberra Ornithologists Group (2001). Annual Bird Reports: 1 July 1999 to 30 June 2000 and 1 July 2000 to 30 June 2001. *Canberra Bird Notes* 26(4): 105-199.

Vol 27(1) March 2002 (Published 29 April 2002)

- Davey, Chris (2002). The Kosciuszko blitz: a survey of birds from Thredbo to the summit. *Canberra Bird Notes* 27(1): 1-10.
- Leavesley, Adam and Harvey Perkins (2002). Magpie-larks breeding in an old stick nest. *Canberra Bird Notes* 27(1): 11-13.
- Marchant, Stephen (2002). A brief history of the 1966 proposal for reform of the RAOU. [Includes a postscript by Libby Robin]. *Canberra Bird Notes* 27(1): 14-24.
- Rosalky, David (2002). A Barn Owl in Tuggeranong. *Canberra Bird Notes* 27(1): 25.
- Perkins, Harvey (2002). Gang-gangs being harassed by other birds. *Canberra Bird Notes* 27(1): 25-26.
- Fraser, Ian (2002). Immature Pallid Cuckoo fed by adult. *Canberra Bird Notes* 27(1): 26-27.
- Perkins, Harvey (2002). King Parrot begging from Crimson Rosellas. *Canberra Bird Notes* 27(1): 27.
- Fraser, Ian (2002). Unusual food for King Parrots. *Canberra Bird Notes* 27(1): 27.
- Perkins, Harvey (2002). Red Wattlebirds feeding on feijoa petals and trumpet flower nectar. *Canberra Bird Notes* 27(1): 27-28.
- Fraser, Ian (2002). Brown Goshawk preying on Sacred Kingfisher. *Canberra Bird Notes* 27(1): 28.
- Jones, David and Barbara Jones (2002). Cormorant v. snake. *Canberra Bird Notes* 27(1): 29.
- Schoefl, Gutta (2002). White-faced Heron eating road-kill. *Canberra Bird Notes* 27(1): 29.
- Baker, Barry (2002). President's report for January-June 2001. *Canberra Bird Notes* 27(1): 30-34.
- Wilson, Steve (2002). [Letter to the editors] The interest in, and importance of, recording bird observations. *Canberra Bird Notes* 27(1): 35.
- Rosalky, David (2002). [Letter to the editors] Turtle-Doves. *Canberra Bird Notes* 27(1): 35-36.
- Clark, Grahame (2002). [Letter to the editors] Breeding status of the Brush Bronzewing in the Australian National Botanic Gardens. *Canberra Bird Notes* 27(1): 36-37.
- Brookfield, Muriel (2002). [Obituary] Delia Margaret Johnson 1920-2002. *Canberra Bird Notes* 27(1): 38-39.
- 'A. stentoreus' (2002). [Column] Of honeyeaters, dabblers and mynas. *Canberra Bird Notes* 27(1): 40-44.
- 'T. alba' (2002). [Column] Birding in cyberspace, Canberra-style. *Canberra Bird Notes* 27(1): 44-46.
- COG Rarities Panel (2002). Rarities Panel News and Endorsed List 54, March 2002. *Canberra Bird Notes* 27(1): 47-48.

Vol 27(2) June 2002 (Published 5 August 2002)

[Main print suffered from scanning error resulting in all dots (full-stops, and dots from question marks, exclamation marks, semi-colons and letter 'i' missing). A corrected print-run of 50 copies was subsequently produced on 12 August 2002.]

- Leavesley, Adam (2002). Avifauna and landscape characteristics of Travelling Stock Reserve 60, Yass Shire, NSW. *Canberra Bird Notes* 27(2): 49-59.
- Bourne, David (2002). Birds of the Upper Molonglo Floodplain, NSW: the importance of remnant grasslands and wetlands. *Canberra Bird Notes* 27(2): 60-65.
- Robin, Libby (2002). Canberra's part in the story of Australian ornithology. *Canberra Bird Notes* 27(2): 66-75.
- Bray, John and Davey, Chris (2002). A meal with a sting: magpie eating European wasps. *Canberra Bird Notes* 27(2): 76-77.
- McDonald, David (2002). Stubble Quail at 1,460 metres. *Canberra Bird Notes* 27(2): 77.
- Cook, David (2002). An impressive mixed feeding flock. *Canberra Bird Notes* 27(2): 77-78.
- Perkins, Harvey (2002). Xenophobic Mynas? *Canberra Bird Notes* 27(2): 78.
- Olsen, Penny (2002). [Book review] *The Flight of the Emu: A Hundred Years of Australian Ornithology 1901-2002* (Libby Robin). *Canberra Bird Notes* 27(2): 79-82.
- Woodall, Peter (2002). [Book review] *Canberra Birds: a report on the first 18 years of the Garden Bird Survey* (Philip A. Veerman). *Canberra Bird Notes* 27(2): 82-83.
- Taylor, McComas and Allan, Barbara (2002). [Obituary] Douglas Ross, 1923-2002. *Canberra Bird Notes* 27(2): 84-86.
- Morrison, Alastair (2002). [Obituary] Joseph Bryan Fitzgerald, 1916-2002. *Canberra Bird Notes* 27(2): 87-88.
- 'A. stentoreus' (2002). A tale of three books. *Canberra Bird Notes* 27(2): 89-92.
- 'T. alba' (2002). Birding in cyberspace, Canberra-style. *Canberra Bird Notes* 27(2): 92-94.
- COG Rarities Panel (2002). Rarities Panel News and Endorsed List 55, June 2002. *Canberra Bird Notes* 27(2): 95-96.

Vol 27(3) September 2002 (Published 28 October 2002)

- Davey, Chris (2002). The birds of Mulligans Flat Nature Reserve. *Canberra Bird Notes* 27(3): 97-123.
- Wilson, Steve (2002). Birds in the Australian High Country. *Canberra Bird Notes* 27(3): 124-125.
- Brookfield, Muriel (2002). The spring migration of honeyeaters into the Canberra Region: what do we really know? *Canberra Bird Notes* 27(3): 126-132.
- Davey, Chris (2002). Do Australian King-Parrots breed in Canberra Nature Park? *Canberra Bird Notes* 27(3): 133.

- McDonald, David and Rusk, Bob (2002). Recent breeding records of the Spotted Turtle-Dove in Queanbeyan. *Canberra Bird Notes* 27(3): 133-134.
- Luff, Noel (2002). Winter birds in the high country. *Canberra Bird Notes* 27(3): 134-135.
- Brookfield, Muriel (2002). Overwintering honeyeaters. *Canberra Bird Notes* 27(3): 135.
- Lashko, Sue (2002). Superb Lyrebird in an odd location. *Canberra Bird Notes* 27(3): 135.
- Summerrell, Richard (2002). Superb Parrot roadkill. *Canberra Bird Notes* 27(3): 136.
- McDonald, David (2002). An influx of terns, Jerrabomberra Wetlands. *Canberra Bird Notes* 27(3): 136-137.
- Veerman, Philip (2002). [Book review] *Magpie Alert: learning to live with a wild neighbour* (Darryl Jones). *Canberra Bird Notes* 27(3): 138-139.
- 'T. alba' (2002). Birding in cyberspace, Canberra-style. *Canberra Bird Notes* 27(3): 140-142.
- COG Rarities Panel (2002). Rarities Panel News and Endorsed List 56, October 2002. *Canberra Bird Notes* 27(3): 143-144.

Vol 27(4) December 2002 (Published 9 April 2003)

- Canberra Ornithologists Group (2002). Annual Bird Report: 1 July 2001 to 30 June 2002. *Canberra Bird Notes* 27(4): 145-202.

Vol 28(1) March 2003 (Published 11 June 2003)

- Lenz, Michael and Dabb, Geoffrey (2003). Breeding by Painted Honeyeaters in the Canberra region during the 2002-03 influx. *Canberra Bird Notes* 28(1): 1-9.
- Fraser, Ian (2003). Burning and Learning: the aftermath of the January 2003 fires in Namadgi and Tidbinbillia. *Canberra Bird Notes* 28(1): 10-16.
- Fyfe, Malcolm (2003). A survey of birds from Thredbo to the summit: a second visit. *Canberra Bird Notes* 28(1): 17-20.
- Smith, Alastair (2003). A Barn Owl besieged. *Canberra Bird Notes* 28(1): 21.
- Mackay, Rod (2003). Darters nesting at Molonglo Reach. *Canberra Bird Notes* 28(1): 21.
- Davey, Chris (2003). A heart-breaking observation. *Canberra Bird Notes* 28(1): 21-22.
- Forshaw, Joseph (2003). Unusual foraging technique of European Goldfinch. *Canberra Bird Notes* 28(1): 22-23.
- Lenz, Michael (2003). Australian King-Parrots during the breeding season in Canberra Nature Parks. *Canberra Bird Notes* 28(1): 23-24.
- Taws, Nicki (2003). A White-throated Nightjar breeding record. *Canberra Bird Notes* 28(1): 24-25.
- Taylor, Joan (2003). A dead White-throated Nightjar. *Canberra Bird Notes* 28(1): 25.
- Dabb, Geoffrey (2003). The woodswallow influx of 2002. *Canberra Bird Notes* 28(1): 25-26.
- Wilson, Steve (2003). Bird watching or bird listening?. *Canberra Bird Notes* 28(1): 26.
- Allan, Barbara (2003). A Nankeen Kestrel in suburbia. *Canberra Bird Notes* 28(1): 27.
- Baker, Barry (2003). President's report for 2002. *Canberra Bird Notes* 28(1): 28-34.
- Holland, Jack (2003). [Book Review] *Birds of Rottnest Island* (Denis Saunders and Perry de Rebeira). *Canberra Bird Notes* 28(1): 35-36.
- 'A. stentoreus' (2003). Towards a Canberra bird calendar: distinguishing the bird observer from the tomato grower. *Canberra Bird Notes* 28(1): 37-39.
- 'T. alba' (2003). Birding in cyberspace, Canberra-style. *Canberra Bird Notes* 28(1): 39-41.
- COG Rarities Panel (2003). Rarities Panel News and Endorsed List 57, March 2003. *Canberra Bird Notes* 28(1): 42-44.

Vol 28(2) June 2003 (Published 4 August 2003)

- Olsen, Jerry and Trost, Susan (2003). Do Southern Boobooks duet or duel? *Canberra Bird Notes* 28(2): 45-52.
- Leavesley, Adam (2003). Rainbow Lorikeets breeding in the ACT assisted by regular dietary supplementation. *Canberra Bird Notes* 28(2): 53-55.
- Bounds, Jenny (2003). Painted Honeyeater reports in the Canberra region during the 2002-03 influx. *Canberra Bird Notes* 28(2): 56-62.
- Layton, John K. (2003). Eye to eye with a Collared Sparrowhawk. *Canberra Bird Notes* 28(2): 63.
- Mason, Richard. (2003). Glossy Ibis in Griffith. *Canberra Bird Notes* 28(2): 63.
- Perkins, Harvey. (2003). Parrot food. *Canberra Bird Notes* 28(2): 64.
- Lipscombe, Joan. (2003). Synergistic feeding? *Canberra Bird Notes* 28(2): 64-65.
- Allan, Barbara. (2003). A White-bellied Cuckoo-shrike in a suburban garden. *Canberra Bird Notes* 28(2): 65.
- Lipscombe, Joan. (2003). Green magpies. *Canberra Bird Notes* 28(2): 65.
- Cook, David. (2003). Leucistic Yellow-tailed Black-Cockatoo. *Canberra Bird Notes* 28(2): 65-66.
- Goddard, Phyl. (2003). [Book Review] *Birders: tales of a tribe* (by Mark Cocker). *Canberra Bird Notes* 28(2): 67-68.
- 'A. stentoreus' (2003). The colour of birds. *Canberra Bird Notes* 28(2): 69-72.

'T. alba' (2003). Birding in cyberspace, Canberra-style. *Canberra Bird Notes* 28(2): 72-75.
COG Rarities Panel (2003). Rarities Panel News and Endorsed List 58. *Canberra Bird Notes* 28(2): 76.

Vol 28(3) September 2003 (Published 3 November 2003)

Perkins, Harvey (2003). A four-year survey of birds at the Australian National University. *Canberra Bird Notes* 28(3): 77-86.

Holland, Jack (2003). A further update on Satin Bowerbird behaviour and dispersal in the ACT. *Canberra Bird Notes* 28(3): 87-95.

Addenda and Corrigenda to previous issues of Canberra Bird Notes

Holland, Jack (2003). A further update on Satin Bowerbird breeding in Canberra. *Canberra Bird Notes* 28(3): 96-101.

Mason, Richard (2003). One swallow (welcome) would forty summers make. *Canberra Bird Notes* 28(3): 102-103.

Allan, Barbara (2003). Darter breeding in the ACT. *Canberra Bird Notes* 28(3): 104-107.

Smith, Alastair (2003). Regent Honeyeater at Gunnary Travelling Stock Reserve. *Canberra Bird Notes* 28(3): 108.

McDonald, David (2003). A Eurasian Coot feeding on a Black Swan. *Canberra Bird Notes* 28(3): 108-109.

Brookfield, Muriel (2003). Honeyeaters feeding on eucalyptus sap. *Canberra Bird Notes* 28(3): 109.

Fullagar, Peter (2003). [Obituary] Stephen Marchant, AM, 1912-2003. *Canberra Bird Notes* 28(3): 110-116.

'A. stentoreus' (2003). Canberra's birds 20 years hence: reflections on clearing up the backyard. *Canberra Bird Notes* 28(3): 117-118.

'T. alba' (2003). Birding in cyberspace, Canberra-style. *Canberra Bird Notes* 28(3): 118-123.

COG Rarities Panel (2003). Rarities Panel News and Endorsed List 59. *Canberra Bird Notes* 28(3): 124.

Vol 28(4) December 2003 (Published 1 Mar 2004)

Canberra Ornithologists Group (2003). Annual Bird Report: 1 July 2002 to 30 June 2003. *Canberra Bird Notes* 28(4): 125-188.

SUBJECT INDEX

STATUS, SPECIES RECORDS, SURVEYS, BIRD LISTS

Status and species records (Arranged in taxonomic order)

Stubble Quail at 1,460 metres. 27(2):77.

Darter breeding in the ACT. 28(3): 104-107.

Glossy Ibis in Griffith. 28(2): 63.

A Nankeen Kestrel in suburbia. 28(1):27.

An influx of terns, Jerrabomberra Wetlands. [Whiskered, Gull-billed] 27(3):136-137.

Recent breeding records of the Spotted Turtle-Dove in Queanbeyan. 27(3): 133-134.

Occurrence of the Brush Bronzewing in the ACT. 26(1): 9-13.

Rainbow Lorikeets breeding in the ACT assisted by regular dietary supplementation. 28(2): 53-55.

Do Australian King-Parrots breed in Canberra Nature Park? 27(3): 133.

Australian King-Parrots during the breeding season in Canberra Nature Parks. 28(1):23-24.

A hybrid rosella. 26(3): 88-89.

A concentrated cacophony of cuckoos. [Pallid, Brush, Fan-tailed] 25(3): 116-117.

A dead White-throated Nightjar. 28(1):25.

A Barn Owl in Tuggeranong. 27(1): 25.

A kookaburra in suburbia. 26(3): 88.

Superb Lyrebird in an odd location. 27(3):135.

Noisy Friarbird spring headquarters. 26(3):88.

Regent Honeyeater at Gunnary Travelling Stock Reserve. 28(3):108.

Over-wintering honeyeaters. [Red Wattlebird, Yellow-faced Honeyeater] 25(3):115.

Overwintering honeyeaters. [White-naped, Yellow-tufted, Fuscous, Yellow-faced, White-eared] 27(3):135.

Breeding by Painted Honeyeaters in the Canberra region during the 2002-03 influx. 28(1):1-9.

Painted Honeyeater reports in the Canberra region during the 2002-03 influx. 28(2): 56-62.

Two Pink Robins. 26(3):89-90.

Recent sightings of the White-browed Babbler in the ACT region. 26(2):43-45.

A White-bellied Cuckoo-shrike in a suburban garden. *Canberra Bird Notes* 28(2): 65.

The woodswallow influx of 2002. 28(1):25-26.

Failed Grey Butcherbird nesting attempt in Canberra suburb. 26(3):84-87.

A large group of Australian Ravens. 26(1):20-21.

Observations on the spread of the Satin Bowerbird into Canberra suburbs. 25(2):59-71.

Further observations of Satin Bowerbirds in Chapman. 25(3):98-112.

Satin Bowerbird sighting in Farrer. 25(3):116.
Satin Bowerbird invasion. 26(1): 22-23.
A further update on Satin Bowerbird behaviour and dispersal in the ACT. 28(3): 87-95.
A further update on Satin Bowerbird breeding in Canberra. 28(3): 96-101.
Winter birds in the high country. [Stubble Quail, Richard's Pipit, Yellow-faced Honeyeater] 27(3): 134-135.
One swallow (welcome) would forty summers make. 28(3): 102-103. [Commentary on birds in a Griffith garden over 40 years]

Surveys (arranged by date of publication)

The birds of Jindalee State Forest, NSW. 26(1):1-8.
A bird survey of eucalypt woodland remnants from around Canberra in 1994. 26(2):33-42.
The Australian Bird Count surveys at Castle Hill, ACT, 1989-1995. 26(3):65-76.
The Kosciuszko blitz: a survey of birds from Thredbo to the summit. 27(1):1-10.
Avifauna and landscape characteristics of Travelling Stock Reserve 60, Yass Shire, NSW. 27(2):49-59.
Birds of the Upper Molonglo Floodplain, NSW: the importance of remnant grasslands and wetlands. 27(2): 60-65.
The birds of Mulligans Flat Nature Reserve. 27(3):97-123.
A survey of birds from Thredbo to the summit: a second visit. 28(1):17-20.
A four-year survey of birds at the Australian National University. 28(3):77-86.

Bird Lists (arranged by date of publication)

List of birds of the ACT (compiled in the early 1950s, with brief annotations). 25(1):1-22.
The Calaby List – comments. 25(1):23-26.

BREEDING AND NESTING (Arranged in taxonomic order)

Breeding Emus. 25(1):28
Darters nesting at Molonglo Reach. 28(1):21.
Darter breeding in the ACT. 28(3):104-107.
Breeding of the Australian White Ibis and the Eurasian Coot at Tidbinbilla Nature Reserve. 26(1):20.
A breeding record for the White-bellied Sea-Eagle in the ACT. 26(1):14.
Recent breeding records of the Spotted Turtle-Dove in Queanbeyan. 27(3):133-134.
Breeding status of the Brush Bronzewing in the Australian National Botanic Gardens. 27(1):36-37. [Letter to the editors]
Further observations of nesting by Crested Pigeons on the border of Chapman and Rivett. 25(2):72-76.
Rainbow Lorikeets breeding in the ACT assisted by regular dietary supplementation. 28(2): 53-55.
Do Australian King-Parrots breed in Canberra Nature Park? 27(3):133.
Australian King-Parrots during the breeding season in Canberra Nature Parks. 28(1):23-24.
Immature Pallid Cuckoo fed by adult. 27(1):26-27.
A White-throated Nightjar breeding record. 28(1):24-25.
Painted Honeyeater breeding record near Cowra, NSW. 25(1): 27-28.
Breeding by Painted Honeyeaters in the Canberra region during the 2002-03 influx. 28(1):1-9.
Magpie-larks breeding in an old stick nest. 27(1): 11-13.
The woodswallow influx of 2002. 28(1):25-26.
Cooperative breeding by Dusky Woodswallows. 25(2): 49-58.
Dive-bombing by woodswallows. 25(3): 116.
Failed Grey Butcherbird nesting attempt in Canberra suburb. 26(3): 84-87.
Green magpies. [re-use of material from old nest] 28(2): 65.
A successful breeding attempt of the Satin Bowerbird in a Canberra suburb. 26(1): 15-16.
An active bower of a Satin Bowerbird in a Chapman garden over the summer 2000-01. 26(1): 17-19.
A further update on Satin Bowerbird breeding in Canberra. 28(3): 96-101.
'Odd' behaviour of Common Myna. 25(2): 77.
Common Myna nesting and eggs. 25(3): 95-97.

Nest predation

Nest Robbers. 26(1):21-22.

MORTALITY

Superb Parrot roadkill. 27(3):136.
A heart-breaking observation. [young magpie death by heart failure] 28(1):21-22.
Silvereye caught in the web of a garden spider. 26(2):53-54.

DIET AND FEEDING

General

Synergistic feeding? [Black-necked Storks, Straw-necked Ibis, Royal Spoonbills] 28(2):64-65.
Parrot food. [Crimson Rosellas, Australian King-Parrots] 28(2):64.
Honeyeaters feeding on eucalyptus sap. 28(3):109.
A hawking extravaganza. 25(1):28-29.
An impressive mixed feeding flock. 27(2):77-78.

Specific species

Cormorant v. snake. 27(1):29.
White-faced Heron eating road-kill. 27(1):29.
Eye to eye with a Collared Sparrowhawk. 28(2):63.
Raptor prey? (Silver Gull taken by Peregrine Falcon) 26(2): 52.
Brown Goshawk preying on Sacred Kingfisher. 27(1):28.
A Eurasian Coot feeding on a Black Swan. 28(3):108-109.
King Parrot begging from Crimson Rosellas. 27(1):27.
Unusual food for King Parrots. 27(1):27.
Immature Pallid Cuckoo fed by adult. 27(1):26-27.
Red Wattlebirds feeding on feijoa petals and trumpet flower nectar. 27(1):27-28.
A meal with a sting: magpie eating European wasps. 27(2):76-77.
Unusual foraging technique of European Goldfinch. 28(1):22-23.

MIGRATION

A concentrated cacophony of cuckoos. 25(3): 116-117.
Spring migration of Honeyeaters. 25(3): 113-114.
Autumn migration of honeyeaters across Shoalhaven Valley. 26(2): 52-53.
Inward migration of honeyeaters across the upper Shoalhaven Valley – Spring 2001. 26(3): 77-83
The spring migration of honeyeaters into the Canberra Region: what do we really know? 27(3): 126-132.
Woodswallow migration. 26(1): 23-24.

MORPHOLOGY AND PLUMAGE

Leucistic Yellow-tailed Black-Cockatoo. 28(2): 65-66.
A hybrid rosella. 26(3): 88-89.

BEHAVIOUR

Intraspecific interactions (Arranged in taxonomic order)

Swan Behaviour at Kelly's Swamp. 25(2): 78-79.
A breeding record for the White-bellied Sea-Eagle in the ACT. 26(1): 14. [includes reference to interactions with Wedge-tailed and Little Eagles]
Immature Pallid Cuckoo fed by adult. 27(1): 26-27.
Do Southern Boobooks duet or duel? 28(2): 45-52.

Interspecific interactions (Arranged in taxonomic order of the primary species)

Cormorant v. snake. 27(1): 29.
A breeding record for the White-bellied Sea-Eagle in the ACT. 26(1): 14. [includes reference to interactions with Wedge-tailed and Little Eagles]
Bird 'armada' responds to Brown Goshawk attack. 25(2): 77-78.
Gang-gangs being harassed by other birds. 27(1): 25-26.
King Parrot begging from Crimson Rosellas. 27(1): 27.
A Barn Owl besieged. 28(1):21.
Xenophobic Mynas? 27(2): 78.

Song and vocalisations

Do Southern Boobooks duet or duel? 28(2): 45-52.

Various and miscellaneous (Arranged in taxonomic order)

Dive-bombing by woodswallows. 25(3): 116.

MISCELLANEOUS

Bird watching or bird listening?. 28(1):26.

REPORTS AND COMMENTARY

The Greening Australia Birdwatch project. 25(3): 89-94.
Finding solutions to the biodiversity crisis in our temperate agricultural landscapes. 26(2):46-48.
Burning and Learning: the aftermath of the January 2003 fires in Namadgi and Tidbinbillla. 28(1):10-16.
The Swift Parrot recovery project. 26(2): 49-51.

BIBLIOGRAPHIES, EARLY RECORDS, HISTORICAL COMMENTARY

List of birds of the ACT (compiled in the early 1950s, with brief annotations). 25(1): 1-22.
A brief history of the 1966 proposal for reform of the RAOU. [Includes a postscript by Libby Robin]. 27(1): 14-24.
Canberra's part in the story of Australian ornithology. 27(2): 66-75.
Birds in the Australian High Country. 27(3): 124-125.

ANNUAL BIRD REPORTS

Corrigenda to past Annual Bird Reports. 25(2): 58.
Annual Bird Report: 1 July 1998 to 30 June 1999. 25(4): 127-182.
Annual Bird Reports: 1 July 1999 to 30 June 2000 and 1 July 2000 to 30 June 2001. 26(4): 105-199.
Annual Bird Report: 1 July 2001 to 30 June 2002. 27(4): 145-202.
Annual Bird Report: 1 July 2002 to 30 June 2003. 28(4): 125-188.

RARITIES PANEL NEWS AND ENDORSED LISTS

Rarities Panel News and Endorsed List No. 49 (March 2000). 25(1):47-48.
Rarities Panel News and Endorsed List No. 50 (June 2000). 25(2):79.
Rarities Panel News and Endorsed List 51, March 2001. 26(1):30-32.
Rarities Panel News and Endorsed List 52, June 2001. 26(2):64.
Rarities Panel News and Endorsed List 53, September 2001. 26(3):103-104.
Rarities Panel News and Endorsed List 54, March 2002. 27(1):47-48.
Rarities Panel News and Endorsed List 55, June 2002. 27(2):95-96.
Rarities Panel News and Endorsed List 56, October 2002. 27(3):143-144.
Rarities Panel News and Endorsed List 57, March 2003. 28(1):42-44.
Rarities Panel News and Endorsed List 58. 28(2):76.
Rarities Panel News and Endorsed List 59. 28(3):124.

PRESIDENT'S REPORTS

President's report for 1999. 25(1):30-33.
President's report for 2000. 26(1):25-29.
President's report for January-June 2001. 27(1):30-34.
President's report for 2002. 28(1):28-34.

OBITUARIES (by publication chronology)

Rosemary Metcalf 1949-2000. 25(1):34-35.
Gerald Mansell Horey, 1913-2000. 26(2):55-56.
Richard Gregory-Smith, 1928-2001. 26(3):91-92
Delia Margaret Johnson 1920-2002. 27(1):38-39.
Douglas Ross, 1923-2002. 27(2):84-86.
Joseph Bryan Fitzgerald, 1916-2002. 27(2):87-88.
Stephen Marchant, AM, 1912-2003. 28(3):110-116.

LETTERS TO THE EDITORS

Canberra open spaces. 26(3): 93.
The interest in, and importance of, recording bird observations. 27(1): 35.
Turtle-Doves. 27(1): 35-36. [etymological]
Breeding status of the Brush Bronzewing in the Australian National Botanic Gardens. 27(1): 36-37.

BOOKS REVIEWS (in order of publication)

Birds of the ACT: two centuries of change (S Wilson 1999). 25(1): 36-38.
Birds of Canberra Gardens. 25(3): 118-119.
HANZAB (vol 5) (various editors) and *Feather and Brush: three centuries of Australian art* (Penny Olsen). 26(3): 94-96.
Feather and Brush: three centuries of Australian art (Penny Olsen). 26(3): 97-98.
Feather and Brush: three centuries of Australian art (Penny Olsen). 26(3): 98-99.
The Flight of the Emu: A Hundred Years of Australian Ornithology 1901-2002 (Libby Robin). 27(2): 79-82.
Canberra Birds: a report on the first 18 years of the Garden Bird Survey (Philip A. Veerman). 27(2): 82-83.
Magpie Alert: learning to live with a wild neighbour (Darryl Jones). 27(3): 138-139.
Birds of Rottnest Island (Denis Saunders and Perry de Rebeira). 28(1):35-36.
Birders: tales of a tribe (Mark Cocker). 28(2): 67-68.

COLUMNS

- 'A. stentoreus' Species numbers, field guides and thoughts on Washington. 25(1):41-44.
'A, stentoreus' Thoughts on birds and habitats. 25(2):82-86.
'A. stentoreus' Oriental anecdotes and capital cacatuids. 25(3):122-125.
'A. Stentoreus' What bird is that?: towards friendlier third-level bird names. 26(2):57-61.
'A. stentoreus' Of honeyeaters, dabblers and mynas. 27(1):40-44.
'A. stentoreus' A tale of three books. 27(2):89-92.
'A. stentoreus' Towards a Canberra bird calendar: distinguishing the bird observer from the tomato grower. 28(1):37-39.
'A. stentoreus' The colour of birds. 28(2):69-72.
'A. stentoreus' Canberra's birds 20 years hence: reflections on clearing up the backyard. 28(3):117-118.
- 'G. tibicen' Out and About. [Changes to COG over the years, origins of Halcyon, newly described species, mining vs land-clearing, turkey re-introductions to Canada] 25(1):39-41.
'G. tibicen' Out and About. [Birds of Canberra Gardens, atlassing, privatised conservation, predation by cats, lead shot, disturbance of wild animals] 25(2):80-82.
- 'T. alba' Birding in cyberspace, Australian-style. 25(1):44-46.
'T. alba' Birding in cyberspace, Canberra-style. 25(2):86-88.
'T. alba' Birding in cyberspace, Canberra-style. 25(3):120-122.
'T. alba' Birding in cyberspace, Canberra-style. 26(2):61-63.
'T. alba' Birding in cyberspace, Canberra-style. 26(3):100-102.
'T. alba' Birding in cyberspace, Canberra-style. 27(1):44-46.
'T. alba' Birding in cyberspace, Canberra-style. 27(2):92-94.
'T. alba' Birding in cyberspace, Canberra-style. 27(3):140-142.
'T. alba' Birding in cyberspace, Canberra-style. 28(1):39-41.
'T. alba' Birding in cyberspace, Canberra-style. 28(2):72-75.
'T. alba' Birding in cyberspace, Canberra-style. 28(3):118-123.

AUTHOR INDEX

italics = ABR, **bold** = Rarities reports

Allan, Barbara	6	26(1) :23-24; 26(3) :88-89. 27(2) :84-86. 28(1) :27; 28(2) :65; 28(3) :104-107.
Baker, Barry	3	26(1) :25-29. 27(1) :30-34. 28(1) :28-34.
Bounds, Jenny	4	25(1) :27-28; 25(2) :77-78. 26(1) :9-13. 28(2) :56-62.
Bourne, David	1	27(2) :60-65.
Bray, John	1	27(2) :76-77.
Brookfield, Muriel	7	25(3) :113-114. 26(2) :52-53; 26(3) :77-83. 27(1) :38-39; 27(3) : 126-132, 135. 28(3) :109.
Calaby, John	1	25(1) :1-22.
Clark, Grahame	1	27(1) :36-37.
Clayton, Mark		
Compston, Elizabeth	1	26(3) :77-83.
Compston, William	1	26(3) :77-83.
Cook, David	2	27(2) :77-78. 28(2) :65-66.
Crawford, Isobel		
Dabb, Geoffrey	5	25(1) :28, 36-38. 26(2) :52. 28(1) :1-9, 25-26.
Davey, Chris	5	27(1) :1-10; 27(2) :76-77; 27(3) : 97-123, 133. 28(1) :21-22.
Er, Kenneth B.H.	1	26(2) :33-42.
Fennell, Paul	1	25(1) :30-33.
Fitzgerald, Helen	1	26(3) :98-99
Fitzgerald, Joseph Bryan	1	26(3) :91-92.
Forshaw, Joseph	1	28(1) :22-23.
Fraser, Ian	4	27(1) :26-27, 27, 28. 28(1) :10-16.
Fullagar, Peter	1	28(3) :110-116.
Fyfe, Malcolm	1	28(1) :17-20.
Gleeson, John A.		
Goddard, Phyl	1	28(2) :67-68.
Griffiths, Rob	1	26(1) :15-16.

Hermes, Neil	1	25(3):118-119.
Holland, Jack	8	25(2):59-71, 72-76; 25(3):98-112. 26(1):15-16, 17-19. 28(1):35-36; 28(3):87-95, 96-101.
Howard, Tony	1	25(2):77.
Johnson, Delia	1	27(1):29.
Jones, Barbara	1	27(1):29.
Jones, David	1	27(1):29.
Landon, David		
Lashko, Sue	1	27(3):135
Layton, John L.	1	28(2):63.
Leavesley, Adam	4	26(1):1-8. 27(1):11-13; 27(2):49-59. 28(2):53-55.
Lenz, Michael	2	28(1):1-9, 23-24.
Lipscombe, Joan	2	28(2):64-65, 65.
Luff, Noel	1	27(3): 134-135.
McDonald, David	5	26(3):65-76. 27(2):77; 27(3): 133-134, 136-137. 28(3):108-109.
McGuiness, Julie	1	26(3):84-87.
McWilliam, Alf	1	26(1):14.
Mackay, Rod	1	28(1):21.
Marchant, Stephen	1	27(1):14-23
Mason, Richard	2	28(2):63; 28(3):102-103.
Menkhorst, Peter		
Morrison, Alastair	1	27(2):87-88.
Nix, Henry		
Nix, Katharine		
Olsen, Jerry	1	28(2):45-52.
Olsen, Penny	3	25(1):34-35. 26(1):14. 27(2):79-82.
Ormay, Miklos	1	26(1):21-22.
Perkins, Harvey	11	25(1):28-29; 25(3):95-97. 26(1):20-21; 26(3):77-83. 27(1):11-13, 25-26, 27, 27-28; 27(2):78. 28(2):64; 28(3):77-86.
Purchase, David	2	26(2):53-54, 55-56.
Reid, Julian	1	26(2):46-48.
Robin, Libby	2	27(1):24; 27(2):66-75.
Rosalky, David	2	27(1):25, 35-36.
Rowley, Ian	1	25(2):49-58.
Rusk, Bob	2	25(2):78-79. 27(3): 133-134
Saunders, Debbie	1	26(2):49-51.
Slater, Ederic	1	26(3):97-98.
Smith, Alastair	2	28(1):21; 28(3):108
Summerrell, Richard	1	27(3): 136.
Taylor, Joan	1	28(1):25.
Taylor, McComas	1	27(2):84-86.
Taws, Nicki	3	25(3):89-94. 26(2):43-45. 28(1):24-25.
Tidemann, Christopher	2	26(1):1-8; 26(2):33-42.
Trost, Susan	1	28(2):45-52.
Veerman, Philip	3	25(2):58, 59-71. 27(3): 138-139.
Warden, Ian	1	26(3):94-96.
Whatman, Jean	1	26(1):22-23.
Wilson, Denis		
Wilson, Kevin	1	25(3):116.
Wilson, Steve	12	25(1):23-26; 25(3):115,116,116-117. 26(1):20; 26(3):88, 88,89-90,93. 27(1):35; 27(3):124-125. 28(1):26.
Woodall, Peter	1	27(2):82-83.
<i>G. tibicen</i>	2	25(1):39-41; 25(2):80-82.
<i>A. stentoreus</i>	9	25(1):41-44; 25(2):82-86; 25(3):122-125. 26(2):57-61. 27(1):40-44; 27(2):89-92. 28(1):37-39; 28(2):69-72; 28(3):117-118.
<i>T. alba</i>	11	25(1):44-46; 25(2):86-88; 25(3):120-122. 26(2):61-63; 26(3):100-102. 27(1):44-46; 27(2):92-94; 27(3):140-142. 28(1):39-41; 28(2):72-75; 28(3):118-123.
COG	4	25(4):127-182. 26(4):105-199. 27(4):145-202. 28(4):125-188.
COG Rarities Panel	11	25(1):47-48; 25(2):79. 26(1):30-32; 26(2):64; 26(3):103-104. 27(1):47-48; 27(2):95-96; 27(3):143-144. 28(1):42-44; 28(2):76; 28(3):124.

SPECIES INDEX

* Exclusions:

Species listed in the Unusual Bird List printed in CBN are not included

26(2): 57-61 A. Stentoreus' column. Many very long common names of birds from around the world discussed therein

...

italics = ABR, **bold** = Rarities Panel reports, underline = mentioned only peripherally, anecdotally or in a historical context, for example in columns, book reviews, President's reports, commentaries etc; or when referring to null records (**or irrelevancies**) in ABRs In which case the page number is both italicised and underlined.

Species mentioned in references are not included.

Species are listed in taxonomic order (Christidis and Boles 1994) under family headings, with the common name in bold font. Species that are included in the Christidis and Boles list but for which indexations only refer to columnists or book review entries and the like are underlined. Where a reference refers to a non-Australian species (ie not included in the Christidis and Boles main list, or listed only in their Supplementary List) the species is listed at the end of the appropriate family listing and is not in bold font. Such entries are generally species mentioned in Columnist's writings, book reviews and the like, but also include some escaped aviary birds.

Gannet [28\(3\):111](#).

Pallas's Sandgrouse [28\(2\):67](#).

Golden-winged Warbler [28\(2\):67](#).

Common Nighthawk [28\(2\):67-68](#).

Blyth's Reed Warbler [28\(2\):68](#).

Satyr Tragopan [28\(2\):68](#).

Bluethroat [28\(3\):111](#).

Spoon-billed Sandpiper [28\(3\):121](#).

CASUARIIDAE

Emu *Dromaius novaehollandiae*

[25\(1\):28,36](#); [25\(4\):130](#).

[26\(3\):96](#); [26\(4\):109,145](#).

[27\(1\):9](#); [27\(3\):141](#); [27\(4\):149](#).

[28\(4\):129,173](#).

PHASIANIDAE

Stubble Quail *Coturnix pectoralis*

[25\(1\):5](#); [25\(3\):92](#); [25\(4\):130](#).

[26\(3\):69](#); [26\(4\):109,145,180,185](#).

[27\(1\):9](#); [27\(2\):62,64,77,84](#); [27\(3\):118,123,134-135](#); [27\(4\):149,195](#).

[28\(4\):129,173](#).

Brown Quail *Coturnix ypsilophora*

[25\(1\):6](#); [25\(3\):92](#); [25\(4\):130](#).

[26\(1\):3](#); [26\(2\):38-39](#); [26\(4\):107,109,145,180,185](#).

[27\(2\):62,63,64](#); [27\(3\):118,123](#); [27\(4\):149,195](#).

[28\(3\):80,83,84](#); [28\(4\):129,172](#).

King Quail *Coturnix chinensis*

Domestic chicken (Red Jungle Fowl) *Gallus gallus*

[28\(4\):129,173](#).

Indian Peafowl *Pavo cristatus*

[27\(4\):149](#).

Wild Turkey *Meleagris gallopavo*

[25\(1\):41](#).

Chukar Partridge *Alectoris chukar*

[25\(1\):48](#).

[26\(4\):109](#).

MEGAPODIIDAE

Australian Brush-turkey *Alectura lathami*

Niuao'ou Megapode *Megapodius pritchardii*

ANSERANATIDAE

Magpie-Goose *Anseranas semipalmata*
[27\(3\):144.](#)

ANATIDAE

Plumed Whistling-Duck *Dendrocygna eytoni*

[25\(4\):130.](#)
[26\(4\):109,145.](#)
[27\(4\):149.](#)

Blue-billed Duck *Oxyura australis*

[25\(4\):130.](#)
[26\(4\):109,145.](#)
[27\(4\):149.](#)
[28\(4\):129,171.](#)

Musk Duck *Biziura lobata*

[25\(1\):4,36; 25\(4\):130.](#)
[26\(4\):109,145.](#)

[27\(3\):118; 27\(4\):149.](#)
[28\(1\):41; 28\(3\):19; 28\(4\):129,172.](#)

Freckled Duck *Stictonetta naevosa*

[25\(4\):130.](#)
[26\(4\):106,109,145.](#)
[27\(1\):47; 27\(3\):144; 27\(4\):146,150.](#)

[28\(1\):42; 28\(3\):124; 28\(4\):126,128,129,171.](#)

Black Swan *Cygnus atratus*

[25\(1\):3; 25\(2\):78-79; 25\(4\):129,130.](#)
[26\(4\):110, 145,180,185.](#)
[27\(3\):118; 27\(4\):150,195.](#)

[28\(3\):80,82,108-109; 28\(4\):130,170.](#)

Cape Barren Goose *Cereopsis novaehollandiae*

[27\(4\):146.](#)
Australian Shelduck *Tadorna tadornoides*

[25\(1\):3; 25\(4\):131.](#)
[26\(4\):110,146.](#)
[27\(2\):62,64; 27\(3\):118; 27\(4\):150.](#)

[28\(1\):35; 28\(4\):130,171.](#)

Australian Wood Duck *Chenonetta jubata*

[25\(1\):4,36; 25\(4\):131,167.](#)
[26\(1\):3; 26\(2\):38-39; 26\(4\):110,146,179,183.](#)
[27\(1\):4,5,6,9; 27\(2\):58,61; 27\(3\):118; 27\(4\):150,193.](#)

[28\(3\):80,82,84; 28\(4\):130,169,174.](#)

Cotton Pygmy-goose *Nettapus coromandelianus*

Mallard *Anas platyrhynchos*
[25\(4\):131,169.](#)
[26\(4\):110,146,181.](#)
[27\(4\):150.](#)

[28\(1\):41; 28\(2\):74-75; 28\(3\):80,83; 28\(4\):130,172,176.](#)

Pacific Black Duck *Anas superciliosa*

[25\(1\):4; 25\(4\):131,167.](#)
[26\(2\):38-39; 26\(4\):110,146,179,183.](#)
[27\(1\):5,9; 27\(2\):58,61; 27\(3\):118,127; 27\(4\):150,193.](#)

[28\(1\):41; 28\(2\):74-75; 28\(3\):80,82,84; 28\(4\):130,169,175.](#)

Australasian Shoveler *Anas rhynchotis*

[25\(1\):21; 25\(4\):131.](#)
[26\(4\):110-111,146.](#)
[27\(1\):43; 27\(2\):58; 27\(3\):118; 27\(4\):150.](#)

[28\(4\):130,170.](#)

Northern Shoveler *Anas clypeata*

[26\(3\):100.](#)

Grey Teal *Anas gracilis*

[25\(1\):3; 25\(4\):132,169.](#)

[26\(4\)](#):107,111,146,181,184.
[27\(3\)](#):118; [27\(4\)](#):151,194.
[28\(3\)](#):80,82; [28\(4\)](#):130,170,176.

Chestnut Teal *Anas castanea*

[25\(1\)](#):4; [25\(4\)](#):132.
[26\(4\)](#):111,147,181.
[27\(4\)](#):151.
[28\(2\)](#):74-75; [28\(3\)](#):80,83; [28\(4\)](#):131,171.

Pink-eared Duck *Malacorhynchus membranaceus*

[25\(1\)](#):4; [25\(4\)](#):132.
[26\(4\)](#):111,147.
[27\(4\)](#):151.
[28\(4\)](#):131,170.

Hardhead *Aythya australis*

[25\(4\)](#):132.
[26\(4\)](#):111,147.
[27\(2\)](#):58; [27\(3\)](#):118; [27\(4\)](#):151.
[28\(1\)](#):41; [28\(3\)](#):80,83; [28\(4\)](#):131,170,177.

Domestic duck (*Mallard* *Anas platyrhynchos* derivatives)

[27\(4\)](#):150.
[28\(4\)](#):130.

Domestic duck (*Muscovy Duck* *Cairina moschata* derivatives)

[27\(4\)](#):150.
[28\(1\)](#):41; [28\(2\)](#):74; [28\(4\)](#):130.

Domestic goose (*Greylag Goose* species derivatives)

[28\(4\)](#):130.

PODICIPEDIDAE

Australasian Grebe *Tachybaptus novaehollandiae*
[25\(1\)](#):1; [25\(4\)](#):132.
[26\(4\)](#):111,147.
[27\(1\)](#):9; [27\(2\)](#):58; [27\(3\)](#):118; [27\(4\)](#):151.
[28\(3\)](#):80,83; [28\(4\)](#):131,170,177.

Hoary-headed Grebe *Poliocephalus poliocephalus*
[25\(4\)](#):132.
[26\(4\)](#):112,147.
[27\(3\)](#):118; [27\(4\)](#):151.
[28\(3\)](#):80,83,84; [28\(4\)](#):131,170.

Great Crested Grebe *Podiceps cristatus*

[25\(4\)](#):132.
[26\(4\)](#):106,112,147.
[27\(4\)](#):152.
[28\(4\)](#):131,172.

GAVIIDAE

Common Loon *Gavia immer*
[25\(2\)](#):81.

PROCELLARIIDAE

Antarctic Petrel *Thalassoica antarctica*
Manx Shearwater *Puffinus puffinus*
[25\(1\)](#):40.

Yelkouan Shearwater *Puffinus yelkouan*
[25\(1\)](#):40.

ANHINGIDAE

Darter *Anhinga melanogaster*
[25\(4\)](#):133.
[26\(4\)](#):112,147,181,185.
[27\(3\)](#):118; [27\(4\)](#):152,195.
[28\(1\)](#):21; [28\(3\)](#):80,83,84,104-107; [28\(4\)](#):131,171.

PHALACROCORACIDAE

Little Pied Cormorant *Phalacrocorax melanoleucus*

25(1):2,24; 25(4):133,169.
26(2):38-39; 26(4):112,148,181,185.
27(1):9,29,44; 27(2):58,61; 27(3):118; 27(4):152,194.
28(1):21; 28(3):80,83; 28(4):132,170,176.

Pied Cormorant *Phalacrocorax varius*

25(1):24.
26(2):**64**; 26(3):**104**; 26(4):106,112,148.
27(1):**47**; 27(2):**95,96**; 27(3):100,**144**; 27(4):146,147,152,195.
28(1):**42**; 28(4):126,132,172.

Little Black Cormorant *Phalacrocorax sulcirostris*

25(1):2; 25(4):133,169.
26(4):112,148,180.
27(2):58; 27(3):118; 27(4):152,195.
28(3):80,83,104; 28(4):132,171,177.

Great Cormorant *Phalacrocorax carbo*

25(1):2; 25(4):128,133.
26(4):113,148,180,185.
27(1):9; 27(2):61; 27(3):118; 27(4):153,194.
28(1):20; 28(3):80,83; 28(4):132-133,171,176.

PELECANIDAE

Australian Pelican *Pelecanus conspicillatus*

25(1):1; 25(2):87; 25(4):128,133,168.
26(4):113,148,180,184.
27(4):153,194.
28(3):80,83; 28(4):133,170,176.

ARDEIDAE

White-faced Heron *Egretta novaehollandiae*

25(1):2; 25(4):134,167.
26(1):3; 26(2):38-39; 26(4):113,148-149,179,183.
27(1):9,29; 27(2):58,61; 27(3):118; 27(4):153,194.
28(3):80,83; 28(4):133,170,175.

Little Egret *Egretta garzetta*

25(4):134.
26(4):113,149.
27(4):153.
28(4):133.

White-necked Heron *Ardea pacifica*

25(1):2; 25(4):134,169.
26(1):3; 26(4):113,149,181,185.
27(1):9; 27(2):61,64; 27(3):118; 27(4):153,195.
28(4):133,172.

Great Egret *Ardea alba*

25(1):2,24; 25(4):134,169.
26(4):113,149.
27(4):154,195.
28(3):80,83,84; 28(4):133,171,177.

Intermediate Egret *Ardea intermedia*

25(1):2,24; 25(2):**79**; 25(4):128,134.
26(1):**30**; 26(2):**64**; 26(4):114,149,185.
27(4):154.
28(4):134.

Cattle Egret *Ardea ibis*

25(4):128,134.
26(4):114,149,181,185.
27(4):154,195.
28(4):134,172,177.

Nankeen Night Heron *Nycticorax caledonicus*

25(1):2; 25(4):134.
26(4):114,149.

27(2):84; 27(3):118; 27(4):146,154.
28(3):80,83,84; 28(4):134,172.

Little Bittern *Ixobrychus minutus*
25(4):134.
26(4):114,149.
27(4):146,154.
28(4):126,134,173.

Australasian Bittern *Botaurus poiciloptilus*
25(1):3,24,45; 25(4):128,134.
26(1):30; 26(3):104; 26(4):106,114,149.
27(4):154.
28(1):42; 28(4):134,173.

THRESKIORNITHIDAE

Glossy Ibis *Plegadis falcinellus*
25(1):21; 25(4):135.
26(4):114,150.
27(4):154.
28(2):63; 28(4):126,127,134,171,177.

Australian White Ibis *Threskiornis molucca*
25(1):3,29,36; 25(4):135,166.
26(1):3,20; 26(2):38-39; 26(4):114,150,179,182.
27(2):62; 27(3):118; 27(4):154,192.
28(4):134-135,170,175.

Straw-necked Ibis *Threskiornis spinicollis*
25(1):3; 25(4):135,166.
26(1):3,21; 26(4):114-115,150,179,183.
27(2):62; 27(3):118; 27(4):155,193.
28(2):63,64; 28(3):80,82; 28(4):135,170,174.

Royal Spoonbill *Platalea regia*
25(4):135.
26(1):3; 26(4):115,150.
27(4):155.
28(2):64; 28(4):135,172,177.

Yellow-billed Spoonbill *Platalea flavipes*
25(1):3; 25(4):135.
26(4):115,150.
27(3):118; 27(4):155.
28(4):135,171.

Sacred Ibis *Threskiornis aethiopicus*

Black-billed Spoonbill *Platalea minor*
25(3):122.

CICONIIDAE

Black-necked Stork *Ephippiorhynchus asiaticus*
27(2):91.
28(2):64.

ACCIPITRIDAE

Osprey *Pandion haliaetus*
28(1):35.

Black-shouldered Kite *Elanus axillaris*
25(1):5; 25(3):92; 25(4):136,169.
26(2):38-39; 26(4):115,150,180,184.
27(1):9; 27(2):58,62,64; 27(3):105,118,122; 27(4):155,194.
28(1):20; 28(4):135,171,176.

Black Kite *Milvus migrans*
25(2):79; 25(4):136,169.
26(1):31; 26(4):115,151,185.
27(1):47; 27(2):96; 27(4):146,155.
28(1):42,43; 28(2):69; 28(4):127,136,173,177.

Whistling Kite *Haliastur sphenurus*
25(1):5; 25(4):136.

26(2):38-39; 26(4):115,151,185.

27(3):105,107,118,122; 27(4):155,195.

28(3):79; 28(4):136,171,177.

White-bellied Sea-Eagle *Haliaeetus leucogaster*

25(4):136,169.

26(1):14; 26(3):96; 26(4):115,151.

27(4):155.

28(3):85; 28(4):136,172.

Spotted Harrier *Circus assimilis*

25(1):21; 25(4):136.

26(2):64; 26(3):**104**; 26(4):106,115,151.

27(1):**47**; 27(3):**144**; 27(4):146,156.

28(1):**43**; 28(3):**124**; 28(4):127,136,172.

Swamp Harrier *Circus approximans*

25(1):4,24; 25(4):136.

26(4):115-116,151,181.

27(2):62,64; 27(4):156.

28(4):136,173.

Brown Goshawk *Accipiter fasciatus*

25(1):4; 25(2):77-78; 25(4):136,168.

26(2):38-39; 26(3):69; 26(4):116,151,180,184.

27(1):9,28; 27(2):58,62; 27(3):105,108,111,118,122,131; 27(4):156,194.

28(1):5-6,13,27; 28(2):**70**; 28(4):136,171,176.

Grey Goshawk *Accipiter novaehollandiae*

25(1):4,24; 25(4):136.

26(1):**31**; 26(2):63; 26(4):116,151.

27(3):**144**; 27(4):156,195.

28(1):**43**; 28(4):136,172,177.

Collared Sparrowhawk *Accipiter cirrheophalus*

25(1):4,34; 25(2):78; 25(4):136,168.

26(4):116,151,180,183.

27(1):12; 27(3):105,107,118,122; 27(4):147,156,193.

28(1):5,27. 28(2):63; 28(4):136,171,175.

Wedge-tailed Eagle *Aquila audax*

25(1):4; 25(4):137,168.

26(1):14; 26(2):38-39; 26(3):69,96,100-101; 26(4):107,116,151,180,184.

27(1):9; 27(2):58,62,82; 27(3):105,118,122; 27(4):156,194.

28(1):13,20; 28(4):137,170,175.

Little Eagle *Hieraetus morphnoides*

25(1):5,24; 25(3):92; 25(4):137,168.

26(1):14; 26(3):69; 26(4):116,152,181,185.

27(3):109,118,123; 27(4):156,194.

28(3):79; 28(4):137,171,176.

Red Kite

28(2):69.

FALCONIDAE

Brown Falcon *Falco berigora*

25(2):56; 25(3):92,113; 25(4):137,168.

26(3):69; 26(4):116,152,181,184.

27(1):9; 27(2):62,64; 27(3):108,118,123; 27(4):156,194.

28(1):12,20; 28(4):137,171,176.

Australian Hobby *Falco longipennis*

25(1):5,34; 25(4):137,167.

26(2):52; 26(3):69; 26(4):117,152,180,183.

27(1):9,25; 27(3):107,118,123; 27(4):157,193.

28(3):85; 28(4):137,171,175.

Grey Falcon *Falco hypoleucus*

27(3):100; 27(4):157.

28(4):137.

Black Falcon *Falco subniger*

25(1):5.

27(4):157.

28(1):**42,43**; 28(4):127,137,172,177.

Peregrine Falcon *Falco peregrinus*

25(1):5; 25(2):81-82; 25(4):137,168.

26(2):52; 26(4):117,152,180,184.

27(1):9; 27(3):107; 27(4):157,195.

28(4):138,172,176.

Nankeen Kestrel *Falco cenchroides*

25(1):5; 25(2):56; 25(3):92; 25(4):137,168.

26(2):38-39; 26(3):69; 26(4):117,152,180,184.

27(1):5,9; 27(2):54,58,62; 27(3):105,118,122; 27(4):157,194.

28(1):13,27; 28(2):70; 28(4):138,170,176.

Lesser Kestrel *Falco naumanni*

28(2):70.

Common Kestrel *Falco tinnunculus*

28(2):70.

Saker Falcon *Falco cherrug*

25(3):122.

GRUIDAE

Sarus Crane *Grus antigone*

27(2):91.

28(2):73.

Brolga *Grus rubicunda*

25(1):6,36.

RALLIDAE

Buff-banded Rail *Gallirallus philippensis*

25(1):6; 25(4):138.

26(4):117,152.

27(2):61,63,64; 27(4):146,157.

28(4):138,173.

Lewin's Rail *Rallus pectoralis*

25(1):6.

26(1):**31**; 26(4):106,117,152.

27(1):**45,47,48**; 27(3):**143,144**; 27(4):146,157.

28(4):126,138,173.

Baillon's Crake *Porzana pusilla*

25(4):138.

26(4):106,117,153.

27(2):61,62,64; 27(4):146,157.

28(4):138,172.

Australian Spotted Crake *Porzana fluminea*

25(4):138.

26(4):117,153.

27(4):146,158.

28(3):80,83,84; 28(4):127,138,172,177.

Spotless Crake *Porzana tabuensis*

25(4):138.

26(1):**30,31**; 26(4):106,107,117,153.

27(1):**47,48**; 27(2):**95,96**; 27(4):146,158.

28(3):80,83,84; 28(4):138,172.

Purple Swamphen *Porphyrio porphyrio*

25(1):6; 25(4):138.

26(4):117,153.

27(2):61,63; 27(4):158.

28(2):69. 28(3):77,80,82,84; 28(4):139,170,176.

White Gallinule *Porphyrio albus*

27(2):90.

Dusky Moorhen *Gallinula tenebrosa*

25(1):6; 25(4):138.

26(4):118,153,185.

27(2):58; 27(4):158,195.

28(3):80,82,84; 28(4):139,170,176.

Black-tailed Native-hen *Gallinula ventralis*

26(3):103,104.
27(1):48; 27(4):146,158.
28(1):42,43; 28(4):139,172.
Eurasian Coot *Fulica atra*
25(1):6; 25(4):138.
26(1):20; 26(4):118,153.
27(2):58; 27(3):118; 27(4):158.
28(3):80,82,84,108-109; 28(4):127,139,169,177.

OTIDIDAE

Australian Bustard *Ardeotis australis*
25(1):6,36.
27(2):91.

TURNICIDAE

Little Button-quail *Turnix velox*
25(1):6.
Red-chested Button-quail *Turnix pyrrhothorax*
25(1):6.
Painted Button-quail *Turnix varia*
25(4):139.
26(1):3,5; 26(4):108,118,153.
27(3):105,106,109,118,122; 27(4):158.
28(3):85; 28(4):139,173.

PEDIONOMIDAE

Plains-wanderer *Pedionomus torquatus*
25(1):36.

SCOLOPACIDAE

Latham's Snipe *Gallinago hardwickii*
25(1):7,47; 25(4):139.
26(4):118,154.
27(1):9; 27(2):61,63,64,84; 27(3):118; 27(4):159.
28(4):127,140,171,177.

Bar-tailed Godwit *Limosa lapponica*
25(4):139.
26(4):118,154.
27(4):159.
28(4):139.

Little Curlew *Numenius minutus*
25(4):139.
26(4):118,154.
27(4):159.
28(4):139.

Marsh Sandpiper *Tringa stagnatilis*
25(4):139.
26(4):118,154.
27(4):159.
28(4):140,172.

Common Greenshank *Tringa nebularia*
25(4):139.
26(4):118,154.
27(3):118; 27(4):159.
28(4):139.

Wood Sandpiper *Tringa glareola*

Common Sandpiper *Actitis hypoleucos*
25(1):47-48.
26(1):31; 26(4):118,154.
27(4):159.
28(4):139.

Ruddy Turnstone *Arenaria interpres*

26(4):119,154.

27(4):159.

28(4):139.

Great Knot *Calidris tenuirostris*

28(3):121;

Red Knot *Calidris canutus*

25(1):23,**47-48**; 25(4):139.

26(4):106,119,154.

27(4):159.

28(4):139.

Sanderling *Calidris alba*

25(1):47.

Red-necked Stint *Calidris ruficollis*

25(4):139.

26(4):119,154.

27(4):159.

28(3):120; 28(4):140,173.

Long-toed Stint *Calidris subminuta*

28(1):**42,43**; 28(4):126,140,172.

Pectoral Sandpiper *Calidris melanotos*

25(4):139.

26(4):119,154.

27(4):159.

28(1):**42,43**; 28(4):126,140,171.

Sharp-tailed Sandpiper *Calidris acuminata*

25(1):47; 25(4):139.

26(4):119,154.

27(3):118; 27(4):159.

28(4):128,140,172.

Curlew Sandpiper *Calidris ferruginea*

25(4):139.

26(4):119,154.

27(4):159.

28(4):140.

Buff-breasted Sandpiper *Tryngites subruficollis*

25(4):139.

26(4):119,154.

27(4):159.

28(4):140.

Ruff *Philomachus pugnax*

Nordmann's (Spotted) Greenshank *Tringa guttifer*

26(3):100.

ROSTRATULIDAE

Painted Snipe *Rostratula benghalensis*

26(2):62.

BURHINIDAE

Bush Stone-curlew *Burhinus grallarius*

25(1):7,36.

HAEMATOPODIDAE

Pied Oystercatcher *Haematopus longirostris*

26(3):96.

South Island Pied Oystercatcher *Haematopus finschi*

RECURVIROSTRIDAE

Black-winged Stilt *Himantopus himantopus*

25(4):140.

26(2):62; 26(4):119,154.

27(4):159.

28(4):140,172.

- Banded Stilt** *Cladorhynchus leucocephalus*
25(2):87; 25(4):140.
26(4):119,154.
27(4):160.
28(1):35; 28(4):140.
Red-necked Avocet *Recurvirostra novaehollandiae*
25(1):22,37; 25(4):140.
26(4):119,154.
27(4):160.
28(4):140.

CHARADRIIDAE

- Pacific Golden Plover** *Pluvialis fulva*

25(4):140.
26(4):119,154.
27(4):160.
28(4):140.

- Grey Plover** *Pluvialis squatarola*

25(1):47.

- Kentish Plover** *Charadrius alexandrinus*

25(1):22.

- Red-capped Plover** *Charadrius ruficollis*

25(1):22; 25(4):140.
26(4):119,154.
27(4):160.
28(4):141,173.

- Double-banded Plover** *Charadrius bicinctus*

25(4):140.
26(4):120,154.
27(4):160.
28(4):140.

- Black-fronted Dotterel** *Elseyornis melanops*

25(1):7; 25(4):140.
26(4):120,155.
27(3):118; 27(4):160,195.
28(4):141,171.

- Red-kneed Dotterel** *Erythrogonys cinctus*

25(4):140.
26(4):120,155.
27(3):118; 27(4):160.
28(4):141,171.

- Banded Lapwing** *Vanellus tricolor*

25(1):7; 25(4):140.
26(4):120,155.
27(4):160.
28(4):140.

- Masked Lapwing** *Vanellus miles*

25(1):7; 25(4):141,167.
26(1):3; 26(4):120,155,179,183.
27(1):9; 27(2):58,62; 27(3):118; 27(4):160,193.
28(1):18,20; 28(3):80,83,84,85; 28(4):141,170,175.

LARIDAE

- Silver Gull** *Larus novaehollandiae*

25(1):7,36; 25(4):141,167,171.
26(2):52; 26(4):120,155,180,183.
27(4):161,193.
28(3):85; 28(4):141,170,175.

- Gull-billed Tern** *Sterna nilotica*

27(3):136-137,**143,144**.
28(4):126,141,173.

- Caspian Tern** *Sterna caspia*

27(3):136.
28(3):124.

Little Tern *Sterna albifrons*

25(1):46.

27(2):94.

Fairy Tern *Sterna nereis*

28(1):35.

Whiskered Tern *Chlidonius hybridus*

25(4):141.

26(4):120,155.

27(3):136-137,143; 27(4):161.

28(4):141,171.

White-winged Black Tern *Chlidonius leucopterus*

27(3):136.

COLUMBIDAE

Rock Dove *Columba livia*

25(1):43; 25(2):86; 25(4):141,166.

26(4):121,155,178,182.

27(4):161,192.

28(2):54; 28(3):80,82; 28(4):142,171,174.

White-headed Pigeon *Columba leucomela*

25(2):79; 25(4):128,141,168.

26(1):31; 26(3):104; 26(4):106,121,155,185.

27(1):48; 27(4):147,161,195.

28(1):43; 28(4):127,142,173,177.

Spotted Turtle-Dove *Streptopelia chinensis*

25(2):74,79,86; 25(4):129,141,168.

26(1):30,31; 26(3):104; 26(4):107,121,156,180,184.

27(1):47,48; 27(2):78,96; 27(3):133-134,143,144; 27(4):146,147,161,193.

28(1):29; 28(4):142,172,176.

turtle-dove

27(1):35-36.

Common Bronzewing *Phaps chalcoptera*

25(1):8; 25(3):90,92; 25(4):142,167.

26(1):3,9-12; 26(4):121,156,179,183.

27(1):9,36-37; 27(3):105,106,108,118,122; 27(4):147,161-162,193.

28(1):13; 28(3):80,83; 28(4):142,170,175.

Brush Bronzewing *Phaps elegans*

25(4):142.

26(1):9-13; 26(4):121,156.

27(1):10,36-37; 27(3):118; 27(4):162.

28(4):142,173.

Flock Bronzewing *Phaps histrionica*

27(2):91.

Crested Pigeon *Ocyphaps lophotes*

25(1):8,36; 25(2):72-76; 25(3):92; 25(4):128,129,142,166,171.

26(1):2,3,5; 26(2):38-39; 26(3):69,102; 26(4):106,121,156,178,182.

27(2):54,58,78; 27(3):105,106,107,118,122; 27(4):147,162,192.

28(1):27; 28(3):80,82,86,102; 28(4):143,169,174.

Diamond Dove *Geopelia cuneata*

25(1):7; 25(2):79.

26(4):122,156,185.

27(3):144; 27(4):162.

28(4):143,173.

Peaceful Dove *Geopelia striata*

25(1):7; 25(2):84; 25(4):142.

26(1):5; 26(4):122,156,185.

27(3):107,118,123; 27(4):162.

28(4):143,173,177.

Wonga Pigeon *Leucosarcia melanoleuca*

25(1):8,24; 25(4):128,142,169.

26(4):122,156.

27(4):162.

28(3):114; 28(4):143,172.

Topknot Pigeon *Lopholaimus antarcticus*

26(1):2.

CACATUIDAE

Red-tailed Black-Cockatoo *Calyptorhynchus banksii*

25(1):8.

26(3):99.

Glossy Black-Cockatoo *Calyptorhynchus lathami*

25(3):125; 25(4):143.

26(4):122,157.

27(2):91; 27(3):107,118,123; 27(4):162.

28(4):127,143,171.

Yellow-tailed Black-Cockatoo *Calyptorhynchus funereus*

25(1):8; 25(3):125; 25(4):129,143,167.

26(3):69; 26(4):122,157,178,182.

27(1):10; 27(3):107; 27(4):162,193.

28(1):20; 28(2):65-66; 28(3):80,83,84,94,95,103; 28(4):127,143,170, 174.

Gang-gang Cockatoo *Callocephalon fimbriatum*

25(1):8; 25(3):124; 25(4):143,166.

26(2):38-39; 26(3):69; 26(4):122,157,178,182.

27(1):5,10,25-26; 27(3):105,107,118,122; 27(4):163,192.

28(1):13; 28(3):80,82; 28(4):143-144,170,174.

Galah *Cacatua roseicapilla*

25(1):9,29,34,36; 25(3):92,120,121,124; 25(4):129,143,166.

26(1):3,5; 26(2):38-39, 52; 26(3):68,72; 26(4):107,122,157,178,182.

27(2):54,58; 27(3):103,104,108,109,118,120,136; 27(4):148,163,192.

28(2):54; 28(3):80,82; 28(4):127,128,144, 169,174.

Long-billed Corella *Cacatua tenuirostris*

25(3):125; 25(4):143,169.

26(1):31; 26(2):64; 26(3):104; 26(4):123,157,181,184.

27(2):96; 27(4):163.

28(1):43; 28(3):124; 28(4):144,173.

Little Corella *Cacatua sanguinea*

25(3):124,125; 25(4):143,168.

26(4):123,157,179,183.

27(3):107,118,123; 27(4):148,163,193.

28(3):85; 28(4):144,172,174.

Major Mitchell's Cockatoo *Cacatua leadbeateri*

25(3):125.

26(3):104; 26(4):123,157.

27(2):91; 27(3):144; 27(4):163,195.

28(1):43; 28(3):124; 28(4):144,173,177.

Sulphur-crested Cockatoo *Cacatua galerita*

25(1):9,29; 25(2):77; 25(3):92,124; 25(4):129,143,166.

26(1):5; 26(2):38-39; 26(3):68; 26(4):107,123,157,178,182.

27(1):26; 27(2):54,58; 27(3):103,104,106,108,111,118,120,136; 27(4):147,148,163,192.

28(1):13; 28(2):54. 28(3):79,80,82,89,90,108,122-123; 28(4):127,144,169,174.

Cockatiel *Nymphicus hollandicus*

25(1):9; 25(3):125; 25(4):143,169.

26(4):123,158,185.

27(4):163,195.

28(1):43; 28(4):144,173,176.

PSITTACIDAE

Rainbow Lorikeet *Trichoglossus haematodus*

25(1):8; 25(3):124,125; 25(4):144,168.

26(1):31; 26(4):106,123,158,180,184.

27(4):163,194.

28(2):53-55; 28(4):144-145,173,175.

Scaly-breasted Lorikeet *Trichoglossus chlorolepidotus*

25(3):125.

Musk Lorikeet *Glossopsitta concinna*

25(1):8; 25(3):125.

26(2):49.

27(4):163,195.

28(1):43; 28(4):145,173.

Little Lorikeet *Glossopsitta pusilla*

25(1):8; 25(3):125; 25(4):144.

26(1):3; 26(2):37,38-39; 26(3):69; 26(4):123,158,181.

27(3):118,123; 27(4):164,195.

28(4):145,173,176.

Purple-crowned Lorikeet *Glossopsitta porphyrocephala*

25(3):125.

Australian King-Parrot *Alisterus scapularis*

25(1):9,25; 25(2):60; 25(3):124; 25(4):144,166.

26(2):38-39; 26(3):96; 26(4):123,158,178,182.

27(1):27; 27(2):78; 27(3):107,118,123,133; 27(4):164,192.

28(1):18,20,23; 28(2):54,64; 28(3):80,82; 28(4):145,170,174.

Superb Parrot *Polytelis swainsonii*

25(1):9; 25(3):125; 25(4):144,169.

26(1):2,3,5,7; 26(3):74,101; 26(4):124,158,185.

27(1):34; 27(2):78,90; 27(3):98,105,110,111,113,118,122,136; 27(4):148,164,195.

28(1):34; 28(4):145,172,176.

Regent Parrot *Polytelis anthopeplus*

25(3):125.

26(1):31; 26(4): 158,185.

Princess Parrot *Polytelis alexandrae*

25(3):125.

27(1):48; 27(4):147,164,195.

Crimson Rosella *Platycercus elegans*

25(1):9; 25(3):90,92,109,110,124; 25(4):144,166.

26(1):3; 26(2):36,37,38-39; 26(3):68,84,88-89; 26(4):124,158,178,182.

27(1):5,6,10,27; 27(2):58; 27(3):102,104,106,108,111,118,120,136,141; 27(4):147,164,192.

28(1):13,18; 28(2):54,64; 28(3):80,82,84; 28(4):128,145, 169,174.

*Adelaide Rosella *Platycercus elegans adelaideae*

*Yellow Rosella *Platycercus elegans flaveolus*

25(3):125.

Eastern Rosella *Platycercus eximius*

25(1):9; 25(3):90,92,124; 25(4):144,166.

26(1):3,5; 26(2):36,37,38-39; 26(3):68,88-89; 26(4):124,158,178,182.

27(2):54,58,78; 27(3):103,104,108,111,118,120,136; 27(4):148,164,192.

28(3):80,82; 28(4):145,169,174.

Pale-headed Rosella *Platycercus adscitus*

Australian Ringneck *Barnardius zonarius*

25(4):144.

26(2):64; 26(4):124,158.

*Mallee Ringneck *Barnardius zonarius barnardi*

25(3):125.

*Port Lincoln Ringneck *Barnardius zonarius ssp*

25(3):125.

Red-capped Parrot *Purpureicephalus spurius*

25(3):125.

Blue Bonnet *Northiella haematogaster*

25(2):83.

Swift Parrot *Lathamus discolor*

25(3):125; 25(4):144.

26(1):5,31; 26(2):49-51; 26(3):74; 26(4):106,124,158.

27(2):90,95,96; 27(3):98; 27(4):146,164,195.

28(1):43; 28(3):108; 28(4):145,173.

Red-rumped Parrot *Psephotus haematonotus*

25(1):9; 25(2):83; 25(3):92,124; 25(4):145,167.

26(1):3,5; 26(2):36,38-39; 26(3):68,72; 26(4):124,159,179,183.

27(3):103,105,106,108,118,122,143; 27(4):164,193.

28(3):77,80,83,86,102,108; 28(4):145,170,175.

Paradise Parrot *Psephotus pulcherrimus*

27(2):82,90.

Budgerigar *Melopsittacus undulatus*

25(1):9; 25(3):125; 25(4):145.

26(4):124,159,185.

27(2):84; 27(3):144; 27(4):165.

28(4):146,177.

Rock Parrot *Neophema petrophila*

28(1):35.

Orange-bellied Parrot *Neophema chrysogaster*

25(2):83.

26(2):63.

Turquoise Parrot *Neophema pulchella*

25(3):125.

27(2):91; 27(3):**143,144**.

28(2):71-72; 28(4):146,173,

Scarlet-chested Parrot *Neophema splendida*

27(2):91.

Night Parrot *Pezoporus occidentalis*

27(2):81.

Norfolk Island Kaka *Nestor productus*

27(2):90.

Peach-faced Lovebird *Agapornis roseicollis*

25(3):125.

26(4): 159,185.

27(4):165,195.

Fischer's Lovebird *Agapornis fischeri*

25(3):125.

28(4):146,177.

lovebird *Agapornis sp.*

25(4):145.

26(3):**104**.

Rose-ringed Parakeet *Psittacula krameri*

25(3):125; 25(4):145,169.

28(4):146,177.

CUCULIDAE

Pallid Cuckoo *Cuculus pallidus*

25(1):9; 25(3):117; 25(4):145,168.

26(2):38-39; 26(3):69; 26(4):124-125,159,179,184.

27(1):26-27; 27(2):58; 27(3):104,109,118,121; 27(4):165,194.

28(1):39; 28(3):80,83,84; 28(4):146,170,176.

Brush Cuckoo *Cacomantis variolosus*

25(3):117; 25(4):145.

26(4):125,159,181.

27(3):105,107,109,118,122; 27(4):165,195.

28(1):13; 28(4):146,172.

Fan-tailed Cuckoo *Cacomantis flabelliformis*

25(1):10; 25(3):117; 25(4):145,168.

26(2):38-39; 26(3):69; 26(4):125,159,181,184.

27(1):5,6,10; 27(2):58; 27(3):105,109,118,122; 27(4):165,194.

28(4):146,171,176.

Black-eared Cuckoo *Chrysococcyx osculans*

25(1):10; 25(2):84.

26(4): 159.

27(4):165.

28(4):146.

Horsfield's Bronze-Cuckoo *Chrysococcyx basalis*

25(1):10; 25(4):128,146.

26(2):38-39; 26(3):69; 26(4):125,160,180,184.

27(3):105,108,109,118,121; 27(4):165,195.

28(4):146-147,171,176.

Shining Bronze-Cuckoo *Chrysococcyx lucidus*

25(1):10; 25(4):146,168.

26(2):38-39; 26(3):69; 26(4):125,160,181,184.

27(1):10; 27(3):105,108,118,121; 27(4):166,194.

28(4):147,172,177.

Common Koel *Eudynamys scolopacea*

25(1):10,**47-48**; **25(2):79**; **25(4):129,146,168.**
26(1):**30,31**; **26(2):64**; **26(4):125,160,180,184.**
27(1):47,48; **27(3):143,144**; **27(4):146,147,166,194.**
28(4):146,147,173,176.
Channel-billed Cuckoo *Scythrops novaehollandiae*
25(2):84; **25(4):129,146,169.**
26(1):32; **26(4): 160,185.**
27(1):47,48; **27(2):95,96**; **27(4):146,147,166,195.**
28(1):43; **28(3):124**; **28(4):127,147,173.**

STRIGIDAE

Powerful Owl *Ninox strunua*

25(4):146.
26(4):126,160.
27(1):2; **27(4):166.**
28(4):127,147,173.
Barking Owl *Ninox connivens*
25(1):10,25; **25(4):146.**
26(1):2; **26(4):126,160.**
27(1):2; **27(4):166.**
28(3):119; **28(4):147.**

Southern Boobook *Ninox novaeseelandiae*

25(1):10,34; **25(3):92**; **25(4):146,168.**
26(1):2,3,5; **26(4):126,160,180,184.**
27(1):2,4,6,7,10; **27(2):58**; **27(3):118,123**; **27(4):166,194.**
28(1):20; **28(2):45-52**; **28(3):85**; **28(4):147,172,175.**

Christmas Island Hawk-Owl *Ninox natalis*

This species (not included in C&B 1994, but see Garnett & Crowley 2000) was previously regarded a sub-species of the Moluccan Hawk-Owl *Ninox squamipila* which is in C&B. Check RAOU updated list to see if it included there
28(2):46.

Sumba Boobook *Ninox rudolfi*

28(2):51.

Spotted Eagle Owl *Bubo africanus*

28(2):46.

Eurasian Scops-Owl *Otus scops*

28(2):46.

TYTONIDAE

Masked Owl *Tyto novaehollandiae*

27(1):2.
Barn Owl *Tyto alba*
25(1):10,25; **25(3):120**; **25(4):147.**
26(4):126,160,185.
27(1):2,25; **27(4):166.**
28(1):21; **28(3):85**; **28(4):147,173.**

PODARGIDAE

Tawny Frogmouth *Podargus strigoides*

25(1):10; **25(3):120**; **25(4):147,168.**
26(1):2,3; **26(4):126,161,181,184.**
27(1):2; **27(2):58**; **27(3):107,118**; **27(4):167,194.**
28(3):90; **28(4):147-148,172,175.**

CAPRIMULGIDAE

White-throated Nightjar *Eurostopodus mystacalis*

27(1):2,47****; **27(2):95,96**; **27(4):167.**
28(1):24,25,42,44****; **28(4):148,173.**

AEGOTHELIIDAE

Australian Owlet-nightjar *Aegotheles cristatus*

25(3):120; **25(4):147,168.**
26(1):2,3; **26(4):126,161,180,184.**
27(1):2; **27(3):107,118,123**; **27(4):167.**

[28\(4\):148,172,176.](#)

APODIDAE

White-throated Needletail *Hirundapus caudacutus*

[25\(1\):11,28,44; 25\(4\):147,167,171.](#)

[26\(4\):126,161,179,182.](#)

[27\(1\):10; 27\(4\):167,193.](#)

[28\(1\):38; 28\(3\):85; 28\(4\):148,171,174.](#)

Fork-tailed Swift *Apus pacificus*

[25\(1\):11.](#)

[27\(3\):107; 27\(4\):167,195.](#)

[28\(1\):44; 28\(4\):148,173,177.](#)

ALCEDINIDAE

Azure Kingfisher *Alcedo azurea*

[25\(1\):48; 25\(4\):128,147.](#)

[26\(4\):127,161.](#)

[27\(1\):48; 27\(4\):167.](#)

[28\(4\):148.](#)

HALCYONIDAE

Laughing Kookaburra *Dacelo novaeguineae*

[25\(1\):11,36; 25\(2\):56; 25\(3\):92,108; 25\(4\):147,166.](#)

[26\(1\):3; 26\(2\):38-39; 26\(3\):68,88; 26\(4\):127,161,179,183.](#)

[27\(1\):4,5,6,7,10; 27\(2\):58; 27\(3\):104,109,111,118,121; 27\(4\):167,193.](#)

[28\(1\):5; 28\(3\):80,83; 28\(4\):148-149,169,174.](#)

Kookaburras *Dacelo* spp

[27\(1\):28.](#)

Red-backed Kingfisher *Todiramphus pyrrhopygia*

[27\(3\):143,144.](#)

[28\(4\):127,149,173.](#)

Sacred Kingfisher *Todiramphus sanctus*

[25\(1\):11; 25\(4\):147,168.](#)

[26\(1\):3; 26\(3\):69; 26\(4\):127,161,180,185.](#)

[27\(1\):28; 27\(3\):105,109,111,118,121; 27\(4\):168,194.](#)

[28\(1\):13,39; 28\(3\):80,83; 28\(4\):149,170,176.](#)

MEROPIDAE

Rainbow Bee-eater *Merops ornatus*

[25\(1\):11; 25\(4\):148,168.](#)

[26\(1\):3; 26\(3\):69; 26\(4\):127,162,180.](#)

[27\(2\):76; 27\(3\):118,123,140; 27\(4\):168,194.](#)

[28\(1\):38,39; 28\(4\):149,172,176.](#)

CORACIIDAE

Dollarbird *Eurystomus orientalis*

[25\(1\):11; 25\(2\):84; 25\(4\):148,167.](#)

[26\(2\):38-39; 26\(3\):69; 26\(4\):127,162,180,184.](#)

[27\(2\):76; 27\(3\):105,118,122; 27\(4\):168,194.](#)

[28\(1\):5,39; 28\(3\):80,83; 28\(4\):149,171,175.](#)

PHOENICULIDAE

Green Woodhoopoe *Phoeniculus purpureus*

[25\(2\):57.](#)

PITTIDAE

Gurney's Pitta *Pitta gurneyi*

[25\(3\):122.](#)

ACANTHASITTIDAE

Stephens Wren *Xenicus lyalli*

[27\(2\):90.](#)

MENURIDAE

- Albert's Lyrebird** *Menura alberti*
25(2):82.
26(3):94.
Superb Lyrebird *Menura novaehollandiae*
25(1):11; 25(4):148.
26(3):94-96; 26(4):128,162.
27(1):4,5,6,7,10; 27(3):135; 27(4):168.
28(1):12,18; 28(3):108; 28(4):149,171.
lyrebirds *Menura* sp.
27(2):81.

ATRICHORNITHIDAE

- Noisy Scrub-bird** *Atrichornis clamosus*
27(2):81.

CLIMACTERIDAE

- White-throated Treecreeper** *Cormobates leucophaeus*
25(1):14; 25(4):148,167.
26(1):3; 26(2):38-39; 26(3):68; 26(4):128,162,180,184.
27(1):5,10; 27(2):58; 27(3):102,104,106,109,111,118,120; 27(4):148,168,193.
28(1):12; 28(3):81,83; 28(4):150, 169,175.
Red-browed Treecreeper *Climacteris erythrops*
25(4):148.
26(4):128,162.
27(4):168.
28(1):18,20; 28(4):150,172.
Brown Treecreeper *Climacteris picumnus*
25(1):14,24; 25(4):129,148.
26(1):3,5,25; 26(2):37,38-39; 26(3):68,74; 26(4):107,128,162.
27(2):91; 27(3):98,105,106,107,108,110,111,112,118,122; 27(4):147,168-169.
28(1):29,32; 28(4):128,150,170.

MALURIDAE

- Purple-crowned Fairy-wren** *Malurus coronatus*
28(2):71.
Superb Fairy-wren *Malurus cyaneus*
25(1):16; 25(3):90,92; 25(4):149,166.
26(1):3,5,7; 26(2):36,37,38-39; 26(3):68; 26(4):128,162,178,182.
27(1):4,5,6,7,10; 27(2):58,62,70,78; 27(3):102,103,104,106,108,110,111,119,121,127; 27(4):169,192.
28(3):81,82,84,86,102,117; 28(4):150, 169,174.
Southern Emu-wren *Stipiturus malachurus*
25(2):84.
Striated Grasswren *Amytornis striatus*
25(2):82.

PARDALOTIDAE

- Spotted Pardalote** *Pardalotus punctatus*
25(1):20; 25(3):92; 25(4):149,166.
26(1):3; 26(2):38-39; 26(3):68,73,74; 26(4):128,163,178,182.
27(1):5,10; 27(2):58; 27(3):104,109,111,119,120,142; 27(4):169,192.
28(3):81,82,103; 28(4):150,169,174.
Striated Pardalote *Pardalotus striatus*
25(1):20; 25(3):92; 25(4):149,166.
26(1):3; 26(2):38-39; 26(3):68,72; 26(4):129,163,178,182.
27(1):5,10; 27(2):58,78; 27(3):102,104,109,111,119,120; 27(4):148,169,192.
28(1):13; 28(3):81,82,103; 28(4):128,151,169,174.
Pilotbird *Pycnoptilus floccosus*
25(4):149.
26(4):129,163.
27(4):169.
28(1):18,20; 28(3):108; 28(4):151,172.
Rockwarbler *Origma solitaria*

25(2):84.

White-browed Scrubwren *Sericornis frontalis*

25(1):16; 25(2):84; 25(3):92; 25(4):150,167.

26(2):38-39; 26(3):69; 26(4):129,163,179,183.

27(1):4,5,10; 27(2):58; 27(4):170,192.

28(1):13; 28(3):81,82,86,102,117; 28(4):151,169,175.

Chestnut-rumped Heathwren *Hylacola pyrrhopygia*

25(2):84; 25(4):150.

26(1):32; 26(2):64; 26(4):129,163.

27(1):48; 27(4):170.

28(4):151.

Speckled Warbler *Chthonicola sagittata*

25(1):16,24; 25(2):84; 25(3):91,92; 25(4):150,168.

26(1):3,5; 26(2):38-39; 26(3):69,74; 26(4):108,129,163-164,181,185.

27(2):54,58,91; 27(3):104,108,110,111,113,119,121; 27(4):148,170,195.

28(4):151,170,176.

Weebill *Smicromys brevirostris*

25(1):15; 25(2):84,85; 25(3):92; 25(4):150,167.

26(1):3; 26(2):37,38-39; 26(3):68,72,73,74,75; 26(4):129,164,178,182.

27(1):39; 27(2):58; 27(3):102,104,108,110,111,119,120; 27(4):148,170,192.

28(1):26; 28(3):81,83,84,86,103; 28(4):128,151,169,174.

Brown Gerygone *Gerygone mouki*

25(4):150.

26(4):130.

28(3):114.

Western Gerygone *Gerygone fusca*

25(4):150,169.

26(2):36,38-39; 26(3):69,73,74,75; 26(4):130,164,181,185.

27(2):58; 27(3):104,108,111,119,120; 27(4):170,195.

28(1):5; 28(4):152,170,176.

White-throated Gerygone *Gerygone olivacea*

25(1):15; 25(4):151,168.

26(1):3; 26(2):36,38-39; 26(3):68,73,74,75; 26(4):130,164,180,185.

27(3):102,104,109,111,119,120; 27(4):171,194.

28(3):81,83,84; 28(4):152,169,176.

Brown Thornbill *Acanthiza pusilla*

25(1):15; 25(2):84; 25(3):90,92; 25(4):151,167.

26(2):38-39; 26(3):68; 26(4):130,164,179,182.

27(1):4,5,6,10; 27(2):58,77,78; 27(3):104,106,109,119,120; 27(4):171,192.

28(1):18; 28(3):81,83,86; 28(4):152,169,174.

Buff-rumped Thornbill *Acanthiza reguloides*

25(1):15; 25(3):92; 25(4):151,167.

26(1):3; 26(2):36,37,38-39; 26(3):68; 26(4):130,164,179,183.

27(2):58,77,78; 27(3):102,104,108,110,111,119,120; 27(4):171,193.

28(1):18,20; 28(3):85; 28(4):152,169,175.

Yellow-rumped Thornbill *Acanthiza chrysorrhoa*

25(1):15; 25(3):90,92; 25(4):151,166.

26(1):3,5; 26(2):36,37,38-39; 26(3):68; 26(4):131,164,178,182.

27(2):54,58,77,78; 27(3):102,104,106,108,111,119,120,127; 27(4):171,192.

28(3):81,83,86; 28(4):152,169,174.

Yellow Thornbill *Acanthiza nana*

25(1):15; 25(3):90,92; 25(4):151,168.

26(1):3; 26(2):38-39; 26(3):69; 26(4):131,165,180,183.

27(3):104,106,107,109,119,121; 27(4):171-172,194.

28(3):85; 28(4):153,171,176.

Striated Thornbill *Acanthiza lineata*

25(1):15; 25(3):92; 25(4):152,166.

26(2):36,37,38-39; 26(3):68; 26(4):131,165,179,183.

27(1):5,10; 27(2):58,77,78; 27(3):102,104,106,109,111,119,120; 27(4):172,193.

28(4):153,169,174.

Southern Whiteface *Aphelocephala leucopsis*

25(1):15,24,36; 25(2):84; 25(4):152.

26(2):37,38-39; 26(3):74; 26(4):131,165.

27(2):91; 27(3):107,113,119,123; 27(4):172.

28(4):153,171.

MELIPHAGIDAE

Red Wattlebird *Anthochaera carunculata*

25(1):20,29; 25(2):77; 25(3):93,113-114,115; 25(4):152,166.
26(1):3,22; 26(2):38-39,52; 26(3):68,78-83,85,88; 26(4):131,165,178,182.
27(1):5,10,26,27-28,41,44-45; 27(2):78; 27(3):104,109,113,114,119,121,127,128,130,131; 27(4):172,192.
28(1):5; 28(2):69; 28(3):81,82,84,108; 28(4):153, 169,174.

Little Wattlebird *Anthochaera chrysoptera*

26(1):32; 26(4):106,165,185.
27(1):41; 27(3):144; 27(4):172.
28(4):153,173,176.

Spiny-cheeked Honeyeater *Acanthagenys rufogularis*

25(1):20.
28(1):6.

Striped Honeyeater *Plectrorhyncha lanceolata*

Noisy Friarbird *Philemon corniculatus*

25(1):20,29; 25(3):93; 25(4):152,166.
26(1):3,15; 26(2):36,38-39; 26(3):68,72,88; 26(4):131-132,165,178,182.
27(1):41; 27(2):59; 27(3):102,104,109,110,111,113,119,120; 27(4):172,192.
28(1):5,18,20; 28(3):81,82,112; 28(4):153,169,174.

Little Friarbird *Philemon citreogularis*

25(4):152.
26(2):64; 26(4):132,166.
27(1):42,48; 27(2):96; 27(3):105,108,111,119,122; 27(4):173.
28(1):44; 28(4):154,173.

Regent Honeyeater *Xanthomyza phrygia*

25(1):19,24,27; 25(4):129,153.
26(1):5; 26(3):69,74; 26(4):107,166.
27(1):41; 27(2):90; 27(3):98,107,109,110,111,113,119; 27(4):173.
28(2):58; 28(3):108; 28(4):154.

Blue-faced Honeyeater *Entomyzon cyanotis*

25(1):20.
Bell Miner *Manorina melanophrys*
25(1):36,47-48; 25(4):153,169.
26(4):106,132,166.
27(1):26; 27(4):173.

Noisy Miner *Manorina melanocaphala*

25(1):20; 25(3):93; 25(4):153,167,171.
26(1):3,5; 26(2):38-39; 26(3):68,85,86; 26(4):132,166,179,183.
27(1):41; 27(2):54,55,59; 27(3):103,104,108,110,111,113,119,120; 27(4):173,193.
28(1):5,6; 28(3):81,82,84,93,103,109; 28(4):154,169,174.

Lewin's Honeyeater *Meliphaga lewinii*

25(1):19; 25(4):153.
26(1):2,32; 26(4):132,166.
27(1):41; 27(4):173.
28(4):154,173.

Yellow-faced Honeyeater *Lichenostomus chrysops*

25(1):19; 25(3):93,113-114,115; 25(4):153,166.
26(1):3; 26(2):38-39,52; 26(3):67,68,70,77-83; 26(4):132,166,178,182.
27(1):4,5,10,25,41; 27(2):59,68; 27(3):104,109,119,120,127-131,135; 27(4):173,192.
28(1):13,18,19,38; 28(3):81,82,109; 28(4):154,169,174.

Singing Honeyeater *Lichenostomus virescens*

25(1):19,25.
27(1):41.

White-eared Honeyeater *Lichenostomus leucotis*

25(1):19; 25(3):93,113; 25(4):153,167.
26(2):38-39; 26(3):69,78; 26(4):132,166,179,183.
27(1):5,10,41; 27(2):59,77,88; 27(3):105,109,119,122,135; 27(4):173,193.
28(1):13; 28(3):85,109; 28(4):154,169,175.

Yellow-tufted Honeyeater *Lichenostomus melanops*

25(1):19,25; 25(2):84; 25(4):154.
26(1):4; 26(4):133,167,185.
27(1):41; 27(3):135; 27(4):174,195.

28(3):109; 28(4):154,172.

Fuscous Honeyeater *Lichenostomus fuscus*

25(2):84; 25(4):154,167.

26(2):40-41; 26(3):69; 26(4):133,167,179,183.

27(1):41; 27(3):105,107,119,122,135; 27(4):147,148,174,193.

28(2):70; 28(3):108,109; 28(4):155,171,175.

White-plumed Honeyeater *Lichenostomus penicillatus*

25(1):19; 25(3):90,93; 25(4):154,167.

26(1):4,5; 26(2):40-41; 26(3):68,70,72; 26(4):133,167,179,183.

27(1):41; 27(2):77; 27(3):105,106,107,108,110,111,112,114,119,121; 27(4):174,193.

28(3):81,82,86,108; 28(4):155,169,175.

Black-chinned Honeyeater *Melithreptus gularis*

25(2):84.

26(1):2.

Brown-headed Honeyeater *Melithreptus brevirostris*

25(3):93; 25(4):154,168.

26(1):4; 26(2):40-41; 26(3):69; 26(4):133,167,180,184.

27(1):10,41; 27(2):59,77; 27(3):104,106,109,119,121; 27(4):174,194.

28(4):155,170,176.

White-naped Honeyeater *Melithreptus lunatus*

25(1):18; 25(2):84; 25(3):113-114; 25(4):154,166.

26(1):4; 26(2):40-41,52; 26(3):68,78-81; 26(4):133,167,178,183.

27(1):10,25,41; 27(2):59; 27(3):105,108,119,121,127,128,130,135; 27(4):174,193.

28(3):81,83; 28(4):155,170,175.

Painted Honeyeater *Grantiella picta*

25(1):19,24,27,36; 25(2):84.

26(1):4,5; 26(3):74.

27(1):41; 27(2):91; 27(3):98.

28(1):1-9,23,42,44; 28(2):56-62; 28(3):95,108; 28(4):155,171.

Crescent Honeyeater *Phylidonyris pyrrhoptera*

25(4):155,168.

26(4):134,167-168,180,184.

27(1):5,10,25,42; 27(4):175,194.

28(4):155-156,172,176.

New Holland Honeyeater *Phylidonyris novaehollandiae*

25(1):20; 25(2):84; 25(4):155,167.

26(3):69; 26(4):134,168,179,183.

27(1):42; 27(4):175,194.

28(3):85,109; 28(4):156,171,176.

Tawny-crowned Honeyeater *Phylidonyris melanops*

26(1):32; 26(4):107,168,185.

27(1):42; 27(4):175.

28(4):156.

Eastern Spinebill *Acanthorhynchus tenuirostris*

25(1):18; 25(3):93; 25(4):155,166,170.

26(2):40-41; 26(4):134,168,178,182.

27(1):5,10,42; 27(2):77; 27(3):104,107,109,114,119,121; 27(4):175,192.

28(3):81,83; 28(4):156,169,174.

Black Honeyeater *Certhionyx niger*

Pied Honeyeater *Certhionyx variegatus*

28(1):42,44; 28(4):156,173.

Scarlet Honeyeater *Myzomela sanguinolenta*

25(1):18,47-48.

26(1):32; 26(4):134,181.

27(1):42,48; 27(2):96; 27(4):175.

28(1):44; 28(4):156,173,177.

Crimson Chat *Epthianura tricolor*

27(3):100.

White-fronted Chat *Epthianura albifrons*

25(1):15,24; 25(4):155.

26(1):4; 26(4):107,134,168.

27(4):175.

28(4):156,173.

PETROICIDAE

Jacky Winter *Microeca fascinans*

25(1):17,24,36,44-45; 25(2):84; 25(3):91,93; 25(4):129,155,169.
26(1):4,5; 26(2):37,40-41; 26(3):74; 26(4):107,108,134,168.
27(3):105,106,107,111,113,119,122; 27(4):175.
28(4):128,156,171,176.

Scarlet Robin *Petroica multicolor*

25(1):17,24; 25(3):93; 25(4):155,168.
26(2):40-41; 26(3):68; 26(4):134-135,168,180,184.
27(2):59,77,80; 27(3):104,109,111,119,120; 27(4):176,194.
28(1):18,20; 28(2):69; 28(4):128,157,169,176.

Red-capped Robin *Petroica goodenovii*

25(1):17; 25(2):82,84; 25(3):91,93; 25(4):156.
26(1):4,5; 26(2):37,40-41; 26(4):135,169.
27(3):105,119,122; 27(4):176.
28(1):35; 28(4):157,171.

Flame Robin *Petroica phoenicea*

25(1):17,24; 25(3):93; 25(4):156,168.
26(1):22; 26(2):40-41; 26(3):69; 26(4):135,169,180,184.
27(1):4,5,10; 27(2):59,77; 27(3):107,119,123; 27(4):148,176,194.
28(1):13,18; 28(4):128,157,170,176.

Rose Robin *Petroica rosea*

25(2):82; 25(4):129,156,168.
26(3):69; 26(4):135,169,180,184.
27(2):59; 27(4):147,148,176,194.
28(1):18,20; 28(4):157,172,175.

Pink Robin *Petroica rodinogaster*

25(2):82; 25(4):156,169.
26(3):89-90,**104**; 26(4):135,169,185.
27(1):4,5,10; 27(4):176.
28(4):157.

Hooded Robin *Melanodryas cucullata*

25(1):17,24,36; 25(2):84; 25(3):91,93; 25(4):129,156,168.
26(1):25; 26(2):37,40-41, 46; 26(3):68,74; 26(4):107,108,135,169,181,185.
27(1):40; 27(3):97,105,106,108,110,111,112,119,121; 27(4):147,148,176.
28(1):29,32; 28(4):128,157,171.

Eastern Yellow Robin *Eopsaltria australis*

25(1):17; 25(3):91,93; 25(4):156,169.
26(1):4,5; 26(4):135,169.
27(2):54,59; 27(3):105,106,108,119,122; 27(4):176.
28(1):18,20; 28(3):85,114; 28(4):157,170,177.

POMATOSTOMIDAE

Grey-crowned Babbler *Pomatostomus temporalis*

25(1):14,25,36.
26(1):4,5.

White-browed Babbler *Pomatostomus superciliosus*

25(1):14,25,36.
26(1):4,5,**32**; 26(2):43-45; 26(4):108,169.
27(2):67; 27(4):176.

CINCLOSOMATIDAE

Eastern Whipbird *Psophodes olivaceus*

25(4):156.
26(4):135,169.
27(1):5,7,10; 27(4):177.
28(1):26; 28(3):114; 28(4):157,172.

Western Whipbird *Psophodes nigrogularis*

25(2):82.
Spotted Quail-thrush *Cinclosoma punctatum*
25(1):14; 25(2):84; 25(4):157.
26(4):135,169.
27(4):177.
28(1):13; 28(4):158,172.

Chestnut Quail-thrush *Cinclosoma castanotus*
28(2):69.

NEOSITTIDAE

Varied Sittella *Daphoenositta chrysoptera*
25(1):13; 25(4):157,169.
26(1):5; 26(2):40-41; 26(3):69; 26(4):136,170,181,184.
27(2):54,59,77; 27(3):105,109,111,119,121; 27(4):177,194.
28(3):85; 28(4):128,158,170,175.

PACHYCEPHALIDAE

Crested Shrike-tit *Falcunculus frontatus*
25(1):18; 25(3):91,93; 25(4):157.
26(1):5; 26(2):40-41; 26(3):69; 26(4):108,136,170.
27(3):105,108,110,111,113,119,122; 27(4):177.
28(4):128,158,171.

Olive Whistler *Pachycephala olivacea*
25(4):157.
26(4):136,170.
27(1):5,10; 27(3):100; 27(4):177.
28(4):127,158,172.

Golden Whistler *Pachycephala pectoralis*
25(1):17; 25(2):83; 25(3):93; 25(4):157,167.
26(1):4; 26(2):40-41; 26(3):69; 26(4):107,136,170,179,183.
27(1):5,10; 27(2):59,77; 27(3):104,109,114,119,121; 27(4):177,193.
28(3):81,83; 28(4):127,158,169,175.

Mangrove Golden Whistler *Pachycephala melanura*
25(2):83.

Grey Whistler *Pachycephala simplex*
25(2):82.

Rufous Whistler *Pachycephala rufiventris*
25(1):17; 25(3):91,93; 25(4):157,167.
26(1):4,5,7; 26(2):36,40-41; 26(3):68; 26(4):107,136,170,179,184.
27(1):10; 27(2):54,59; 27(3):102,104,106,109,111,119,120; 27(4):147,177-178,194.
28(2):69; 28(4):158,169,175.

Grey Shrike-thrush *Colluricincla harmonica*
25(1):18; 25(3):93; 25(4):157-158,167.
26(1):4,21; 26(2):40-41; 26(3):68; 26(4):136,170,180,183.
27(1):5,10; 27(2):78; 27(3):104,106,108,110,111,119,121; 27(4):178,194.
28(3):81,83; 28(4):158-159,169,175.

DICRURIDAE

Black-faced Monarch *Monarcha melanopsis*
25(4):158.
26(1):32; 26(4):137,170,185.
27(4):178.
28(4):159,173.

Leaden Flycatcher *Myiagra rubecula*
25(1):17; 25(4):158,168.
26(2):40-41; 26(3):69; 26(4):137,171,180,184.
27(2):91; 27(3):104,108,111,119,120; 27(4):178,194.
28(1):5; 28(4):159,170,175.

Satin Flycatcher *Myiagra cyanoleuca*
25(4):158,169.
26(3):69; 26(4):137,171,181,185.
27(1):5,10; 27(4):178,195.
28(1):38; 28(4):159,172,176.

Restless Flycatcher *Myiagra inquieta*
25(1):17,45; 25(3):91,93,121; 25(4):158,168.
26(2):40-41; 26(3):68,72; 26(4):137,171,181.
27(2):54,59; 27(3):103,105,106,110,111,119,121; 27(4):148,178,195.
28(1):18,20; 28(4):159,171,177.

Magpie-lark *Grallina cyanoleuca*
25(1):13,29; 25(2):77; 25(3):93,120; 25(4):158,166.

26(1):4,5; 26(2):40-41,52; 26(3):68; 26(4):137,171,178, 182.
27(1):11-13,26; 27(2):54,59,62; 27(3):102,103,104,108,111,119,120; 27(4):178,192.
28(1):21,27; 28(2):63; 28(3):81,82,84; 28(4):159, 169,174.

Rufous Fantail *Rhipidura rufifrons*

25(1):16; 25(4):158,168.
26(2):40-41; 26(4):137,171,181,185.
27(4):148,178,195.
28(1):13,38; 28(4):159,172,176.

Grey Fantail *Rhipidura fuliginosa*

25(1):16; 25(3):90,93; 25(4):159,166.
26(1):4,5; 26(2):40-41; 26(3):68,72; 26(4):137-138,171,178,183.
27(1):5,10; 27(2):59; 27(3):102,104,108,111,119,120; 27(4):148,179,192.
28(3):81,83; 28(4):128,160,169,174.

Willie Wagtail *Rhipidura leucophrys*

25(1):16,24; 25(3):90,93; 25(4):159,167.
26(1):4,5; 26(2):40-41; 26(3):68,72; 26(4):138,171-172,179,183.
27(2):54,59,62,78,91; 27(3):103,104,108,111,119,121; 27(4):179,193.
28(3):81,82; 28(4):160,169,175.

Spangled Drongo *Dicrurus bracteatus*

25(1):**47-48**.
26(4):138.
27(1):**47,48**; 27(2):**95,96**; 27(4):146,179.
28(4):160.

CAMPEPHAGIDAE

Black-faced Cuckoo-shrike *Coracina novaehollandiae*

25(1):12,29; 25(3):93; 25(4):159,166.
26(1):4,5; 26(2):40-41; 26(3):68; 26(4):138,172,178,182.
27(1):10; 27(2):54,59,78; 27(3):104,108,110,111,119,120; 27(4):179,193.
28(1):20; 28(2):65; 28(3):81,82; 28(4):160,169,175.

White-bellied Cuckoo-shrike *Coracina papuensis*

25(1):12; 25(2):84; 25(4):159.
26(4):138,172.
27(2):**95,96**; 27(3):119,123,**144**; 27(4):179,195.
28(1):**44**; 28(2):65; 28(3):**124**; 28(4):160,173,177.

Cicadabird *Coracina tenuirostris*

25(4):159.
26(4):138,172.
27(4):179.
28(4):160,173.

White-winged Triller *Lalage sueurii*

25(1):12; 25(2):56; 25(4):159,168.
26(1):4; 26(2):40-41; 26(3):69; 26(4):138,172,181,184.
27(3):105,108,110,111,119,121; 27(4):180,195.
28(3):85; 28(4):128,161,171,176.

ORIOLIDAE

Olive-backed Oriole *Oriolus sagittatus*

25(1):12; 25(3):93; 25(4):160,167.
26(1):4; 26(2):40-41; 26(3):69,72; 26(4):139,172,179,183.
27(2):59; 27(3):104,107,109,111,114,119,121; 27(4):180,193.
28(1):5; 28(3):81,83,99; 28(4):161,170,175.

ARTAMIDAE

White-breasted Woodswallow *Artamus leucorynchus*

27(2):**95**.
Masked Woodswallow *Artamus personatus*
25(1):18; 25(2):56; 25(4):160.
26(1):23; 26(2):37,40-41; 26(4):139,172,184.
27(4):180.
28(1):25-26; 28(4):127,161,172,175.

White-browed Woodswallow *Artamus superciliosus*

25(1):18; 25(2):56; 25(4):160,168.
26(1):5,23-24; 26(2):40-41; 26(3):68,72; 26(4):139,173,183.

27(3):107,119,123; 27(4):180,193.

28(1):25-26; 28(4):127,161-162,170,175.

Black-faced Woodswallow *Artamus cinereus*

25(2):49.

Dusky Woodswallow *Artamus cyanopterus*

25(1):18; 25(2):49-58; 25(3):91,93,116; 25(4):160,167.

26(1):4,5; 26(2):36,40-41; 26(3):68,72; 26(4):139,173,179,183.

27(2):54,59; 27(3):103,105,108,110,111,119,121; 27(4):148,180,193.

28(1):4,5; 28(3):81,83; 28(4):128,162,170,175.

Little Woodswallow *Artamus minor*

25(2):56.

Grey Butcherbird *Cracticus torquatus*

25(1):13; 25(4):160,169.

26(3):84-86; 26(4):139,173,181,184.

27(1):25; 27(2):53,59; 27(3):105,107,109,111,119,121; 27(4):180,194.

28(3):103; 28(4):162,169,176.

Pied Butcherbird *Cracticus nigrogularis*

25(1):47-48; 25(2):79; 25(4):160.

26(1):5,32; 26(2):64; 26(4):106,139,173.

27(1):48; 27(2):95,96; 27(3):119,123; 27(4):181.

28(3):124; 28(4):162,173.

Australian Magpie *Gymnorhina tibicen*

25(1):13,29; 25(2):75,77; 25(3):90,93,116; 25(4):161,166.

26(1):4,5,7; 26(2):36,37,40-41; 26(3):68,72,85; 26(4):139-140,173,178,182.

27(1):4,5,6,10,11,12; 27(2):54,59,62,66,70,76,92; 27(3):104,109,110,111,119,120,125,136,138-139;

27(4):147,181,192.

28(1):5,22,26,27,39; 28(2):65; 28(3):81,82,84,99; 28(4):127,128,162,169,174.

Pied Currawong *Strepera graculina*

25(1):13,25,29,34; 25(2):59,74,77; 25(3):93,105,116,119; 25(4):161,166.

26(1):4,5,15,21; 26(2):40-41; 26(3):68,85; 26(4):140,173,178,182.

27(1):5,6,10,11,12,13,26,28; 27(2):54,59; 27(3):105,109,111,119,121; 27(4):181,192.

28(1):5,13,18,21,27; 28(2):63; 28(3):81,82,94,103,122-123; 28(4):163,169,174.

Grey Currawong *Strepera versicolor*

25(1):13; 25(3):93; 25(4):161,167.

26(1):4; 26(2):40-41; 26(4):140,173,179,183.

27(1):10; 27(2):53,59; 27(3):104,109,111,119,121; 27(4):181,193.

28(1):13,20; 28(3):81,83; 28(4):163,170,175.

CORVIDAE

Australian Raven *Corvus coronoides*

25(1):12,25,29; 25(2):56,77; 25(3):93; 25(4):161,166.

26(1):4,5,7,20-21; 26(2):40-41; 26(3):68; 26(4):140,174,178,182.

27(1):10,25; 27(2):54,59,62,70; 27(3):104,109,111,119,120; 27(4):148,181,192.

28(1):5,21,26; 28(3):81,82,103; 28(4):163,169,174.

Little Raven *Corvus mellori*

25(1):25; 25(4):161,167.

26(1):20-21; 26(3):69; 26(4):140,174,179,183.

27(1):4,5,6,10; 27(2):62,64,70; 27(3):105,108,119,122; 27(4):182,193.

28(1):18(wrongly named *C. bennetti*),38; 28(3):95(correction of previous); 28(4):163,171,175.

Little Crow *Corvus bennetti*

28(1):18(*C. bennetti* should have been *C. mellori*); 28(3):95(correction of previous).

Torresian Crow *Corvus orru*

25(1):12.

CORCORACIDAE

White-winged Chough *Corcorax melanorhamphos*

25(1):13; 25(2):57; 25(3):91,93; 25(4):161,167.

26(1):4,5; 26(2):36,37,40-41; 26(4):140,174,179,182.

27(1):13; 27(2):70; 27(3):102,104,106,108,110,111,119,120; 27(4):182,192.

28(3):81,82,103; 28(4):164,169,174.

Apostlebird *Struthidea cinerea*

25(1):13.

PTILONORHYNCHIDAE

Satin Bowerbird *Ptilonorhynchos violaceus*

25(1):13; **25(2)**:59-71; **25(3)**:98-112,116,119; **25(4)**:128,162,167.
26(1):15-16,17-19,22-23; **26(3)**:102; **26(4)**:106,107,141,174,179,183.
27(2):59; **27(4)**:148,182,192.
28(3):87-95,96-101,103; **28(4)**:164,171,175.

Spotted Bowerbird *Chlamydera maculata*

28(2):71.

Great Bowerbird *Chlamydera nuchalis*

26(3):102.

ALAUDIDAE**Singing Bushlark** *Mirafra javanica*

25(1):11,36; **25(4)**:162.
26(4):141,174.
27(2):62,63,64; **27(3)**:119; **27(4)**:182.
28(4):164.

Skylark *Alauda arvensis*

25(1):11; **25(4)**:162,167.
26(2):40-41; **26(4)**:141,174,179,184.
27(1):10; **27(2)**:62; **27(3)**:107,108,119; **27(4)**:182,194.
28(4):164,172,176.

MOTACILLIDAE**Richard's Pipit** *Anthus novaeseelandiae*

25(1):18,24; **25(3)**:93; **25(4)**:162,167.
26(2):40-41; **26(3)**:69; **26(4)**:141,175,180,184.
27(1):4,5,10; **27(2)**:62; **27(3)**:107,108,119,123,135; **27(4)**:182,194.
28(4):165,170,176.

PASSERIDAE**House Sparrow** *Passer domesticus*

25(1):20,29; **25(4)**:162,166.
26(1):6; **26(2)**:40-41; **26(4)**:141,175,178,182.
27(3):107,119; **27(4)**:183,192.
28(1):18,20; **28(3)**:81,82; **28(4)**:127,165,170,174.

Eurasian Tree Sparrow *Passer montanus*

26(4):141.

Zebra Finch *Taeniopygia guttata*

25(1):21,24; **25(4)**:162.
26(4):141,175,181,185.
27(4):183,195.
28(4):165,173.

Double-barred Finch *Taeniopygia bichenovii*

25(1):21; **25(3)**:93; **25(4)**:162,167.
26(2):40-41; **26(3)**:69; **26(4)**:142,175,179,183.
27(3):105,106,107,119,122; **27(4)**:148,183,193.
28(4):165,171,175.

Plum-headed Finch *Neochmia modesta*

25(1):21.

Red-browed Finch *Neochmia temporalis*

25(1):21; **25(3)**:93; **25(4)**:163,166.
26(2):40-41; **26(3)**:69,72; **26(4)**:142,175,178,183.
27(1):10; **27(2)**:59; **27(3)**:119; **27(4)**:183,193.
28(3):81,83,86; **28(4)**:165,170,174.

Diamond Firetail *Stagonopleura guttata*

25(1):21,36; **25(3)**:91,93; **25(4)**:129,163.
26(1):5; **26(2)**:37,40-41; **26(3)**:68,72,74; **26(4)**:107,108,142,175.
27(2):91; **27(3)**:105,106,108,110,111,113,119,122; **27(4)**:148,183.
28(1):29,32; **28(4)**:128,165,171.

FRINGILLIDAE**European Greenfinch** *Carduelis chloris*

25(4):163,169.
26(4):142,175.

[27\(2\):84-85](#); [27\(3\):107](#); [27\(4\):183](#).

[28\(4\):165,172](#).

European Goldfinch *Carduelis carduelis*

[25\(1\):21](#); [25\(3\):93](#); [25\(4\):163,167](#).

[26\(2\):40-41](#); [26\(3\):69](#); [26\(4\):142,175,179,183](#).

[27\(1\):10](#); [27\(2\):62](#); [27\(3\):107,108,112,114,119,123](#); [27\(4\):183,193](#).

[28\(1\):22](#); [28\(3\):81,83,84](#); [28\(4\):166,170,175](#).

DICAEIDAE

Mistletoebird *Dicaeum hirundinaceum*

[25\(1\):20](#); [25\(3\):93](#); [25\(4\):163,167](#).

[26\(1\):4](#); [26\(2\):40-41](#); [26\(3\):69](#); [26\(4\):142,176,179,184](#).

[27\(3\):104,109,111,119,121](#); [27\(4\):183,193](#).

[28\(1\):5](#); [28\(4\):166,170,175](#).

HIRUNDINIDAE

Welcome Swallow *Hirundo neoxena*

[25\(1\):11](#); [25\(3\):93](#); [25\(4\):163,167](#).

[26\(1\):4,5,21-22](#); [26\(2\):40-41](#); [26\(3\):68](#); [26\(4\):142-143,176,179,183](#).

[27\(1\):4,5,6,10](#); [27\(2\):54,59,78](#); [27\(3\):105,108,119,121](#); [27\(4\):184,193](#).

[28\(3\):81,82,103](#); [28\(4\):166,169,175](#).

Tree Martin *Hirundo nigricans*

[25\(1\):12](#); [25\(4\):164,168](#).

[26\(2\):40-41](#); [26\(3\):68,72](#); [26\(4\):143,176,180,184](#).

[27\(2\):59](#); [27\(3\):105,107,108,119,122](#); [27\(4\):184,193](#).

[28\(1\):20](#); [28\(4\):166,170,176](#).

Fairy Martin *Hirundo ariel*

[25\(1\):12](#); [25\(4\):164](#).

[26\(1\):6](#); [26\(2\):40-41](#); [26\(4\):143,176](#).

[27\(3\):107,119](#); [27\(4\):184](#).

[28\(4\):166,171](#).

Martin (Tree/Fairy)

[27\(1\):10](#).

White-eyed River-Martin *Eurochelidon sirintarae*

[25\(3\):123](#).

PYCNONOTIDAE

Red-whiskered Bulbul *Pycnonotus jocosus*

[25\(3\):123](#); [25\(4\):128,164](#).

SYLVIIDAE

Clamorous Reed-Warbler *Acrocephalus stentoreus*

[25\(1\):16](#); [25\(4\):164](#).

[26\(4\):143,176,181,185](#).

[27\(2\):61,63,89](#); [27\(4\):184](#).

[28\(3\):81,82](#); [28\(4\):166,170,176](#).

Little Grassbird *Megalurus gramineus*

[25\(4\):128,164](#).

[26\(4\):143,176](#).

[27\(4\):184](#).

[28\(3\):81,83](#); [28\(4\):167,171](#).

Rufous Songlark *Cincloramphus mathewsi*

[25\(1\):16](#); [25\(3\):93](#); [25\(4\):164](#).

[26\(3\):68,72](#); [26\(4\):143,176,181](#).

[27\(3\):105,108,119,122](#); [27\(4\):148,184](#).

[28\(4\):167,172,177](#).

Brown Songlark *Cincloramphus cruralis*

[25\(1\):16](#); [25\(4\):164](#).

[26\(1\):6](#); [26\(4\):143,177](#).

[27\(3\):119](#); [27\(4\):184](#).

[28\(4\):167,173,177](#).

Golden-headed Cisticola *Cisticola exilis*

[25\(3\):93](#); [25\(4\):164,168](#).

[26\(4\):144,177,185.](#)
[27\(2\):62,64,89; 27\(3\):107; 27\(4\):184,195.](#)
[28\(4\):167,171.](#)

ZOSTEROPIDAE

Silvereye *Zosterops lateralis*
[25\(1\):20; 25\(3\):90,93; 25\(4\):165,166.](#)
[26\(1\):4; 26\(2\):40-41,53-54; 26\(3\):68, 101; 26\(4\):107,144,177,178,182.](#)
[27\(1\):4,5,10; 27\(2\):59; 27\(3\):105,106,108,119,121,129; 27\(4\):185,192.](#)
[28\(3\):81,82,102; 28\(4\):127,167,169,174.](#)
Robust White-eye *Zosterops strenuus*
[27\(2\):90.](#)

MUSCICAPIDAE

Bassian Thrush *Zoothera lunulata*
[25\(1\):14; 25\(4\):165,169.](#)
[26\(4\):144,177.](#)
[27\(1\):10; 27\(2\):79; 27\(4\):185.](#)
[28\(4\):127,167,172,177.](#)
Common Blackbird *Turdus merula*
[25\(1\):14,25; 25\(3\):93,108; 25\(4\):165,166.](#)
[26\(1\):6; 26\(2\):40-41; 26\(4\):144,177,178,182.](#)
[27\(2\):85; 27\(4\):185,192.](#)
[28\(3\):81,83,98; 28\(4\):167,170,174.](#)
Song Thrush *Turdus philomelos*
[25\(1\):14.](#)

Eastern Bluebird *Sialia sialis*

[25\(1\):43.](#)

American Robin *Turdus migratorius*

[25\(1\):43.](#)

[27\(2\):69.](#)

STURNIDAE

Tasman Starling *Aplonis fusca*
[27\(2\):90.](#)
Common Starling *Sturnus vulgaris*
[25\(1\):18,29,43; 25\(2\):86; 25\(3\):93; 25\(4\):129,165,166.](#)
[26\(1\):4,5; 26\(2\):36,37,40-41; 26\(3\):68,70,72; 26\(4\):107,144,177,178,182.](#)
[27\(1\):5,6,10; 27\(2\):53,54,59,62; 27\(3\):103,104,108,111,119,121; 27\(4\):147,185,192.](#)
[28\(1\):27; 28\(2\):63; 28\(3\):81,82,120; 28\(4\):127,168,169,174.](#)
Common Myna *Acridotheres tristis*
[25\(1\):29; 25\(2\):77,78,86; 25\(3\):95-97,119,123; 25\(4\):129,165,166.](#)
[26\(2\):36,40-41; 26\(3\):69,85; 26\(4\):106,107,144,177,178,182.](#)
[27\(1\):12; 27\(2\):78,92; 27\(3\):105,107,119,122; 27\(4\):147,185,192.](#)
[28\(1\):29; 28\(3\):81,82,86,102; 28\(4\):127,168,170,174.](#)

Singing Starling *Aplonis cantoroides*

[27\(2\):91,92.](#)

Bali Myna *Leucopsar rothschildi*

[25\(3\):123.](#)